



80087200008404784

CERTIFICATE NUMBER

 Commercial Vehicle Inspection Certificate
 Traffic Safety Act


 PART 1 - VEHICLE OWNER AND VEHICLE
 IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:		
GVW:	48900 kg	Brake Type:	Air	
Owner Name:	CROSSING COMPANY LRD			
Address:	1807-8 ST			
City:	NISKU	Province:	AB	Postal Code:
Telephone Number:	(780) 402-6530			
Vehicle Identification Number:	2FWJAZCK34AM88373			
Make:	Sterling		Model:	Sterling
Year:	2004		Unit Number:	220
Odometer:	466083 KM	Licence Plate Number:		BGP8832
		Province:		AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Edge Fleet Maintenance (1998) Ltd.	10737
Inspection Technician Name:	Technician Number:
Ronald Schramm	A1446
Inspection Technician Signature:	
Inspection Date:	2025/08/18

COMMERCIAL VEHICLE RECORD OF INSPECTION

TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle												Gross Vehicle Weight registered																																																																																																																																																																																																																																																																																																																																	
Truck												48900 kg																																																																																																																																																																																																																																																																																																																																	
Vehicle Information																																																																																																																																																																																																																																																																																																																																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25px;">VIN</td> <td style="width: 10px;">2</td> <td style="width: 10px;">F</td> <td style="width: 10px;">W</td> <td style="width: 10px;">J</td> <td style="width: 10px;">A</td> <td style="width: 10px;">Z</td> <td style="width: 10px;">C</td> <td style="width: 10px;">K</td> <td style="width: 10px;">3</td> <td style="width: 10px;">4</td> <td style="width: 10px;">A</td> <td style="width: 10px;">M</td> <td style="width: 10px;">8</td> <td style="width: 10px;">8</td> <td style="width: 10px;">3</td> <td style="width: 10px;">7</td> <td style="width: 10px;">3</td> </tr> </table>																		VIN	2	F	W	J	A	Z	C	K	3	4	A	M	8	8	3	7	3																																																																																																																																																																																																																																																																																																										
VIN	2	F	W	J	A	Z	C	K	3	4	A	M	8	8	3	7	3																																																																																																																																																																																																																																																																																																																												
Unit Number		Year				Make				Model				Odometer																																																																																																																																																																																																																																																																																																																															
220		2004				Sterling				Sterling				466,083																																																																																																																																																																																																																																																																																																																															
Registered Owner's Name																																																																																																																																																																																																																																																																																																																																													
CROSSING COMPANY LRD																																																																																																																																																																																																																																																																																																																																													
Address												Postal Code			Phone Number																																																																																																																																																																																																																																																																																																																														
1807-8 ST												T9E-7J8			(780) 402-6530																																																																																																																																																																																																																																																																																																																														
Drum Brakes: A-Full Inspection with Drum Removed												Disc Brakes:																																																																																																																																																																																																																																																																																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="width: 20px;"></th> <th colspan="3" style="width: 15px;">LEFT</th> <th colspan="3" style="width: 15px;">FRONT</th> <th colspan="3" style="width: 15px;">RIGHT</th> <th colspan="2" style="width: 20px;"></th> </tr> </thead> <tbody> <tr> <td colspan="2" style="text-align: center;">90 psi</td> <td style="text-align: center;">420.00</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Drums/Rotors</td> <td style="text-align: center;">420.30</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">85 psi</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">13 mm</td> <td style="text-align: center;">19</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Linings/Pads</td> <td style="text-align: center;">21</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">13 mm</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">90 psi</td> <td style="text-align: center;">30</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Push Rod Travel</td> <td style="text-align: center;">35</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">95 psi</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">17 mm</td> <td colspan="2"></td> <td style="text-align: center;">420.85</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Drums/Rotors</td> <td style="text-align: center;">421.00</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">90 psi</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">15 mm</td> <td colspan="2"></td> <td style="text-align: center;">17</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Linings/Pads</td> <td style="text-align: center;">17</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">11 mm</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">27 mm</td> <td colspan="2"></td> <td style="text-align: center;">27</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Push Rod Travel</td> <td style="text-align: center;">25</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">15 mm</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">95 psi</td> <td colspan="2"></td> <td style="text-align: center;">421.08</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Drums/Rotors</td> <td style="text-align: center;">421.30</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">100 psi</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">23 mm</td> <td colspan="2"></td> <td style="text-align: center;">14</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Linings/Pads</td> <td style="text-align: center;">16</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">13 mm</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">100 psi</td> <td colspan="2"></td> <td style="text-align: center;">34</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Push Rod Travel</td> <td style="text-align: center;">35</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">12 mm</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">psi</td> <td colspan="2"></td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Drums/Rotors</td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">psi</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">mm</td> <td colspan="2"></td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Linings/Pads</td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">mm</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">mm</td> <td colspan="2"></td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Push Rod Travel</td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">mm</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">psi</td> <td colspan="2"></td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Drums/Rotors</td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">psi</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">mm</td> <td colspan="2"></td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Linings/Pads</td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">mm</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">mm</td> <td colspan="2"></td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Push Rod Travel</td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">mm</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">psi</td> <td colspan="2"></td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Drums/Rotors</td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">psi</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">mm</td> <td colspan="2"></td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Linings/Pads</td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">mm</td> <td colspan="2"></td> </tr> <tr> <td colspan="2" style="text-align: center;">mm</td> <td colspan="2"></td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="3" style="text-align: center;">Push Rod Travel</td> <td style="text-align: center;">mm</td> <td style="text-align: center;">mm</td> <td colspan="2" style="text-align: center;">mm</td> <td colspan="2"></td> </tr> <tr> <td colspan="6" style="text-align: center;">Park Brake Lining</td> <td style="text-align: center;">Left</td> <td style="text-align: center;">N/A</td> <td style="text-align: center;">mm</td> <td style="text-align: center;">Right</td> <td style="text-align: center;">N/A</td> <td style="text-align: center;">mm</td> <td style="text-align: center;">Trans</td> <td style="text-align: center;">N/A</td> <td style="text-align: center;">mm</td> <td colspan="4"></td> </tr> <tr> <td colspan="6" style="text-align: center;">Wheel Torque Checked</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td style="text-align: center;">Inner</td> <td style="text-align: center;">N/A</td> <td style="text-align: center;">ft lbs</td> <td style="text-align: center;">Outer</td> <td style="text-align: center;">500</td> <td style="text-align: center;">ft lbs</td> <td colspan="4"></td> </tr> </tbody> </table>																				LEFT			FRONT			RIGHT					90 psi		420.00	mm	Drums/Rotors			420.30	mm	85 psi					13 mm		19	mm	Linings/Pads			21	mm	13 mm					90 psi		30	mm	Push Rod Travel			35	mm	95 psi					17 mm				420.85	mm	Drums/Rotors			421.00	mm	90 psi				15 mm				17	mm	Linings/Pads			17	mm	11 mm				27 mm				27	mm	Push Rod Travel			25	mm	15 mm				95 psi				421.08	mm	Drums/Rotors			421.30	mm	100 psi				23 mm				14	mm	Linings/Pads			16	mm	13 mm				100 psi				34	mm	Push Rod Travel			35	mm	12 mm				psi				mm	mm	Drums/Rotors			mm	mm	psi				mm				mm	mm	Linings/Pads			mm	mm	mm				mm				mm	mm	Push Rod Travel			mm	mm	mm				psi				mm	mm	Drums/Rotors			mm	mm	psi				mm				mm	mm	Linings/Pads			mm	mm	mm				mm				mm	mm	Push Rod Travel			mm	mm	mm				psi				mm	mm	Drums/Rotors			mm	mm	psi				mm				mm	mm	Linings/Pads			mm	mm	mm				mm				mm	mm	Push Rod Travel			mm	mm	mm				Park Brake Lining						Left	N/A	mm	Right	N/A	mm	Trans	N/A	mm					Wheel Torque Checked						<input checked="" type="checkbox"/>	Inner	N/A	ft lbs	Outer	500	ft lbs				
		LEFT			FRONT			RIGHT																																																																																																																																																																																																																																																																																																																																					
90 psi		420.00	mm	Drums/Rotors			420.30	mm	85 psi																																																																																																																																																																																																																																																																																																																																				
13 mm		19	mm	Linings/Pads			21	mm	13 mm																																																																																																																																																																																																																																																																																																																																				
90 psi		30	mm	Push Rod Travel			35	mm	95 psi																																																																																																																																																																																																																																																																																																																																				
17 mm				420.85	mm	Drums/Rotors			421.00	mm	90 psi																																																																																																																																																																																																																																																																																																																																		
15 mm				17	mm	Linings/Pads			17	mm	11 mm																																																																																																																																																																																																																																																																																																																																		
27 mm				27	mm	Push Rod Travel			25	mm	15 mm																																																																																																																																																																																																																																																																																																																																		
95 psi				421.08	mm	Drums/Rotors			421.30	mm	100 psi																																																																																																																																																																																																																																																																																																																																		
23 mm				14	mm	Linings/Pads			16	mm	13 mm																																																																																																																																																																																																																																																																																																																																		
100 psi				34	mm	Push Rod Travel			35	mm	12 mm																																																																																																																																																																																																																																																																																																																																		
psi				mm	mm	Drums/Rotors			mm	mm	psi																																																																																																																																																																																																																																																																																																																																		
mm				mm	mm	Linings/Pads			mm	mm	mm																																																																																																																																																																																																																																																																																																																																		
mm				mm	mm	Push Rod Travel			mm	mm	mm																																																																																																																																																																																																																																																																																																																																		
psi				mm	mm	Drums/Rotors			mm	mm	psi																																																																																																																																																																																																																																																																																																																																		
mm				mm	mm	Linings/Pads			mm	mm	mm																																																																																																																																																																																																																																																																																																																																		
mm				mm	mm	Push Rod Travel			mm	mm	mm																																																																																																																																																																																																																																																																																																																																		
psi				mm	mm	Drums/Rotors			mm	mm	psi																																																																																																																																																																																																																																																																																																																																		
mm				mm	mm	Linings/Pads			mm	mm	mm																																																																																																																																																																																																																																																																																																																																		
mm				mm	mm	Push Rod Travel			mm	mm	mm																																																																																																																																																																																																																																																																																																																																		
Park Brake Lining						Left	N/A	mm	Right	N/A	mm	Trans	N/A	mm																																																																																																																																																																																																																																																																																																																															
Wheel Torque Checked						<input checked="" type="checkbox"/>	Inner	N/A	ft lbs	Outer	500	ft lbs																																																																																																																																																																																																																																																																																																																																	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature			✓
1.2. Exhaust System	✓			1.9. Gear Position Indicator			✓
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt			✓
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System			✓
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)			✓
1.7. Engine/Shut Down	✓			* SEE APPENDIX A*			

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System	✓			A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System	✓						

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension			✓
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly			✓
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components	✓			3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator	✓			3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System	✓			3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System	✓			3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System	✓			3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System	✓			3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps	✓			3H.19. Brake Performance			✓
3H.12. Drum Brake System Components	✓						

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components			✓
3A.2. Air Supply System	✓			3A.14. Brake Chamber			✓
3A.4. Air Tank	✓			3A.15. Drum Brake System Components			✓
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System			✓
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)			✓
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin			✓
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster			✓
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps			✓
6.2. Reflex Reflector	✓			6.5. Headlamp Aim			✓
6.3. Retro-Reflective Marking	✓						

NOTES:

1X MARKER LIGHT OUT-H/ACHE RACK. MARKER LAMP REPLACED.

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper			✓
8.2. Tilt Cab		✓		8.13. Windshield			✓
8.3. Air-Suspended Cab	✓			8.14. Side Windows			✓
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓
8.5. Cargo Body	✓			8.16. Interior Sun Visor			✓
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor			✓
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror			✓
8.8. Cab or Cargo Door	✓			8.19. Seat			✓
8.9. Cargo Tank or Vessel		✓		8.20. Seat Belt/Occupant Restraint			✓
8.10. Body, Device or Equipment Attached or Mounted to the		✓		8.21. Fender/Mud Flap			✓

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓	
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓	
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System		✓	
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

STEER AXLE,2X WHEEL SEALS LEAKING. AXLE 2,L/H WHEEL SEAL LEAK. 2X WHEEL SEALS REPLACED,AXLE 1. 1X WHEEL SEAL REPLACED AXLE 2,L/H.


Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)		✓		10.6. Automated Coupling Device		✓	
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch		✓		10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch		✓		10.8. Oscillating Fifth Wheel Coupler		✓	

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8404784) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/08/18	A1446	10737	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/08/18

Customer Signature