



CV8509362



80087100008509362

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety ActPART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:		
GVW:	55000 kg	Brake Type:	Air	
Owner Name:	THE CROSSING COMPANY LRD INC			
Address:	1807 8 STREET			
City:	NISKU	Province:	AB	Postal Code:
Telephone Number:	(780) 955-5051			
Vehicle Identification Number:	2FZPAZCK84AN00918			
Make:	Sterling		Model:	Sterling
Year:	2004		Unit Number:	230
Odometer:	375769 KM	Licence Plate Number:	BGR8601	Province:
				AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:	
Fountain Tire (Grande Prairie Hwy) Co. Ltd.	20739	
Inspection Technician Name:	Technician Number:	
Simon Spenner	D2697	
Inspection Technician Signature:		
Inspection Date:	2025/04/04	

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle												Gross Vehicle Weight registered																																																																																																																																																																																																																																				
Truck												55000 kg																																																																																																																																																																																																																																				
Vehicle Information																																																																																																																																																																																																																																																
VIN	2	F	Z	P	A	Z	C	K	8	4	A	N	0	0	9	1	8																																																																																																																																																																																																																															
Unit Number		230		Year		2004		Make		Sterling		Model		Sterling		Odometer		375,769																																																																																																																																																																																																																														
Registered Owner's Name												THE CROSSING COMPANY LRD INC						Plate Number																																																																																																																																																																																																																														
Address												1807 8 STREET				Postal Code				T9E7S8				Phone Number																																																																																																																																																																																																																								
Drum Brakes: A-Full Inspection with Drum Removed												Disc Brakes:																																																																																																																																																																																																																																				
<table border="1"> <thead> <tr> <th colspan="3">LEFT</th> <th colspan="3">FRONT</th> <th colspan="3">RIGHT</th> </tr> </thead> <tbody> <tr> <td>114 psi</td> <td>22/32 in</td> <td></td> <td>16.578 in</td> <td>Drums/Rotors</td> <td>16.584 in</td> <td></td> <td>114 psi</td> <td>20/32 in</td> <td></td> </tr> <tr> <td>93 psi</td> <td>18/32 in</td> <td></td> <td>11/16 in</td> <td>Linings/Pads</td> <td>11/16 in</td> <td></td> <td>94 psi</td> <td>19/32 in</td> <td></td> </tr> <tr> <td>92 psi</td> <td>18/32 in</td> <td></td> <td>1.75 in</td> <td>Push Rod Travel</td> <td>1.75 in</td> <td></td> <td>80 psi</td> <td>19/32 in</td> <td></td> </tr> <tr> <td>96 psi</td> <td>10/32 in</td> <td></td> <td>16.558 in</td> <td>Drums/Rotors</td> <td>16.567 in</td> <td></td> <td>97 psi</td> <td>9/32 in</td> <td></td> </tr> <tr> <td>96 psi</td> <td>11/32 in</td> <td></td> <td>13/16 in</td> <td>Linings/Pads</td> <td>13/16 in</td> <td></td> <td>94 psi</td> <td>12/32 in</td> <td></td> </tr> <tr> <td>98 psi</td> <td>19/32 in</td> <td></td> <td>1.25 in</td> <td>Push Rod Travel</td> <td>1.5 in</td> <td></td> <td>96 psi</td> <td>19/32 in</td> <td></td> </tr> <tr> <td>98 psi</td> <td>19/32 in</td> <td></td> <td>16.574 in</td> <td>Drums/Rotors</td> <td>16.587 in</td> <td></td> <td>94 psi</td> <td>19/32 in</td> <td></td> </tr> <tr> <td>psi</td> <td>in</td> <td></td> <td>3/4 in</td> <td>Linings/Pads</td> <td>5/8 in</td> <td></td> <td>psi</td> <td>in</td> <td></td> </tr> <tr> <td>psi</td> <td>in</td> <td></td> <td>0.5 in</td> <td>Push Rod Travel</td> <td>1.5 in</td> <td></td> <td>psi</td> <td>in</td> <td></td> </tr> <tr> <td>psi</td> <td>in</td> <td></td> <td>16.564 in</td> <td>Drums/Rotors</td> <td>16.546 in</td> <td></td> <td>psi</td> <td>in</td> <td></td> </tr> <tr> <td>psi</td> <td>in</td> <td></td> <td>13/16 in</td> <td>Linings/Pads</td> <td>3/4 in</td> <td></td> <td>psi</td> <td>in</td> <td></td> </tr> <tr> <td>psi</td> <td>in</td> <td></td> <td>0.5 in</td> <td>Push Rod Travel</td> <td>1.0 in</td> <td></td> <td>psi</td> <td>in</td> <td></td> </tr> <tr> <td>psi</td> <td>in</td> <td></td> <td>in</td> <td>Drums/Rotors</td> <td>in</td> <td></td> <td>psi</td> <td>in</td> <td></td> </tr> <tr> <td>psi</td> <td>in</td> <td></td> <td>in</td> <td>Linings/Pads</td> <td>in</td> <td></td> <td>psi</td> <td>in</td> <td></td> </tr> <tr> <td>psi</td> <td>in</td> <td></td> <td>in</td> <td>Push Rod Travel</td> <td>in</td> <td></td> <td>psi</td> <td>in</td> <td></td> </tr> <tr> <td>psi</td> <td>in</td> <td></td> <td>in</td> <td>Drums/Rotors</td> <td>in</td> <td></td> <td>psi</td> <td>in</td> <td></td> </tr> <tr> <td>psi</td> <td>in</td> <td></td> <td>in</td> <td>Linings/Pads</td> <td>in</td> <td></td> <td>psi</td> <td>in</td> <td></td> </tr> <tr> <td>psi</td> <td>in</td> <td></td> <td>in</td> <td>Push Rod Travel</td> <td>in</td> <td></td> <td>psi</td> <td>in</td> <td></td> </tr> <tr> <td colspan="2">Park Brake Lining</td> <td>Left</td> <td>NA</td> <td>in</td> <td>Right</td> <td>NA</td> <td>in</td> <td>Trans</td> <td>NA</td> <td>in</td> <td colspan="6"></td> </tr> <tr> <td colspan="2">Wheel Torque Checked</td> <td></td> <td><input checked="" type="checkbox"/> Inner</td> <td>NA</td> <td>ft lbs</td> <td>Outer</td> <td>500</td> <td>ft lbs</td> <td></td> <td></td> <td colspan="6"></td> </tr> </tbody> </table>																		LEFT			FRONT			RIGHT			114 psi	22/32 in		16.578 in	Drums/Rotors	16.584 in		114 psi	20/32 in		93 psi	18/32 in		11/16 in	Linings/Pads	11/16 in		94 psi	19/32 in		92 psi	18/32 in		1.75 in	Push Rod Travel	1.75 in		80 psi	19/32 in		96 psi	10/32 in		16.558 in	Drums/Rotors	16.567 in		97 psi	9/32 in		96 psi	11/32 in		13/16 in	Linings/Pads	13/16 in		94 psi	12/32 in		98 psi	19/32 in		1.25 in	Push Rod Travel	1.5 in		96 psi	19/32 in		98 psi	19/32 in		16.574 in	Drums/Rotors	16.587 in		94 psi	19/32 in		psi	in		3/4 in	Linings/Pads	5/8 in		psi	in		psi	in		0.5 in	Push Rod Travel	1.5 in		psi	in		psi	in		16.564 in	Drums/Rotors	16.546 in		psi	in		psi	in		13/16 in	Linings/Pads	3/4 in		psi	in		psi	in		0.5 in	Push Rod Travel	1.0 in		psi	in		psi	in		in	Drums/Rotors	in		psi	in		psi	in		in	Linings/Pads	in		psi	in		psi	in		in	Push Rod Travel	in		psi	in		psi	in		in	Drums/Rotors	in		psi	in		psi	in		in	Linings/Pads	in		psi	in		psi	in		in	Push Rod Travel	in		psi	in		Park Brake Lining		Left	NA	in	Right	NA	in	Trans	NA	in							Wheel Torque Checked			<input checked="" type="checkbox"/> Inner	NA	ft lbs	Outer	500	ft lbs								
LEFT			FRONT			RIGHT																																																																																																																																																																																																																																										
114 psi	22/32 in		16.578 in	Drums/Rotors	16.584 in		114 psi	20/32 in																																																																																																																																																																																																																																								
93 psi	18/32 in		11/16 in	Linings/Pads	11/16 in		94 psi	19/32 in																																																																																																																																																																																																																																								
92 psi	18/32 in		1.75 in	Push Rod Travel	1.75 in		80 psi	19/32 in																																																																																																																																																																																																																																								
96 psi	10/32 in		16.558 in	Drums/Rotors	16.567 in		97 psi	9/32 in																																																																																																																																																																																																																																								
96 psi	11/32 in		13/16 in	Linings/Pads	13/16 in		94 psi	12/32 in																																																																																																																																																																																																																																								
98 psi	19/32 in		1.25 in	Push Rod Travel	1.5 in		96 psi	19/32 in																																																																																																																																																																																																																																								
98 psi	19/32 in		16.574 in	Drums/Rotors	16.587 in		94 psi	19/32 in																																																																																																																																																																																																																																								
psi	in		3/4 in	Linings/Pads	5/8 in		psi	in																																																																																																																																																																																																																																								
psi	in		0.5 in	Push Rod Travel	1.5 in		psi	in																																																																																																																																																																																																																																								
psi	in		16.564 in	Drums/Rotors	16.546 in		psi	in																																																																																																																																																																																																																																								
psi	in		13/16 in	Linings/Pads	3/4 in		psi	in																																																																																																																																																																																																																																								
psi	in		0.5 in	Push Rod Travel	1.0 in		psi	in																																																																																																																																																																																																																																								
psi	in		in	Drums/Rotors	in		psi	in																																																																																																																																																																																																																																								
psi	in		in	Linings/Pads	in		psi	in																																																																																																																																																																																																																																								
psi	in		in	Push Rod Travel	in		psi	in																																																																																																																																																																																																																																								
psi	in		in	Drums/Rotors	in		psi	in																																																																																																																																																																																																																																								
psi	in		in	Linings/Pads	in		psi	in																																																																																																																																																																																																																																								
psi	in		in	Push Rod Travel	in		psi	in																																																																																																																																																																																																																																								
Park Brake Lining		Left	NA	in	Right	NA	in	Trans	NA	in																																																																																																																																																																																																																																						
Wheel Torque Checked			<input checked="" type="checkbox"/> Inner	NA	ft lbs	Outer	500	ft lbs																																																																																																																																																																																																																																								

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

Section 1 - Power Train							
Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator		✓		1.8. Engine Start Safety Feature		✓	
1.2. Exhaust System		✓		1.10. Engine or Accessory Drive Belt		✓	
1.3. Emission Control Systems and Devices			✓	1.9. Gear Position Indicator		✓	
1.4. Drive Shaft		✓		1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal		✓		1.12. Gasoline or Diesel Fuel System		✓	
1.6. Engine/Transmission Mount		✓		1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down		✓					

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			
A.2. Compressed Natural Gas (CNG) Fuel System			✓				✓

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments		✓		2.5. Air Suspension		✓	
2.2. Axle Attaching & Tracking Components		✓		2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly		✓		2.7. Shock Absorber/Strut Assembly		✓	
2.4. Spring & Spring Attachment		✓					

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor		✓		3A.13. Air System Components		✓	
3A.2. Air Supply System		✓		3A.14. Brake Chamber		✓	
3A.4. Air Tank		✓		3A.15. Drum Brake System Components		✓	
3A.5. Air Tank Check Valves		✓		3A.16. S-Cam Drum Brake System		✓	
3A.6. Brake Pedal/Actuator		✓		3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve		✓		3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls		✓		3A.19. Anti-Lock Brake System (ABS)		✓	
3A.9. Proportioning, Inversion or Modulation Valve		✓		3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System		✓		3A.23. Brake Performance		✓	

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

Section 3A - Air Brakes					
Component	P	F	NA	Component	P
3A.11. Parking Brake & Emergency Application	✓				
NOTES:					

Section 4 - Steering					
Component	P	F	NA	Component	P
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓
4.3. Steering Operation (Active Steer Axle)	✓				✓
NOTES:					

Section 5 - Instruments and Auxiliary Equipment					
Component	P	F	NA	Component	P
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓
5.7. Windshield Wiper/Washer	✓				
NOTES:					

Section 6 - Lamps					
Component	P	F	NA	Component	P
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓
6.3. Retro-Reflective Marking	✓				
NOTES:					

Section 7 - Electrical System					
Component	P	F	NA	Component	P
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓
7.2. Battery	✓				
NOTES:					

Section 8 - Body					
Component	P	F	NA	Component	P
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓
8.2. Tilt Cab	✓			8.13. Windshield	✓
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓
8.8. Cab or Cargo Door	✓			8.19. Seat	✓
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Component	Section 8 - Body			Component	P	F	NA
	P	F	NA				
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Refrigerator or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:

Component	Section 9 - Tires and Wheels			Component	P	F	NA
	P	F	NA				
9.1. Tire Tread Depth		✓		9.7. Wheel/Rim (Applies to all wheel types)		✓	
9.2. Tire Tread Condition		✓		9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings		✓		9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure		✓		9.10. Disc Wheel System		✓	
9.5. Wheel Hub		✓		9.11. Wheel Fasteners (Nuts, Bolts and Studs)		✓	
9.6. Wheel Bearing		✓					


NOTES:

Component	Section 10 - Couplers and Hitches			Component	P	F	NA
	P	F	NA				
10.1. Hitch Assembly, Structure & Attaching Components		✓		10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)		✓		10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch		✓		10.7. Fifth Wheel Coupler		✓	
10.4. Ball Type Hitch		✓		10.8. Oscillating Fifth Wheel Coupler		✓	✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8509362) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/04/04	D2697	20739	

Customer Acknowledgment	Date (Year/Month/Day)
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.	2025/04/04
	Customer Signature 