



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

H01-45

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63400 kg	Brake Type:	Air
Owner Name:	Kropp Contracting Ltd.		
Address:	Box 237		
City:	Slave Lake	Province:	AB
		Postal Code:	T0G2A0
Telephone Number:	(780) 849-6229		
Vehicle Identification Number:	3BKZX4EX7TF986817		
Make:	kenworth	Model:	T880
Year:	2026	Unit Number:	N129
Odometer:	115904 KM	Licence Plate Number:	0CV990
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Kropp Contracting Ltd.	18733
Inspection Technician Name:	Technician Number:
Westley Nadeau	C1246
Inspection Technician Signature:	
Inspection Date:	2026/06/19

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered											
Truck										63400 kg											
Vehicle Information																					
VIN	3	B	K	Z	X	4	E	X	7	T	F	9	8	6	8	1	7				
Unit Number				Year			Make				Model				Odometer						
N189				2020			Kenworth				Censtrud				115909						
Registered Owner's Name																	Plate Number				
Krop Contracting Ltd																	O-CV990				
Address												Postal Code				Phone Number					
Box 737 Slave Lake												T0G 2A0				780 849 6229					

		LEFT		FRONT		RIGHT			
100 psi 18 mm		16.511	mm	Drums/Rotors	16.517	mm		100 psi 15 mm	
		3/4	mm	Linings/Pads	3/4	mm			
		1.5	mm	Push Rod Travel	1.5	mm			
		35		Cam Rotation	35				
100 psi 20 mm		16.507	mm	Drums/Rotors	11.522	mm		100 psi 19 mm	
		3/4	mm	Linings/Pads	3/4	mm			
		1.5	mm	Push Rod Travel	1.5	mm			
		30		Cam Rotation	35				
100 psi 22 mm		16.503	mm	Drums/Rotors	16.511	mm		100 psi 20 mm	
		3/4	mm	Linings/Pads	3/4	mm			
		1.5	mm	Push Rod Travel	1.5	mm			
		30		Cam Rotation	30				
100 psi 19 mm		16.509	mm	Drums/Rotors	11.515	mm		100 psi 21 mm	
		3/4	mm	Linings/Pads	3/4	mm			
		1.5	mm	Push Rod Travel	1.5	mm			
		30		Cam Rotation	32				
psi mm			mm	Drums/Rotors		mm		psi mm	
			mm	Linings/Pads		mm			
			mm	Push Rod Travel		mm			
				Cam Rotation					

Park Brake Lining Left mm Right mm Trans mm

Wheel Torque Checked ☒ Inner ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	☒	☐	☐	1.8. Engine Start Safety Feature	☒	☐	☐	
1.2. Exhaust System	☒	☐	☐	1.9. Gear Position Indicator	☒	☐	☐	
1.3. Emission Control Systems and Devices	☒	☐	☐	1.10. Engine or Accessory Drive Belt	☒	☐	☐	
1.4. Drive Shaft	☒	☐	☐	1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System	☐	☐	☒	
1.5. Clutch and Clutch Pedal	☒	☐	☐	1.12. Gasoline or Diesel Fuel System	☒	☐	☐	
1.6. Engine/Transmission Mount	☒	☐	☐	1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)	☐	☐	☒	
1.7. Engine/Shut Down	☒	☐	☐	* SEE APPENDIX A*	☐	☐	☐	

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System	☐	☐	☐	A.3. Liquefied Natural Gas (LNG) Fuel System	☐	☐	☐	
A.2. Compressed Natural Gas (CNG) Fuel System	☐	☐	☐		☐	☐	☐	

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	☒	☐	☐	2.5. Air Suspension	☒	☐	☐	
2.2. Axle Attaching & Tracking Components	☒	☐	☐	2.6. Self-Steer and Controlled-Steer Axle	☒	☐	☐	
2.3. Axle & Axle Assembly	☒	☐	☐	2.7. Shock Absorber/Strut Assembly	☒	☐	☐	
2.4. Spring & Spring Attachment	☒	☐	☐		☐	☐	☐	

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components	☐	☐	☐	3H.13. Disc Brake System Components	☐	☐	☐	
3H.2. Brake Pedal/Actuator	☐	☐	☐	3H.14. Mechanical Parking Brake	☐	☐	☐	
3H.3. Vacuum Assist (Boost) System	☐	☐	☐	3H.15. Spring-Applied Air-Released Parking Brake	☐	☐	☐	
3H.4. Hydraulic Assist (Boost) System	☐	☐	☐	3H.16. Spring-Applied Hydraulic-Released Parking Brake	☐	☐	☐	
3H.5. Air Assist (Boost) System	☐	☐	☐	3H.17. Anti-Lock Brake System (ABS)	☐	☐	☐	
3H.6. Air-Over-Hydraulic Brake System	☐	☐	☐	3H.18. Stability Control System	☐	☐	☐	
3H.11. Brake System Indicator Lamps	☐	☐	☐	3H.19. Brake Performance	☐	☐	☐	
3H.12. Drum Brake System Components	☐	☐	☐		☐	☐	☐	

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	☒	☐	☐	3A.13. Air System Components	☒	☐	☐	
3A.2. Air Supply System	☒	☐	☐	3A.14. Brake Chamber	☒	☐	☐	
3A.4. Air Tank	☒	☐	☐	3A.15. Drum Brake System Components	☒	☐	☒	
3A.5. Air Tank Check Valves	☒	☐	☐	3A.16. S-Cam Drum Brake System	☒	☐	☐	
3A.6. Brake Pedal/Actuator	☒	☐	☐	3A.17. Brake Shoe Travel (Wedge Brakes)	☒	☐	☐	
3A.7. Treadle Valve and Trailer Hand Valve	☒	☐	☐	3A.18. Disc Brake System Components	☒	☐	☐	
3A.8. Brake Valves & Controls	☒	☐	☐	3A.19. Anti-Lock Brake System (ABS)	☒	☐	☐	
3A.9. Proportioning, Inversion or Modulation Valve	☒	☐	☐	3A.21. Stability Control System	☒	☐	☐	
3A.10. Towing Vehicle (Tractor) Protection System	☒	☐	☐	3A.23. Brake Performance	☐	☐	☒	
3A.11. Parking Brake & Emergency Application	☒	☐	☐		☐	☐	☐	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	/	/		4.4. Kingpin	/		
4.2. Power Steering System (Hydraulic and Electric)	/	/		4.5. Self-Steer and Controlled-Steer Axle	/		
4.3. Steering Operation (Active Steer Axle)	/	/					

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	/	/		5.8. Heater & Windshield Defroster	/		
5.2. Hazard Warning Kit	/	/		5.9. Fuel-Burning Auxiliary Heater			/
5.3. Horn	/	/		5.10. Chain/"Headache" Rack	/		
5.5. Speedometer	/	/		5.11. Auxiliary Controls and Devices			/
5.6. Odometer	/	/		5.12. Auxiliary Drive Controls			/
5.7. Windshield Wiper/Washer	/	/					

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	/	/		6.4. Instrument Panel Lamps	/		
6.2. Reflex Reflector	/	/		6.5. Headlamp Aim	/		
6.3. Retro-Reflective Marking	/	/					

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	/	/		7.3. Trailer Cord (output to towed vehicle)	/		
7.2. Battery	/	/					

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	/	/		8.12. Bumper	/		
8.2. Tilt Cab	/	/		8.13. Windshield	/		
8.3. Air-Suspended Cab	/	/		8.14. Side Windows	/		
8.4. Cab and Passenger-Vehicle Body	/	/		8.15. Rear Window	/		
8.5. Cargo Body	/	/		8.16. Interior Sun Visor	/		
8.6. Frame, Rails & Mounts	/	/		8.17. Exterior Windshield Sun Visor	/		
8.7. Utilized Body Elements	/	/		8.18. Rear-View Mirror	/		
8.8. Cab or Cargo Door	/	/		8.19. Seat	/		
8.9. Cargo Tank or Vessel	/	/		8.20. Seat Belt/Occupant Restraint	/		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	/	/		8.21. Fender/Mud Flap	/		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))	/	/		8.24. Aerodynamic Device & Attachment			/

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	/			9.7. Wheel/Rim (Applies to all wheel types)	/		
9.2. Tire Tread Condition	/			9.8. Multi-Piece Wheel/Rim			/
9.3. Tire Sidewall & Manufacturer Markings	/			9.9. Spoke Wheel/Demountable Rim System			/
9.4. Tire Inflation Pressure	/			9.10. Disc Wheel System	/		
9.5. Wheel Hub	/			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	/		
9.6. Wheel Bearing	/						

NOTES:


Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	/			10.5. Roll-Coupling Hitch			/
10.2. Secondary Attachment (Safety Chain or Cable)			/	10.6. Automated Coupling Device			/
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			/	10.7. Fifth Wheel Coupler	/		
10.4. Ball Type Hitch			/	10.8. Oscillating Fifth Wheel Coupler			/

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has passed the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection <u>June 19/26</u>	Technician Number <u>C1246</u>	Facility Number <u>18733</u>	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

June 19/26

Customer Signature

