

**COMPLETE VEHICLE
EU CERTIFICATE OF CONFORMITY**



The undersigned, Yiting Chen, Managing Director
Hereby certifies that the following complete vehicle:

- 0.1. Make (trade name of the manufacturer): E-MAX, VMOTO
- 0.2. Type: CUX
- 0.2.1. Variant: 3
- 0.2.2. Version: 1
- 0.2.3. Commercial name (if available): Not applicable
- 0.3. Category, subcategory and sub-subcategory of vehicle: L1e-B
- 0.4. Company name and address of manufacturer:
NANJING VMOTO MANUFACTURING CO., LTD.
NO. 15, EAST ZHONGXING ROAD, LISHUI ECONOMIC DEVELOPMENT ZONE,
NANJING CITY, JIANGSU PROVINCE, CHINA

0.4.2. Name and address of manufacturer's authorized representative (if any):

- 0.5.1. Location of the manufacturer's statutory plate(s): R, X550, Y102, Z168
- 0.5.2. Method of attachment of the manufacturer's statutory plate(s): Riveted
- 0.6. Location of the vehicle identification number: R, X347, Y5, Z380

1. Vehicle identification number: ☆LYSCLX31XN1003886☆
conforms in all respects to the type described in EU type-approval (e13**168/2013*00522*05 type-approval
number including extension number) issued on (05, 11, 2021 date of issue) and

can be permanently registered in Member States having right/left-hand traffic and using metric/imperial units for the
speedometer.

NANJING, CHINA _____
(place) _____
15, 03, 2022 _____
(date)

陈奕廷

(signature)

General construction characteristics

- 1.3. Number of axles: 2 and wheels: 2
- 1.3.1. Axles with twin wheels: N.A.
- 1.3.2. Powered axles: R
- 6.2.4. Advanced braking system: ABS+CBS+Both ABS-and CBS+None

Main dimensions

- 2.2.1. Length: 1782 mm
- 2.2.2. Width: 727 mm
- 2.2.3. Height: 1087 mm
- 2.2.4. Wheelbase: 1217 mm
- 2.2.4.1. Wheelbase sidecar: N.A.
- 2.2.5. Track width: N.A.
- 2.2.5.1. Track width front: N.A.
- 2.2.5.2. Track width rear: N.A.
- 2.2.5.3. Track width sidecar: N.A.
- 2.2.10.6 Ground clearance between the axles: N.A.
- 2.2.15. Wheelbase to ground clearance ratio: N.A.
- 2.2.17. Seat height: N.A.

Masses

- 2.1.1. Mass in running order: 64 kg
- 2.1.2. Actual mass: 152 kg
- 2.1.3. Technically permissible maximum laden mass: 227 kg
- 2.1.3.1. Technically permissible maximum mass on front axle: 73 kg
- 2.1.3.2. Technically permissible maximum mass on rear axle: 154 kg
- 2.1.3.3. Technically permissible maximum mass on sidecar axle: N.A.
- 2.1.7. Technically permissible maximum towable mass: N.A.
- 2.1.7.1. Braked: N.A. Unbraked: N.A.
- 2.1.7.2. Technically permissible maximum laden mass of the combination: N.A.
- Technically permissible maximum mass at the coupling point: N.A.

Powertrain

- 3.1.1.1. Manufacturer: N.A.
- 3.1.1.2. Engine code (as marked on the engine or other means of identification): N.A.
- 3.1.1.2. Working principle of the combustion engine: internal-combustion-engine (ICE)/positive-ignition/
compression-ignition/external-combustion-engine (ECE)/turbine/compressed-air-N.A.
- 3.2.1.4.1. Number of cylinders: N.A.
- 3.2.1.4.2. Arrangement of cylinders: LH+LO+S-N.A.
- 3.2.1.5. Engine capacity: N.A.
- 1.9. Maximum net power: N.A.
- 1.10. Ratio maximum net power/mass of the vehicle in running order: N.A.
- 3.2.3.1. Fuel type: N.A.
- 3.2.3.2. Vehicle fuel combination: mono-fuel/bi-fuel/flex-fuel-N.A.
- 3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel: N.A.
- 3.1.2.1. Manufacturer: N.A.
- 3.1.2.2. Manufacturer 2: Taizhou Jinyu Electrical & Mechanical Co., Ltd.
Electric motor code (as marked on the engine or other means of identification): S02FA4W1300

253183
H101

CERTIFICATE OF CONFORMITY

CERTIFICATE OF CONFORMITY

CERTIFICATE OF CONFORMITY

CERTIFICATE OF CONFORMITY



3.3.4.	45/30 minutes power: 1,6 kW at 430 min ⁻¹		
3.1.3.1.	Manufacturer: N.A.		
3.1.3.2.	Application code (as marked on the engine or other means of identification):		N.A.
3.3.1.	Electric vehicle configuration: pure electric/hybrid electric/manpower electric		
3.3.5.2.	Category of hybrid electric vehicle: off-vehicle-charging/not-off-vehicle-charging		N.A.
3.9.2.	Maximum assistance factor: N.A.		
	Maximum speed		
1.8.	Maximum speed of vehicle: 45 km/h		
3.9.3.	Maximum vehicle speed for which the electric motor gives assistance: N.A.		
	Drive-train and control		
3.5.3.9.	Transmission (type): W.		
3.5.4.	Gear ratios: N.A.		
3.5.4.1.	Final drive ratio: N.A.		
3.5.4.2.	Overall gear ratio in highest gear: N.A.		
	Installation of tyres		
6.18.1.1.	Tyre size designation:		
	Axle 1: 90/90-12 54J 2.15x12 250 kPa		
	Axle 2: 90/90-12 54J 2.15x12 250 kPa		
	Sidewheel: N.A.		
	Bodywork		
6.20.2.1.	Door configuration and number of doors:		N.A.
6.16.1.	Number of seating positions:		2
6.16.1.1.	Location and arrangement:		N.A.
	Coupling devices		
7.2.8.	Type-approval number of coupling device:		N.A.
	Environmental performance		
4.0.1.	Environmental step: Euro (3/4/5/6+)		
4.0.6.	Sound level measured according to: N.A.		
4.0.6.1.	Stationary: N.A. at engine speed: N.A.		
4.0.6.2.	Drive-by: N.A.		
4.0.6.3.	Limit value for L _{urban} : N.A.		
3.2.15.	Exhaust emissions measured according to Regulation (EU) No 134/2014 including all amendments up to (EU) 2018/295		
3.2.15.1.	Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:		
	CO:		N.A.
	THC:		N.A.
	NMHC:		N.A.
	NOx:		N.A.
	THC+NOx:		N.A.
	PM:		N.A.
3.2.15.2.	Type II test: tailpipe emissions at (increased) idle and free acceleration:		
	HC: N.A.		
	CO: N.A.		
3.2.15.3.	Smoke corrected absorption coefficient: N.A.		
	Energy efficiency		
4.0.2.	Fuel consumption: N.A.		
4.0.3.	CO ₂ emissions: N.A.		
4.0.4.	Energy consumption: Electric Motor: Jinyu: 30 Wh/km		
4.0.5.	Electric range: Electric Motor: Jinyu: 73 km		
	Conversion of the performance of the vehicle:		
8.1.	Vehicle appropriate for converting its performance level between subcategories (L3e(L4e)-A2 and (L3e(L4e)-A3 and vice versa): yes/no-N.A.		
	Additional information:		
9.1.	Remarks: N.A.		
9.2.	Exemptions: N.A.		