



Custom Track Service Percent Worn

FINNING INTERNATIONAL INC.

M PIDHERNEYS INC (CA-0001785)

Prepared By: Mike P Frederici Jr.

Model	330-07	Job Site	--	Inspection Date	21Sep23
Manufacturer	Caterpillar	<u>Left</u>	<u>Right</u>	Next Inspection Date	--
Serial Number	LHW00853	Track Sag (40.6 mm - 53.3 mm)	-- --	Next Inspection Hours	--
Reference Number	5652	Frame Ext	-- --	<u>Underfoot Conditions</u>	
Hour Meter Reading	5415	Frame Ext %	-- --	Impact	Moderate
Hours Per Week	19.1	Dry Joints	0 0	Abrasion	Moderate
Total Odometer Reading	--	Link Roller System	64 % 55 %	Moisture	Moderate
Forward Odometer	--			Packing	Moderate
Reverse Odometer	--			Bushing Allowable Wear	Greater
Distance Per Week	--			Link Allowable Wear	Greater

Position	Part Number		Status		Date Installed		SMU Installed		Hours on Wear Surface		Measurement (mm)		Percent Worn	
Component	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right
Link Assembly		Left : 5171246				Right : 5171246								
Track Link	5172281	5172281	Original	Original	06Sep19	06Sep19	--	--	--	--	28.1 (U)	28.5 (U)	52%	50%
Bushing (Int)	6071451	6071451	Original	Original	06Sep19	06Sep19	--	--	--	--	816.0 (T)	817.0 (T)	26%	34%
Bushing (Ext)	6071451	6071451	Original	Original	06Sep19	06Sep19	--	--	--	--	10.3 (U)	10.2 (U)	29%	37%
Track Shoe		Left Width: 800.0mm				Right Width: 800.0mm								
	5172065	5172065	Original	Original	06Sep19	06Sep19	--	--	--	--	38.6 (U)	39.2 (U)	19%	15%
Idlers														
Front	1153696	1153696	Original	Original	06Sep19	06Sep19	--	--	--	--	21.0 (D)	21.5 (D)	30%	42%
Carrier Roller														
Front	3004545	3004545	Original	Original	06Sep19	06Sep19	--	--	--	--	156.0 (C)	151.0 (C)	16%	36%
2	3004545	3004545	Original	Original	06Sep19	06Sep19	--	--	--	--	152.0 (C)	154.0 (C)	32%	24%
Track Roller														
Front	S 5031353	5031353	Original	Original	06Sep19	06Sep19	--	--	--	--	37.6 (U)	38.9 (U)	76%	60%
2	S 5031353	5031353	Original	Original	06Sep19	06Sep19	--	--	--	--	40.0 (U)	40.1 (U)	44%	40%
3	S 5031353	5031353	Original	Original	06Sep19	06Sep19	--	--	--	--	--	--	--	--
CONDITION: Guarded					CONDITION: Guarded									
4	S 5031353	5031353	Original	Original	06Sep19	06Sep19	--	--	--	--	40.3 (U)	39.9 (U)	36%	44%
5	S 5031353	5031353	Original	Original	06Sep19	06Sep19	--	--	--	--	--	--	--	--
CONDITION: Guarded					CONDITION: Guarded									
6	S 5031353	5031353	Original	Original	06Sep19	06Sep19	--	--	--	--	40.2 (U)	39.8 (U)	40%	44%
7	S 5031353	5031353	Original	Original	06Sep19	06Sep19	--	--	--	--	--	--	--	--
CONDITION: Guarded					CONDITION: Guarded									
8	S 5031353	5031353	Original	Original	06Sep19	06Sep19	--	--	--	--	40.5 (U)	40.5 (U)	36%	36%
9	S 5031353	5031353	Original	Original	06Sep19	06Sep19	--	--	--	--	39.6 (U)	40.1 (U)	48%	40%

Recommendations

PHOTOS

Pre-Inspect



Pre-Inspect



Pre-Inspect



Pre-Inspect



Pre-Inspect



Pre-Inspect



Pre-Inspect



Pre-Inspect



Pre-Inspect



Pre-Inspect



Pre-Inspect



Pre-Inspect

