

G&D Tank Testing and Repair
Box 247 Rocky Rapids, AB
1-780-898-0962
TC Canada Reg. # TC-25-1247



030-1

HIGHWAY TANK EXTERNAL "V" INSPECTION REPORT

Account#	19	NEXT REQUIRED INSPECTION	Jun-26
OWNER	KMK Trailer's Ltd.	UNIT#	C-201 Lead
ADDRESS	Nisku, Alberta.	MFG'S SERIAL#	2AEABTAF4TR000201
DATE	June 10/1025	DATE OF MFG	06/1996
TELEPHONE	866-286-9004.	TANK SPECIFICATION	TC 306 AL
TANK MFG	Advance Engineered Produc	COMPART/CAPACITY	17,500L/5,500L/12,000L
TANK ASSEMBLER	Advance Engineered Produc	TCRN/MDIN	N/A

Areas of Inspection	PASS			Description of Defect	Repaired	
	Yes	No	N/A		Yes	No
Data plate legible and correct	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Accident damage protection (Roll - Over & Bumper etc)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Support Structure (cradle, bolster, frame & sills)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Corrosion	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Dents and Cracks	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Welds	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Gaskets	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Flange Retainers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Fittings/Nozzles	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Valves Operational & Leak Proof	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Emergency Devices Operational	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
PRV/Vents Tested	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Visual Pass	<input type="checkbox"/>	<input type="checkbox"/>
Tank Identification & Markings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Piping & Hoses voids free of residue, unplugged, no leakage	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Fixed & hard plumbed hoses free of exposed reinforcement, kinks, flatness or permanently deformed wire braids, soft spots, damaged or loose fittings, missing bolts	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Manhole Tightening Devices Operable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Relief devices tested, reinstalled & operative	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Visual Pass	<input type="checkbox"/>	<input type="checkbox"/>
Manhole Covers Leak Proof	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Hose Identification, test markings are legible, test dates, tank markings applied	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No Hose's on Unit.	<input type="checkbox"/>	<input type="checkbox"/>

Comments

Signature

Special Service of Tank:
Inspector: Greg Mulligan.

Standard Service
Disposition Statement: Returned to Service

G&D Tank Testing and Repair
 Box 247 Rocky Rapids, AB
 1-780-898-0962
 TC Canada Reg. # TC-25-1247



HIGHWAY TANK LEAKAGE INSPECTION REPORT

Account#	19	NEXT REQUIRED INSPECTION	Jun-26
OWNER	KMK Trailer's Ltd.	UNIT#	C-201 Lead
ADDRESS	Nisku, Alberta.	MFG'S SERIAL#	2AEABTAF4TR000201
DATE	June 10/1025	DATE OF MFG	06/1996
TELEPHONE	866-286-9004.	TANK SPECIFICATION	TC 306 AL
TANK MFG	Advance Engineered Products Ltd	COMPART/CAPACITY	17,500L/5,500L/12,000L
MEDIUM	Pneumatic	MAWP	3.0 PSI
VISCOSITY		1 80% OF MAWP	2.4 PSI
TANK ASSEMBLER	Advance Engineered Products Ltd	TCRN/MDIN	N/A

Areas of Inspection	Pass		
	Yes	No	N/A
Venting that relieves at less than test pressure closed or inoperative	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hose tested to 75 psi or 120% of marked MAWP which ever is greater	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Piping are in place and operative	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Valves are in place and operative	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
No leakage detected after pressure maintained for 5 minutes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Inspector: Greg Mulligan

Disposition Statement: Return to Service

Signature

Repair performed:

Defects observed:

Comments:

G&D Tank Testing and Repair
Box 247 Rocky Rapids, AB
1-780-898-0962
TC Canada Reg. # TC-25-1247



HIGHWAY TANK UPPER COUPLER INSPECTION REPORT

Account#	19	NEXT REQUIRED INSPECTION	Jun-30
OWNER	KMK Trailer's Ltd.	UNIT#	C-201 Lead
ADDRESS	Nisku, Alberta.	MFG'S SERIAL#	2AEABTAF4TR000201
DATE	June 10/1025	DATE OF MFG	06/1996
TELEPHONE	866-286-9004.	TANK SPECIFICATION	TC 306 AL
TANK MFG	Advance Engineered Pro	COMPART/CAPACITY	17,500L/5,500L/12,000L
TANK ASSEMBLER	Advance Engineered Pro	TCRN/MDIN	N/A

Remove Upper Coupler from Tank prior to Inspection

Inspection Criteria	Comments	Pass		
		Yes	No	N/A
Corroded areas	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Abraded areas	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cracks	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Dents	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Distortions	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Defects in welds	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other unsafe conditions	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Inspector: Greg Mulligan.
Defects Observed

Disposition Statement: RETURNED TO SERVICE

Repair Performed

SPECIAL SERVICE OF TANK : Standard Service

Signature

Comments : Customer Removes and Re Installed Upper Coupler

G&D Tank Testing and Repair

Box 247 Rocky Rapids, AB

1-780-898-0962

TC Canada Reg. # TC-25-1247



HIGHWAY TANK THICKNESS TEST REPORT

Account# 19 NEXT REQUIRED INSPECTION Jun-30
OWNER KMK Trailer's Ltd. UNIT# C-201 Lead
ADDRESS Nisku, Alberta. MFG'S SERIAL# 2AEABTAF4TR000201
DATE June 10/1025 DATE OF MFG 06/1996
TELEPHONE 866-286-9004. TANK SPECIFICATION TC 306 AL
TANK MFG Advance Engineered Prc COMPART/CAPACITY 17,500L 5,500L 12,000L
Head Material Thickness 6.02 M.M. MINIMAL 5.41 M.M.
Shell Material Thickness 6.02/4.55 M.M. MINIMAL 5.41/4.09 M.M.
Tank Assembler Advance Engineered Prc TCRN/MDIN N/A
Testing Device Serial # TT0001
Testing Device thickness respond 4.00 MM
Calibrated Date / Expiry Date SELF CALB. / STEP BLOCK

Areas of Inspection	Minimum	Pass		
	M.M.	Yes	No	N/A
Head.	5.55 M.M.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Shell.	4.50 M.M.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Piping.	N/A.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Underside of the tank.	5.55 M.M.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Calibrated Date / Expiry Date.	June 10/2025	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Around Upper Coupler.	N/A.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Nominal Liquid Level Lines.	N/A.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Shell Reinforcements / Repads.	N/A.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Inspector: Greg Mulligan

Disposition Statement: Return to Service

Special Service of Tank : Standard Service

Signature

Repair Performed

Defects Observed

Comment:

G&D Tank Testing and Repair

Box 247 Rocky Rapids, AB

1-780-898-0962

TC Canada Reg. # TC-25-1247



HIGHWAY TANK HYDROSTATIC INSPECTION REPORT

Account#	19	NEXT REQUIRED INSPECTION	Jun-30
OWNER	KMK Trailer's Ltd.	UNIT#	C-201 Lead
ADDRESS	Nisku, Alberta.	MFG'S SERIAL#	2AEABTAF4TR000201
DATE	June 10/1025	DATE OF MFG	06/1996
TELEPHONE	866-286-9004.	TANK SPECIFICATION	TC 306 AL
TANK MFG	Advance Engineered Pro	COMPART/CAPACITY	17,500L 5,500L 12,000L
# OF		DIGITAL MONOMETER SERIAL#	N/A
COMPARTMENTS	1		
MEDIUM	Water	GAUGE SERIAL #	GD0001/GD0002
Tank Assembler	Advance Engineered	FCRN/MDIN	N/A
HYDRO TEST PRESSURE AS PER TABLE 7.3	5.0 PSI		

*All surfaces must be inspected under test pressure and domes completely filled with test medium.

Please ensure that adjacent compartments are empty.*

Procedure Check List	Yes	No	N/A	Comments
Fittings: Hose & Piping	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
All Closures in Place	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Relief devices inoperative	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Valves Closed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Heat/Refrigerant lines at Atmospheric Pressure	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Pressure regulator adjusted & tested	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Test Pressure stable for minimum 10 minutes:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Compartment 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Compartment 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Compartment 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Relief Devices Operational.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Tank returned to Service	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

COMMENTS

INSPECTOR: Greg Mulligan

DISPOSITON STATEMENT: Return to Service

SIGNATURE

G&D Tank Testing and Repair

Box 247 Rocky Rapids, AB

1-780-898-0962

TC Canada Reg. # TC-25-1247



HIGHWAY TANK INTERNAL INSPECTION REPORT

Account# 19

NEXT REQUIRED INSPECTION Jun-30

OWNER KMK Trailer's Ltd.

UNIT# C-201 Lead

ADDRESS Nisku, Alberta.

MFG'S SERIAL# 2AEABTAF4TR000201

DATE June 10/1025

DATE OF MFG 06/1996

TELEPHONE 866-286-9004.

TANK SPECIFICATION TC 306 AL

TANK MFG Advance Engineered Product COMPART/CAPACITY 17500L 5500L 12000L

Tank Assembler Advance Engineered Prod TCRN/MDIN N/A

Areas of Inspection	Pass			Description of	Repaired	
	Yes	No	N/A		Yes	No
Corrosion	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Dents and Cracks	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Welds	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Gaskets	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Flange Retainers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Baffles	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Bulkheads	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Insulated	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Lining	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Internal Piping	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>

Comments:

Inspector: Greg Mulligan

Disposition Statement: Return to Service

Signature

030-2

G&D Tank Testing and Repair
 Box 247 Rocky Rapids, AB
 1-780-898-0962
 TC Canada Reg. # TC-25-1247



HIGHWAY TANK LEAKAGE "X" INSPECTION REPORT

Account#	19	NEXT REQUIRED INSPECTION	Jun-26
OWNER	KMK Trailer's Ltd.	UNIT#	C-201 Pup
ADDRESS	Nisku, Alberta.	MFG'S SERIAL#	2AEARPACOTR000205
DATE	June 10/1025	DATE OF MFG	06/1996
TELEPHONE	866-286-9004.	TANK SPECIFICATION	TC 306 AL
TANK MFG	Advance Engineered Products Ltd	COMPART/CAPACITY	11,500L/18,500L
MEDIUM	Pneumatic	MAWP	3.0 PSI
VISCOSITY		1 80% OF MAWP	2.4 PSI
TANK ASSEMBLER	Advance Engineered Products Ltd	TCRN/MDIN	N/A

Areas of Inspection	Pass		
	Yes	No	N/A
Venting that relieves at less than test pressure closed or inoperative	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hose tested to 75 psi or 120% of marked MAWP which ever is greater	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Piping are in place and operative	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Valves are in place and operative	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
No leakage detected after pressure maintained for 5 minutes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Inspector: Greg Mulligan

Disposition Statement: Return to Service

Signature

Repair performed:

Defects observed:

Comments:

G&D Tank Testing and Repair
 Box 247 Rocky Rapids, AB
 1-780-898-0962
 TC Canada Reg. # TC-25-1247



HIGHWAY TANK EXTERNAL INSPECTION REPORT

Account#	19	NEXT REQUIRED INSPECTION	Jun-26
OWNER	KMK Trailer's Ltd.	UNIT#	C-201 Pup
ADDRESS	Nisku, Alberta.	MFG'S SERIAL#	2AEARPACOTR000205
DATE	June 10/1025	DATE OF MFG	06/1996
TELEPHONE	866-286-9004.	TANK SPECIFICATION	TC 306 AL
TANK MFG	Advance Engineered Product	COMPART/CAPACITY	11,500L/18,500L
TANK ASSEMBLER	Advance Engineered Product	TCRN/MDIN	N/A

Areas of Inspection	PASS			Description of Defect	Repaired	
	Yes	No	N/A		Yes	No
Data plate legible and correct	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Accident damage protection (Roll - Over & Bumper etc)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Support Structure (caddle, bolster, frame & sills)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Corrosion	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Dents and Cracks	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Welds	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Gaskets	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Flange Retainers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Fittings/Nozzles	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Valves Operational & Leak Proof	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Emergency Devices Operational	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
PRV/Vents Tested	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Visual Pass	<input type="checkbox"/>	<input type="checkbox"/>
Tank Identification & Markings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Piping & Hoses voids free of residue, unplugged, no leakage	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Fixed & hard plumbed hoses free of exposed reinforcement, kinks, flatness or permanently deformed wire braids, soft spots, damaged or loose fittings, missing bolts	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Manhole Tightening Devices Operable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Relief devices tested, reinstalled & operative	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Visual Pass	<input type="checkbox"/>	<input type="checkbox"/>
Manhole Covers Leak Proof	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A.	<input type="checkbox"/>	<input type="checkbox"/>
Hose Identification, test markings are legible, test dates, tank markings applied	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No Hose's on Unit.		

Comments

Signature

Special Service of Tank:
 Inspector: Greg Mulligan.

Standard Service
 Disposition Statement: Returned to Service

G&D Tank Testing and Repair
Box 247 Rocky Rapids, AB
1-780-898-0962
TC Canada Reg. # TC-25-1247



HIGHWAY TANK UPPER COUPLER INSPECTION REPORT

Account#	19	NEXT REQUIRED INSPECTION	Jun-30
OWNER	KMK Trailer's Ltd.	UNIT#	C-201 Pup
ADDRESS	Nisku, Alberta.	MFG'S SERIAL#	2AEARPACOTR000205
DATE	June 10/1025	DATE OF MFG	06/1996
TELEPHONE	866-286-9004.	TANK SPECIFICATION	TC 306 AL
TANK MFG	Advance Engineered Pro	COMPART/CAPACITY	11,500L/18,500L
TANK ASSEMBLER	Advance Engineered Pro	TCRN/MDIN	N/A

Remove Upper Coupler from Tank prior to Inspection

Inspection Criteria	Comments	Pass		
		Yes	No	N/A
Corroded areas	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Abraded areas	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cracks	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Dents	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Distortions	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Defects in welds	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other unsafe conditions	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Inspector: Greg Mulligan.
Defects Observed

Disposition Statement: RETURNED TO SERVICE

Repair Performed

SPECIAL SERVICE OF TANK : Standard Service

Signature

Comments : Customer Removes and Re Installed Upper Coupler

G&D Tank Testing and Repair
 Box 247 Rocky Rapids, AB
 1-780-898-0962
 TC Canada Reg. # TC-25-1247



HIGHWAY TANK THICKNESS TEST REPORT

Account#	19	NEXT REQUIRED INSPECTION	Jun-30
OWNER	KMK Trailer's Ltd.	UNIT#	C-201 Pup
ADDRESS	Nisku, Alberta.	MFG'S SERIAL#	2AEARPACOTR000205
DATE	June 10/1025	DATE OF MFG	06/1996
TELEPHONE	866-286-9004.	TANK SPECIFICATION	TC 306 AL
TANK MFG	Advance Engineered Pro	COMPART/CAPACITY	11,500L/18,500L
Head Material Thickness	6.02 M.M.	MINIMAL	5.41 M.M.
Shell Material Thickness	6.02/4.55 M.M.	MINIMAL	5.41/4.09 M.M.
Tank Assembler	Advance Engineered Pro	TCRN/MDIN	N/A
Testing Device Serial #	TT0001		
Testing Device thickness respond	4.00 MM		
Calibrated Date / Expiry Date	SELF CALB. / STEP BLOCK		

Areas of Inspection	Minimum	Pass		
	M.M.	Yes	No	N/A
Head.	5.52 M.M.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Shell.	4.49 M.M.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Piping.	N/A.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Underside of the tank.	5.53 M.M.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Calibrated Date / Expiry Date.	June 10/2025	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Around Upper Coupler.	N/A.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Nominal Liquid Level Lines.	N/A.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Shell Reinforcements / Repads.	N/A.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Inspector: Greg Mulligan

Disposition Statement: Return to Service

Special Service of Tank : Standard Service

Signature

Repair Performed

Defects Observed

Comment:

G&D Tank Testing and Repair

Box 247 Rocky Rapids, AB

1-780-898-0962

TC Canada Reg. # TC-25-1247



HIGHWAY TANK HYDROSTATIC INSPECTION REPORT

Account#	19	NEXT REQUIRED INSPECTION	Jun-30
OWNER	KMK Trailer's Ltd.	UNIT#	C-201 Pup
ADDRESS	Nisku, Alberta.	MFG'S SERIAL#	2AEARPAC0TR000205
DATE	June 10/1025	DATE OF MFG	06/1996
TELEPHONE	866-286-9004.	TANK SPECIFICATION	TC 306 AL
TANK MFG	Advance Engineered Prc	COMPART/CAPACITY	11,500L/18,500L
# OF		DIGITAL MONOMETER SERIAL#	N/A
COMPARTMENTS	1		
MEDIUM	Water	GAUGE SERIAL #	GD0001/GD0002
Tank Assembler	Advance Engineered F	TCRN/MDIN	N/A
HYDRO TEST PRESSURE AS PER TABLE 7.3	5.0 PSI		

*All surfaces must be inspected under test pressure and domes completely filled with test medium.

Please ensure that adjacent compartments are empty.*

Procedure Check List	Yes	No	N/A	Comments
Fittings: Hose & Piping	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
All Closures in Place	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Relief devices inoperative	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Valves Closed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Heat/Refrigerant lines at Atmospheric Pressure	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Pressure regulator adjusted & tested	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Test Pressure stable for minimum 10 minutes:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Compartment 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Compartment 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Compartment 3	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Relief Devices Operational.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Tank returned to Service	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

COMMENTS

INSPECTOR: Greg Mulligan

DISPOSITON STATEMENT: Return to Service

SIGNATURE

G&D Tank Testing and Repair

Box 247 Rocky Rapids, AB

1-780-898-0962

TC Canada Reg. # TC-25-1247



HIGHWAY TANK INTERNAL INSPECTION REPORT

Account# 19 NEXT REQUIRED INSPECTION Jun-30
OWNER KMK Trailer's Ltd. UNIT# C-201 Pup
ADDRESS Nisku, Alberta. MFG'S SERIAL# 2AEARPACOTR000205
DATE June 10/1025 DATE OF MFG 06/1996
TELEPHONE 866-286-9004. TANK SPECIFICATION TC 306 AL
TANK MFG Advance Engineered Product COMPART/CAPACITY 11500L 18500L
Tank Assembler Advance Engineered Prod TCRN/MDIN N/A

Areas of Inspection	Pass			Description of	Repaired	
	Yes	No	N/A		Yes	No
Corrosion	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Dents and Cracks	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Welds	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Gaskets	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Flange Retainers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Baffles	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Bulkheads	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Insulated	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Lining	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Internal Piping	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>

Comments:

Inspector: Greg Mulligan

Disposition Statement: Return to Service

Signature