J20-56

	4					7		رر	20-5	6
WABASA	9312 - 110A Street Westlock, AB Canada								QF	-044
MABAS//			PRESSURE TEST REPOR				T. Company		Rev: 5 Page 1 of 1	
1			Tank S/N	Tank S/N				20045	Test Date	
Owner	780-34	19-4282	Mfr		11979	ITank Spac	SV-23615		APR. 2 Retest Requ	26- 2023
Larson Managem	ent Inc			TREMCA	AR.	Tank Spec TC407	Mfr Date Mar	2013		. 2028
240, 6715 8th Str			Assembler			Min Thickness, Heads (in)	Min Thickne		Special Sen	0/18/9/19/20/5/5/
Calgary, AB T2E			TREM	1CAR		5.791 mm		7 mm	N/A	
Phone No.			Tank Type				Certification	Date	Original Tes	
	72-9875 Insulated				UAD WAC	SON	Mar	2013		2013
	VO	Both	Inspection Lo WEST		VIN	1T9ZL4546DS58	8668		Material SB 209-A	95454-H32
Owners's Serial No.		TCRN / MDI	A STATE OF THE PARTY OF THE PAR	LOOK		Unit No	MAWP		# Compartm	
T3066			7109			T3066	172KPA		1	
Test Pressure			45	PSI		Test Medium			WATER	
PREPARATION		Complies N/A	Concerns	Fails	Re-test after repair	PIPING & ACCESSORIES	Complies N/A	Concerns	Fails	Re-test after repair
1. External & Internal		X				1. Assemble hose				
thickness if required)						and piping on unit	X			
2. Select proper g	auges	X				2. Mount test head				
and SRV						at top of piping	X			
Inspect reclosir	ng vents,	X				3. Press to 80%				
inert & red flag						MAWP&disconnect	X			
COMPARTMENT	HYDRO	Complies	Concerns	Fails	The same of the sa	4. Check for leaks			er us	
TEST		N/A	5011001113	i uno	repair	& 10 min retention	X			
1. Mount test hea		х				5. Bleed off				
Visible from safe						pressure & drain	Х			
2. Fill test compar		X				COMPLETION	Complies	Concerns	Fails	Re-test
3. Pressure up to		X				of Perspectation of Company Section States	N/A			after repair
pressure & disconn	ect hose					1. Flush per	N/A			
4. Check for leaks &/d		.,				300WP	e women by			
retention/Bleed of pres		X				2. Tag valve &	N/A			
MAWP/10min retentio	1					placard if required				
5. Apply soap wat		N1/0				3. Sticker as	Х			
for leaks and/or B	ieed off	N/A				appropriate	- 7			
pressure						4. Original Wabash	Х			
6. Activate vent to		v				file. Copies to				
set pressure. Blee	u off	Х				owner				
pressure & drain PRV	Compa	tmost 1	Comme	tmont 0		MOSSOSS	C224/24	4/44/54/04) toples -	nlv.
Make	FORT VA	rtment 1	Compar FORT VA		PRV Test	MC330/331 / T		1/11/51/60		illy
Serial Number	1362987	-0.45-00	1362991	LE	Report QF- 046	1. Is tank QT or NQT 2. Stress relieved aff			N/A N/A	
Set Pressure	30 PSI 1		30 PSI 1	2" HG	F S. 75/05/2005	manufacture? (New		- 4	IN/A	
Compartment 3		rtment 4	Compar		and	3. If applicable: Stres			N/A	
Joinpartinent 3	Compa	anone 4	Compan	anent 3	Attached?	after repair?	33 ICIICI		14/71	
						Location:			N/A	
			YES			4. Off-truck remote em	ergency		N/A	
Comments/Descri	ption of Re	epair (incl	ude sever	ity of def	ects, how	shutdown?	orgonoy			
they were noticed				, 5. 401	,					
Tighten up leaking						TANK VOLUN	ΛE		04 :	
ap reasons nate on roar sump blank						(LITERS)		31,465		
	nuts on r					,		1		
	g nuts on r	18.5								
		k Tested								
Current Disposit	on of Tar			Service X	Ranair	Required Condo	nned (rom	noved from	sarvica)	n
Current Disposit	on of Tar		turned to		241 00-102/194003-1950	Required D Conder	nned (rem	noved from	ı service)	0
Current Disposit New Tank Entered	ion of Tar	ce 🗆 Re	turned to	CATE OF	INSPECT	ION COMPLIANCE				9.5
Current Disposit New Tank Entered	ion of Tan in to Servi that the st	ce Re	cturned to s CERTIFIC in this rep	CATE OF	INSPECT	TION COMPLIANCE the said unit has been	n inspecte	ed in acco		9,5
Current Disposit New Tank Entered	ion of Tan in to Servi that the st	ce □ Re atements).T. Regul	CERTIFIC in this replations, Tra	CATE OF ort are co ansport C	INSPECT orrect and to anada Reg	TON COMPLIANCE the said unit has been gulations and Alberta	n inspecte Regulation	ed in acco		9,5
Current Disposit New Tank Entered We certify	ion of Tan in to Servi that the st	ce □ Re atements).T. Regul	CERTIFIC in this replations, Tra	OATE OF ort are co ansport C - TC TE	INSPECT orrect and to anada Reg	TION COMPLIANCE the said unit has been	n inspecte Regulatio	ed in acco		9,5
Current Disposit New Tank Entered We certify	ion of Tan in to Servi that the st	atements O.T. Regul	CERTIFIC in this rep ations, Tra	OATE OF ort are co ansport C - TC TE	INSPECT orrect and to anada Reg	TION COMPLIANCE the said unit has been gulations and Alberta ate of Registration	n inspecte Regulatio	ed in acco		9.5
Current Disposit New Tank Entered We certify	ion of Tan in to Servi that the st D.C	atements O.T. Regul Wabas	cturned to s CERTIFIC in this rep ations, Tra sh Mfg Ind Tester Signatu	ort are coansport C	FINSPECT prect and to canada Rec DG Certific	TION COMPLIANCE the said unit has been gulations and Alberta ate of Registration #	n inspecte Regulatio	ed in acco		9.5
Current Disposit New Tank Entered We certify Inspector Signature Name: M.	ion of Tan in to Servi that the sta D.C	atements O.T. Regul Wabas KE	cturned to S CERTIFIC in this rep lations, Tra sh Mfg Ind Tester Signature Name:	ort are coansport C	FINSPECT prect and to canada Reg OG Certific	TION COMPLIANCE the said unit has been gulations and Alberta ate of Registration #	n inspecte Regulatio	ed in acco		9.5
Current Disposit New Tank Entered We certify Inspector Signature Name: M. Title: In	ion of Tan in to Servi that the st D.C	atements D.T. Regul Wabas KE	cturned to s CERTIFIC in this rep ations, Tra sh Mfg Ind Tester Signatu	CATE OF ort are coansport	FINSPECT prect and to canada Rec DG Certific	TON COMPLIANCE the said unit has been gulations and Alberta ate of Registration # Welder & Weld	n inspecte Regulatio	ed in acco		9.5

WAB	ASH	9312 - 110A Street Westlock, AB Canada 780-349-4282		equality Control Report					QF-058			
MFG	. INC.			TURNTABLE INSPECTION						Rev: 1	PAGE 1 OF	
>	4			Tank S/N 11979				WO No. SV-23615		Test Date:	26- 2023	
Owner	arson Management Inc.			Tank Mfr					Mfr Date		Retest Required On	
				T	REMCA	AR	TC407			. 2028		
240, 6715				Assembler			Min Thickness, Heads (in)	Min Thickne	ss, Shell (in)	Special Ser	vices	
Calgary, AB T2E 7H7			TREMCAR			5.791 mm	5.207 mm N		V/A			
Phone No.	700 070	2075		Tank Type				Certification	Date	Original Test Date		
Tank is Lined	780-872-					QUAD WA	GON	Mar	2013	Mar 2013		
NO NO	Tank is Ir		Both	Inspection Loc		VIN				Material		
	5070		TODA (ME)	WEST	LOCK		1T9ZL4546DS5			A CONTRACTOR OF SECURITIONS	95454-H32	
	wners's Serial No. TCRN / MDIN / CRN 7109					Unit No T30066	MAWP # Compartments 172KPA 1					
Trailer Mfr TREMCAR					Trailer Mate	rial STEEL	Trailer M	Ifr Date: 1	MAR. 2013			
PREPARA	ATION		Complies	Concerns	Fails	Re-test after repair	VISUAL OF HIDDEN AREA	Complies	Concerns	Fails	after repair	
1. Trailer I	Blocked		Х				1. Corrosion	х				
2. Kingpin	Gauge o	n Hand	Х				2. Abrasion	Х				
UPPER C	OUPLER		Complies	Concerns	Fails	Re-test after repair	3. Cracks	X		Х	Х	
1. Kingpin			Х				4. Dents	x	TO THE WINE	1000		
2. Upper F 1/8" at 10"			Х				5. Distortions	Х				
3. Upper F 1/4" at 19"	'		Х				6. Weld Defects	Х				
1 . Upper F vithin 19"	Plate Not	0.65"	Х				7. Other Weakness	Х				
. Loose o	r Missing	Bolts	Х				8. Repaired as Necessary	Х			7-17	
. Remove	e Turntab	е	х				COMPLETION	Complies	Concerns	Fails	Re-test after repair	
7. Repla	ace Turnt	able	х				1. Original Wabash File	x			IGUAII	
							2. Copies to Owner	Х				

Comments/Description of Repair (include severity of defects, how they were noticed, nature of repair, etc.)

Repaired cracks on subframe

Replaced turntable old one has to much play

Current Disposition	n of Trailer Upper Coupler Tested	Weld Required	NO
	RETURNED TO	O SERVICE	
	CERTIFICATE OF INSPEC		
We certify that	the statements in this report are correct and	the said unit has been inspecte	d in accordance with
	D.O.T. Regulations, Transport Canada R	egulations and Alberta Regulatio	ns.
Λ	Wahash Mfg Inc - TC TDG Certif	icate of Registration #25-93	
ispector Signature Way	Aliko	Welder & Weld Procedure:	OYD
nspector:	t MAURY LITKE	1.0 1-50	
itle:	INSPRCTOR	W-GMAW-	AL-3A
Date:	APR. 26- 2023	1	, i_ 0, i

STABASTA	9312 - 11	9312 - 110A Street		Quality Control Record				QF-042		
WABASH SIFE INC.	ock, AB INTI		INTERNAL VISUAL / LINING			TION	Rev: 4 PAGE 1 OF			
	Can	nada	Tank S/N		500A11 ABAN AND AND AND AND AND AND AND AND AND A	WO No.	305-3T-18-T-18-18-18-18-18-18-18-18-18-18-18-18-18-	Inspection Da		
	780-349-4282			1	1979		SV-23615		6- 2023	
	nagement I		Mfr TRE	MCAR	Tank Spec TC407	Mfr Date Mar	2013	Retest Requir APR.		
	240, 6715 8th Street NE		Assembler		Min Thickness, Heads (in)	Min Thickne		Special Service		
Calgary, AB T2E 7H7		7	TREMCAR		5.791 mm		7 mm	N/A		
Phone No. 780-8	372-9875		Tank Type		WAGON Certification		Date Original Test Da 2013 Mar 20			
	is Insulated	Both	Inspection L		VVAGGIV	iviai	2013	Material	2013	
	NO			LOCK	1T9ZL4546DS58866		38	SB 209-A95454-H		
Owners's Serial No. TCRN / MDIN					Unit No	MAWP		# Compartments		
			7109		T3066 172		KPA 1 CompliesConcerns Fail			
LINING INCOLO	TION						Complies	Concerns	Fails	
LINING INSPECT	IION	Yes	No	N/A	6. Gauge cans (ter	np.	X			
Internal lining Ins	pection		X		press.)		<u></u>			
Comments:					7. Sump		X			
WF MPI: If QT or	NOT w/o	Yes	No	N/A	8. Piping		X	X	Χ	
PWHT: Tank pas		103	140	-						
Inspection?				X	9. Nozzle		X			
Comments:				-	10. Internal valves		X	F31 - 5		
INTERNAL VISU	AI				-					
EXAMINATION	AL	Complies	Con	cerns	11. Dumps		NO			
1. Head surfaces		Х			12. Internal ground	ing	N/A			
Shell welds, se surface	ams and	Х			13. Overlay patche allowed)	NO				
3. Baffle welds an	nd surfaces	Х	14. Corrosion strips				NO			
4. Manways, sign:	s of		- If yes, provide Location			cation				
leakage		Х			MC330/331 /		41/11/51/6	60 tanks o	nly	
5. Float can		N/A			1. Is tank QT or NO	T		N/A		
Comments/Descr					2. Stress relieved a			N/A		
defects, how they	were notice	ed, nature	of repair	, etc.)	manufacture? (Nev 3. If applicable: Stress	s relief		N/A		
					after repair? Complet	e/Local?				
Danie 1 Di						N/A				
Replaced Plumbir pitts on the inside		nead (old	ones had	d deep	4. Off-truck remote emergency shutdow					
	1000									
O 1 D:										
Current Disposit	ion of Tani	k Tested								
New Tank Entered	in to Service	e 🗆 Retui	rned to Se	ervice X	Repair Required	Condemne	ed (remove	ed from ser	vice) 🗆	
					PECTION COMPLIA					
We certify that		ents in this	report ar	re correct	and the said unit has	s been ins		accordance	e with	
	D.O.T. Re	egulations	, Transpo	ort Canad	la Regulations and A	lberta Re	gulations.			
nspector Signature	/Wa	bash Mfg	Inc - TC	TDG Ce	ertificate of Registra					
All a le	W.A	>			Welder & Wel			VD		
IVary	per					DE	EVIN LLO	YU		
	AURY LITH					-30	7			
	NSPECTO					W-0	3MAW-AL	1A		
Date: A	PR 26- 201	23								