


J19-2

Annual Inspection Certificate & Safety Standards Certificate



VEHICLE INFORMATION			
Plate#:	45782K	Year:	2015
VIN:	1DW1A5326GS619058	Make:	STOUGHTON TRAILERS
GVWR (kg):	31751	Model:	TRAILER
Odometer ():		Type:	Trailer

CERTIFICATE INFORMATION	
Annual Inspection Certificate	Expires at the end of: Sep 2026
Safety Standards Certificate	Expires at the end of: October 11, 2025
Vehicle Inspection Certificate Number	NL50AD94
Inspection Start Date	Sep 5, 2025 System Time: 9 : 08
Inspection End Date	Sep 5, 2025 System Time: 17 : 46

VEHICLE INSPECTION CENTRE	
Vehicle Inspection Centre #: 11584	Technician: KAMALDEEP GREWAL
BK TRUCK & TRAILER SERVICES LTD	
O/A BK TRUCK & TRAILER SERVICES LTD	
7070 PACIFIC CIR	
MISSISSAUGA, ON L5T2A7	Technician ID: 228338
647-859-1381	STO ID/Account: 21002470
	Trade Code: 310T

I certify that I inspected this vehicle on the inspection date in accordance with the inspection procedures established by directive under s. 100.7 of the Highway Traffic Act and that the vehicle meets the required equipment and performance standards as detailed in the Vehicle Inspection Report with the above referenced Vehicle Inspection Certificate Number.

This Certificate is not a warranty on the condition of the vehicle.

Vehicle Inspection Questions?

Call the Public Contact Centre 1-833-420-2103 or go to

<https://www.ontario.ca/page/driveon-emissions-and-safety-inspection-program>.

Vehicle Inspection Certificate Number: NL50AD94

Start Date / Time: Sep 5, 2025, 9:08 AM

End Date / Time: Sep 5, 2025, 5:46 PM

VEHICLE/ENGINE INFORMATION	CHASSIS
Plate#: 45788K	Year: 2015
VIN: 1DW1A5326GS619058	Make: STOUGHTON TRAILER
GVWR(kg): 31751	Model: TRAILER
Odometer:	Fleet ID: 1147

SAFETY INSPECTION RESULT	PASS
--------------------------	------

SAFETY SYSTEM INSPECTION RESULTS

All Safety System Components Passed Inspection
--

MANDATORY ITEMS

Inspection Item	Result
Axle 1, Driver Side, Inner Tire	
Tire Tread Depth (mm)	8
Initial Tire Pressure (kPa)	689
Axle 1, Driver Side, Outer Tire	
Tire Tread Depth (mm)	5
Initial Tire Pressure (kPa)	689
Drum Brakes Bolted/riveted block	
Shoe Lining Thickness (mm)	10
Drum Inside Diameter (mm)	419.43
Within OEM specifications?	Yes
S-Cam Drum Brakes	
Chamber Type (size)	30
Brake Stroke (mm)	31

Inspection Item	Result
Axle 1, Passenger Side, Inner Tire	
Tire Tread Depth (mm)	4
Initial Tire Pressure (kPa)	689
Axle 1, Passenger Side, Outer Tire	
Tire Tread Depth (mm)	4
Initial Tire Pressure (kPa)	689
Drum Brakes Bolted/riveted block	
Shoe Lining Thickness (mm)	10
Drum Inside Diameter (mm)	419.37
Within OEM specifications?	Yes
S-Cam Drum Brakes	
Chamber Type (size)	30
Brake Stroke (mm)	30

Inspection Item	Result
Axle 2, Driver Side, Inner Tire	
Tire Tread Depth (mm)	7
Initial Tire Pressure (kPa)	689
Axle 2, Driver Side, Outer Tire	
Tire Tread Depth (mm)	7

Inspection Item	Result
Axle 2, Passenger Side, Inner Tire	
Tire Tread Depth (mm)	7
Initial Tire Pressure (kPa)	689
Axle 2, Passenger Side, Outer Tire	
Tire Tread Depth (mm)	6

Initial Tire Pressure (kPa)	689
Drum Brakes Bolted/riveted block	
Shoe Lining Thickness (mm)	10
Drum Inside Diameter (mm)	419.89
Within OEM specifications?	Yes
S-Cam Drum Brakes	
Chamber Type (size)	30
Brake Stroke (mm)	29

Initial Tire Pressure (kPa)	689
Drum Brakes Bolted/riveted block	
Shoe Lining Thickness (mm)	10
Drum Inside Diameter (mm)	419.67
Within OEM specifications?	Yes
S-Cam Drum Brakes	
Chamber Type (size)	30
Brake Stroke (mm)	30

Vehicle Inspection Centre #: 11584	Technician #: 228338
BK TRUCK & TRAILER SERVICES LTD	Name: KAMALDEEP GREWAL
7070 PACIFIC CIR	Report Number: 266
MISSISSAUGA, ON L5T2A7	Tablet ID: 3366
647-859-1381	STO ID/Account: 21002470
Software Version: 2025.06.18.1	Trade Code: 310T

Vehicle Inspection Questions? Call the Public Contact Centre 1-833-420-2103 or go to
<https://www.ontario.ca/page/driveon-emissions-and-safety-inspection-program>