



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

402-670  
SEP

Technician Sign:

Date: JULY 23 2026  
Client:

Technician Certification:  
**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant: Dallon Van Wert

**BROTHERS HDD**

Location: **BROTHERS SHOP SEXSMITH  
AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #:

Report #:

Page:

Acceptance Code:

Specification:

Procedure:

Technique:

Contractor:

A.F.E.#:

CPG.#:

Job.#:

Code.#:

Project:

**BF26156**

**BF26156-M1**

1 of 10

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White

BROTHERS HDD

MT BORE PIPE

**COMMENTS:** MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.

### ITEMS INSPECTED:

### 3.5" BORE PIPE

| Field Weld Number (s) | Size    | Thickness | Material | Welder Symbol | Remarks   | Accept | Reject |
|-----------------------|---------|-----------|----------|---------------|-----------|--------|--------|
| 1                     | PIPE 1  | 3.5"      | XS       | C             | MT1/MT2   | ✓      |        |
| 2                     | PIPE 2  | 3.5"      | XS       | C             | MT3/MT4   | ✓      |        |
| 3                     | PIPE 3  | 3.5"      | XS       | C             | MT5/MT6   | ✓      |        |
| 4                     | PIPE 4  | 3.5"      | XS       | C             | MT7/MT8   | ✓      |        |
| 5                     | PIPE 5  | 3.5"      | XS       | C             | MT9/MT10  | ✓      |        |
| 6                     | PIPE 6  | 3.5"      | XS       | C             | MT11/MT12 | ✓      |        |
| 7                     | PIPE 7  | 3.5"      | XS       | C             | MT13/MT14 | ✓      |        |
| 8                     | PIPE 8  | 3.5"      | XS       | C             | MT15/MT16 | ✓      |        |
| 9                     | PIPE 9  | 3.5"      | XS       | C             | MT17/MT18 | ✓      |        |
| 10                    | PIPE 10 | 3.5"      | XS       | C             | MT19/MT20 | ✓      |        |
| 11                    | PIPE 11 | 3.5"      | XS       | C             | MT21/MT22 | ✓      |        |
| 12                    | PIPE 12 | 3.5"      | XS       | C             | MT23/MT24 | ✓      |        |
| 13                    | PIPE 13 | 3.5"      | XS       | C             | MT25/MT26 | ✓      |        |
| 14                    | PIPE 14 | 3.5"      | XS       | C             | MT27/MT28 | ✓      |        |
| 15                    | PIPE 15 | 3.5"      | XS       | C             | MT29/MT30 | ✓      |        |
| 16                    | PIPE 16 | 3.5"      | XS       | C             | MT31/MT32 | ✓      |        |
| 17                    | PIPE 17 | 3.5"      | XS       | C             | MT33/MT34 | ✓      |        |
| 18                    | PIPE 18 | 3.5"      | XS       | C             | MT35/MT36 | ✓      |        |
| 19                    | PIPE 19 | 3.5"      | XS       | C             | MT37/MT38 | ✓      |        |
| 20                    | PIPE 20 | 3.5"      | XS       | C             | MT39/MT40 | ✓      |        |
| 21                    | PIPE 21 | 3.5"      | XS       | C             | MT41/MT42 | ✓      |        |
| 22                    | PIPE 22 | 3.5"      | XS       | C             | MT43/MT44 | ✓      |        |
| 23                    | PIPE 23 | 3.5"      | XS       | C             | MT45/MT46 | ✓      |        |
| 24                    | PIPE 24 | 3.5"      | XS       | C             | MT47/MT48 | ✓      |        |
| 25                    | PIPE 25 | 3.5"      | XS       | C             | MT49/MT50 | ✓      |        |
| 26                    | PIPE 26 | 3.5"      | XS       | C             | MT51/MT52 | ✓      |        |
| 27                    | PIPE 27 | 3.5"      | XS       | C             | MT53/MT54 | ✓      |        |
| 28                    | PIPE 28 | 3.5"      | XS       | C             | MT55/MT56 | ✓      |        |

### TYPICAL PIPE



| Material Legend                      | Surface Condition     | Equipment / Consumables used For Corresponding Procedure & Technique:                |             |   |           |   |                                                                       | REPORT ACCEPTANCE                                                                                                                   |                 |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---|-----------|---|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775                                                   | AC          | ✓ | Continues | ✓ | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ | Client Rep:                                                                                                                         | Shane Macdonald |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |   |           |   |                                                                       | Client Rep                                                                                                                          |                 |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31,2026 ✓                 |             |   |           |   |                                                                       | Sign:                                                                                                                               |                 |
| A = Aluminum                         | Environment Condition | Fluorescent                                                                          | Black/White | ✓ | Aerosol   | ✓ | Visible                                                               | ✓                                                                                                                                   |                 |
|                                      | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |   |           |   |                                                                       | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |                 |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Technician Certification:  
**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant: Dallan Van Wert

Date: JULY 23 2026  
Client: **BROTHERS HDD**

Location: **BROTHERS SHOP SEXSMITH  
AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #:

Report #:

Page:

Acceptance Code:

Specification:

Procedure:

Technique:

Contractor:

A.F.E.#:

CPG.#:

Job.#:

Code.#:

Project:

**BF26156**

**BF26156-M1**

2 of 10

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White

BROTHERS HDD

MT BORE PIPE

| Field Weld Number (s)                                                                                                    | Size | Thickness | Material | Welder Symbol | Remarks | Accept | Reject |
|--------------------------------------------------------------------------------------------------------------------------|------|-----------|----------|---------------|---------|--------|--------|
| COMMENTS: MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.<br>NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION. |      |           |          |               |         |        |        |

| ITEMS INSPECTED: |         |      |    |   | 3.5" BORE PIPE |   |  |
|------------------|---------|------|----|---|----------------|---|--|
| 1                | PIPE 29 | 3.5" | XS | C | MT57/MT58      | ✓ |  |
| 2                | PIPE 30 | 3.5" | XS | C | MT59/MT60      | ✓ |  |
| 3                | PIPE 31 | 3.5" | XS | C | MT61/MT62      | ✓ |  |
| 4                | PIPE 32 | 3.5" | XS | C | MT63/MT64      | ✓ |  |
| 5                | PIPE 33 | 3.5" | XS | C | MT65/MT66      | ✓ |  |
| 6                | PIPE 34 | 3.5" | XS | C | MT67/MT68      | ✓ |  |
| 7                | PIPE 35 | 3.5" | XS | C | MT69/MT70      | ✓ |  |
| 8                | PIPE 36 | 3.5" | XS | C | MT71/MT72      | ✓ |  |
| 9                | PIPE 37 | 3.5" | XS | C | MT73/MT74      | ✓ |  |
| 10               | PIPE 38 | 3.5" | XS | C | MT75/MT76      | ✓ |  |
| 11               | PIPE 39 | 3.5" | XS | C | MT77/MT78      | ✓ |  |
| 12               | PIPE 40 | 3.5" | XS | C | MT79/MT80      | ✓ |  |
| 13               | PIPE 41 | 3.5" | XS | C | MT81/MT82      | ✓ |  |
| 14               | PIPE 42 | 3.5" | XS | C | MT83/MT84      | ✓ |  |
| 15               | PIPE 43 | 3.5" | XS | C | MT85/MT86      | ✓ |  |
| 16               | PIPE 44 | 3.5" | XS | C | MT87/MT88      | ✓ |  |
| 17               | PIPE 45 | 3.5" | XS | C | MT89/MT90      | ✓ |  |
| 18               | PIPE 46 | 3.5" | XS | C | MT91/MT92      | ✓ |  |
| 19               | PIPE 47 | 3.5" | XS | C | MT93/MT94      | ✓ |  |
| 20               | PIPE 48 | 3.5" | XS | C | MT95/MT96      | ✓ |  |
| 21               | PIPE 49 | 3.5" | XS | C | MT97/MT98      | ✓ |  |
| 22               | PIPE 50 | 3.5" | XS | C | MT99/MT100     | ✓ |  |
| 23               | PIPE 51 | 3.5" | XS | C | MT101/MT102    | ✓ |  |
| 24               | PIPE 52 | 3.5" | XS | C | MT103/MT104    | ✓ |  |
| 25               | PIPE 53 | 3.5" | XS | C | MT105/MT106    | ✓ |  |
| 26               | PIPE 54 | 3.5" | XS | C | MT107/MT108    | ✓ |  |
| 27               | PIPE 55 | 3.5" | XS | C | MT109/MT110    | ✓ |  |
| 28               | PIPE 56 | 3.5" | XS | C | MT111/MT112    | ✓ |  |

TYPICAL BORE PIPE



| Material Legend                      | Surface Condition     | Equipment / Materials used For Corresponding Procedure & Technique:                  |             |                                       |           |                |                                                                                  | REPORT ACCEPTANCE                                                                                                                   |   |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---------------------------------------|-----------|----------------|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|---|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L<br>S/N: MP5775                                                | AC          | ✓                                     | Continues | ✓              | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: JULY 23 2026 | Client Rep:                                                                                                                         |   |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |                                       |           |                |                                                                                  | Client Rep                                                                                                                          |   |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   | ✓           | Min Light Intensity: ≥ 100 FC Visible | ✓         | LED Flashlight | ✓                                                                                | Sign:                                                                                                                               |   |
| A = Aluminum                         | Environment Condition | Fluorescent                                                                          | Black/White | ✓                                     | Aerosol   | ✓              | Visible                                                                          | ✓                                                                                                                                   | ✓ |
|                                      | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |                                       |           |                |                                                                                  | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |   |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Technician Certification:

**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant: Dallan Van Wert

Date: JULY 23 2026

Client:

**BROTHERS HDD**

Location:

**BROTHERS SHOP SEXSMITH  
AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #:

**BF26156**

Report #:

**BF26156-M1**

Page:

3 of 10

Acceptance Code:

CSA W59-2024

Specification:

MT-Rev.9

Procedure:

Technique:

MT 2 - Wet Visible, Black On White

Contractor:

BROTHERS HDD

A.F.E.#:

CPG.#:

Job.#:

Code.#:

Project:

MT BORE PIPE

**COMMENTS:** MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.

| Field Weld Number (s)   | Size    | Thickness | Material | Welder Symbol | Remarks     | Accept                | Reject |
|-------------------------|---------|-----------|----------|---------------|-------------|-----------------------|--------|
| <b>ITEMS INSPECTED:</b> |         |           |          |               |             | <b>3.5" BORE PIPE</b> |        |
| 1                       | PIPE 57 | 3.5"      | XS       | C             | MT113/MT114 | ✓                     |        |
| 2                       | PIPE 58 | 3.5"      | XS       | C             | MT115/MT116 | ✓                     |        |
| 3                       | PIPE 59 | 3.5"      | XS       | C             | MT117/MT118 | ✓                     |        |
| 4                       | PIPE 60 | 3.5"      | XS       | C             | MT119/MT120 | ✓                     |        |
| 5                       | PIPE 61 | 3.5"      | XS       | C             | MT121/MT122 | ✓                     |        |
| 6                       | PIPE 62 | 3.5"      | XS       | C             | MT123/MT124 | ✓                     |        |
| 7                       | PIPE 63 | 3.5"      | XS       | C             | MT125/MT126 | ✓                     |        |
| 8                       | PIPE 64 | 3.5"      | XS       | C             | MT127/MT128 | ✓                     |        |
| 9                       | PIPE 65 | 3.5"      | XS       | C             | MT129/MT130 | ✓                     |        |
| 10                      | PIPE 66 | 3.5"      | XS       | C             | MT131/MT132 | ✓                     |        |
| 11                      | PIPE 67 | 3.5"      | XS       | C             | MT133/MT134 | ✓                     |        |
| 12                      | PIPE 68 | 3.5"      | XS       | C             | MT135/MT136 | ✓                     |        |
| 13                      | PIPE 69 | 3.5"      | XS       | C             | MT137/MT138 | ✓                     |        |
| 14                      | PIPE 70 | 3.5"      | XS       | C             | MT139/MT140 | ✓                     |        |
| 15                      | PIPE 71 | 3.5"      | XS       | C             | MT141/MT142 | ✓                     |        |
| 16                      | PIPE 72 | 3.5"      | XS       | C             | MT143/MT144 | ✓                     |        |
| 17                      | PIPE 73 | 3.5"      | XS       | C             | MT145/MT146 | ✓                     |        |
| 18                      | PIPE 74 | 3.5"      | XS       | C             | MT147/MT148 | ✓                     |        |
| 19                      | PIPE 75 | 3.5"      | XS       | C             | MT149/MT150 | ✓                     |        |
| 20                      | PIPE 76 | 3.5"      | XS       | C             | MT151/MT152 | ✓                     |        |
| 21                      | PIPE 77 | 3.5"      | XS       | C             | MT153/MT154 | ✓                     |        |
| 22                      |         |           |          |               |             |                       |        |
| 23                      | PIPE 79 | 3.5"      | XS       | C             | MT157/MT158 | ✓                     |        |
| 24                      | PIPE 80 | 3.5"      | XS       | C             | MT159/MT160 | ✓                     |        |
| 25                      | PIPE 81 | 3.5"      | XS       | C             | MT161/MT162 | ✓                     |        |
| 26                      | PIPE 82 | 3.5"      | XS       | C             | MT163/MT164 | ✓                     |        |
| 27                      | PIPE 83 | 3.5"      | XS       | C             | MT165/MT166 | ✓                     |        |
| 28                      | PIPE 84 | 3.5"      | XS       | C             | MT167/MT168 | ✓                     |        |

**TYPICAL BORE PIPE**



| Material Legend                      | Surface Condition     | Equipment / Materials used For Corresponding Procedure & Technique:                  |             |                                       |           |                |                                                                       | REPORT ACCEPTANCE         |                                                                                                                                     |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---------------------------------------|-----------|----------------|-----------------------------------------------------------------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775                                                   | AC          | ✓                                     | Continues | ✓              | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ | JULY 23 2026              | Client Rep: _____                                                                                                                   |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |                                       |           |                |                                                                       | Mag Lead Time: 10 Seconds | Client Rep                                                                                                                          |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   | ✓           | Min Light Intensity: ≥ 100 FC Visible | ✓         | LED Flashlight | ✓                                                                     |                           | Sign: _____                                                                                                                         |
| A = Aluminum                         | Environment Condition | Fluorescent                                                                          | Black/White | ✓                                     | Aerosol   | ✓              | Visible                                                               | ✓                         | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |
|                                      | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |                                       |           |                |                                                                       |                           |                                                                                                                                     |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
[www.slickinspection.com](http://www.slickinspection.com)

# MT / PT / VT INSPECTION REPORT

Technician Sign:

### Technician Certification:

**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant: Dallon Van Wert

Date: \_\_\_\_\_  
Client: \_\_\_\_\_

JULY 23 2026

**BROTHERS HDD**

**Location:**

**BROTHERS SHOP SEXSMITH  
AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

**Invoice #:**

Report #:

Page:

Acceptance Code:

**Specification:**

**Procedure:**

**Technique:**

**Contractor:**

A.F.E.#:

CPG.#:

Job.#:

**Code.#:**

**Project:**

**BF26156**

**BF26156-M1**

4 of 10

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White

**BROTHERS HDD**

MT BORE PIPE

| Field Weld Number (s)                | Size                  | Thickness                                                                            | Material    | Welder Symbol                                                       | Remarks                               | Accept                                                                                                                              | Reject  | COMMENTS: MAGNETIC PARTICAL INSPECTION PERFORMED ON ITEM/S BELOW.<br>NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION. |              |                   |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|
| ITEMS INSPECTED:                     |                       |                                                                                      |             |                                                                     | 3.5" BORE PIPE                        |                                                                                                                                     |         |                                                                                                                           |              |                   |
| 1                                    | PIPE 85               | 3.5"                                                                                 | XS          | C                                                                   | MT169/MT170                           | ✓                                                                                                                                   |         | <p>TYPICAL BORE PIPE</p>               |              |                   |
| 2                                    | PIPE 86               | 3.5"                                                                                 | XS          | C                                                                   | MT171/MT172                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 3                                    | PIPE 87               | 3.5"                                                                                 | XS          | C                                                                   | MT173/MT174                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 4                                    | PIPE 88               | 3.5"                                                                                 | XS          | C                                                                   | MT175/MT176                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 5                                    | PIPE 89               | 3.5"                                                                                 | XS          | C                                                                   | MT177/MT178                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 6                                    | PIPE 90               | 3.5"                                                                                 | XS          | C                                                                   | MT179/MT180                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 7                                    | PIPE 91               | 3.5"                                                                                 | XS          | C                                                                   | MT181/MT182                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 8                                    | PIPE 92               | 3.5"                                                                                 | XS          | C                                                                   | MT183/MT184                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 9                                    | PIPE 93               | 3.5"                                                                                 | XS          | C                                                                   | MT185/MT186                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 10                                   | PIPE 94               | 3.5"                                                                                 | XS          | C                                                                   | MT187/MT188                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 11                                   | PIPE 95               | 3.5"                                                                                 | XS          | C                                                                   | MT189/MT190                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 12                                   | PIPE 96               | 3.5"                                                                                 | XS          | C                                                                   | MT191/MT192                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 13                                   | PIPE 97               | 3.5"                                                                                 | XS          | C                                                                   | MT193/MT194                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 14                                   | PIPE 98               | 3.5"                                                                                 | XS          | C                                                                   | MT195/MT196                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 15                                   | PIPE 99               | 3.5"                                                                                 | XS          | C                                                                   | MT197/MT198                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 16                                   |                       |                                                                                      |             |                                                                     |                                       |                                                                                                                                     |         |                                                                                                                           |              |                   |
| 17                                   |                       |                                                                                      |             |                                                                     |                                       |                                                                                                                                     |         |                                                                                                                           |              |                   |
| 18                                   | PIPE 102              | 3.5"                                                                                 | XS          | C                                                                   | MT203/MT204                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 19                                   | PIPE 103              | 3.5"                                                                                 | XS          | C                                                                   | MT205/MT206                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 20                                   | PIPE 104              | 3.5"                                                                                 | XS          | C                                                                   | MT207/MT208                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 21                                   | PIPE 105              | 3.5"                                                                                 | XS          | C                                                                   | MT209/MT210                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 22                                   | PIPE 106              | 3.5"                                                                                 | XS          | C                                                                   | MT211/MT212                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 23                                   | PIPE 107              | 3.5"                                                                                 | XS          | C                                                                   | MT213/MT214                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 24                                   | PIPE 108              | 3.5"                                                                                 | XS          | C                                                                   | MT215/MT216                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 25                                   | PIPE 109              | 3.5"                                                                                 | XS          | C                                                                   | MT217/MT218                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 26                                   | PIPE 110              | 3.5"                                                                                 | XS          | C                                                                   | MT219/MT220                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 27                                   | PIPE 111              | 3.5"                                                                                 | XS          | C                                                                   | MT221/MT222                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| 28                                   | PIPE 112              | 3.5"                                                                                 | XS          | C                                                                   | MT223/MT224                           | ✓                                                                                                                                   |         |                                                                                                                           |              |                   |
| Material Legend                      |                       | Surface Condition                                                                    |             | Equipment / Materials used For Corresponding Procedure & Technique: |                                       |                                                                                                                                     |         | REPORT ACCEPTANCE                                                                                                         |              |                   |
| C = Carbon Steel                     | Oxidized/Coated       | Sentential Yoke: MP-A-2L<br>S/N: MP5775                                              |             | AC                                                                  | ✓                                     | Continues                                                                                                                           | ✓       | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓                                                     | JULY 23 2026 | Client Rep: _____ |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |                                                                     |                                       | Mag Lead Time: 10 Seconds                                                                                                           |         |                                                                                                                           |              |                   |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   |             | ✓                                                                   | Min Light Intensity: ≥ 100 FC Visible |                                                                                                                                     | ✓       | LED Flashlight                                                                                                            | ✓            | Client Rep        |
|                                      | Environment Condition | Fluorescent                                                                          | Black/White | ✓                                                                   | Aerosol                               | ✓                                                                                                                                   | Visible | ✓                                                                                                                         | Dry          | Puffer            |
| A = Aluminum                         | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |                                                                     |                                       | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |         |                                                                                                                           |              |                   |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Technician Certification:

**BRANDON FLAIG**

CGSB Level II MT REG.#32777

CWB LEVEL 1 INSPECTOR

REG. #12190660

Assistant: Dallan Van Wert

Date: JULY 23 2026

Client:

**BROTHERS HDD**

Location:

**BROTHERS SHOP SEXSMITH**

**AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #:

Report #:

Page:

Acceptance Code:

Specification:

Procedure:

Technique:

Contractor:

A.F.E.#:

CPG#:

Job#:

Code#:

Project:

**BF26156**

**BF26156-M1**

5 of 10

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White

BROTHERS HDD

MT BORE PIPE

**COMMENTS: MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.**  
**NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.**

### ITEMS INSPECTED:

### 3.5" BORE PIPE

| Field Weld Number (s) | Size     | Thickness | Material | Welder Symbol | Remarks     | Accept | Reject |
|-----------------------|----------|-----------|----------|---------------|-------------|--------|--------|
| 1                     | PIPE 113 | 3.5"      | XS       | C             | MT225/MT226 | ✓      |        |
| 2                     | PIPE 114 | 3.5"      | XS       | C             | MT227/MT228 | ✓      |        |
| 3                     | PIPE 115 | 3.5"      | XS       | C             | MT229/MT230 | ✓      |        |
| 4                     | PIPE 116 | 3.5"      | XS       | C             | MT231/MT232 | ✓      |        |
| 5                     | PIPE 117 | 3.5"      | XS       | C             | MT233/MT234 | ✓      |        |
| 6                     | PIPE 118 | 3.5"      | XS       | C             | MT235/MT236 | ✓      |        |
| 7                     | PIPE 119 | 3.5"      | XS       | C             | MT237/MT238 | ✓      |        |
| 8                     | PIPE 120 | 3.5"      | XS       | C             | MT239/MT240 | ✓      |        |
| 9                     |          |           |          |               |             |        |        |
| 10                    | PIPE 122 | 3.5"      | XS       | C             | MT243/MT244 | ✓      |        |
| 11                    | PIPE 123 | 3.5"      | XS       | C             | MT245/MT246 | ✓      |        |
| 12                    | PIPE 124 | 3.5"      | XS       | C             | MT247/MT248 | ✓      |        |
| 13                    | PIPE 125 | 3.5"      | XS       | C             | MT249/MT250 | ✓      |        |
| 14                    | PIPE 126 | 3.5"      | XS       | C             | MT251/MT252 | ✓      |        |
| 15                    | PIPE 127 | 3.5"      | XS       | C             | MT253/MT254 | ✓      |        |
| 16                    | PIPE 128 | 3.5"      | XS       | C             | MT255/MT256 | ✓      |        |
| 17                    | PIPE 129 | 3.5"      | XS       | C             | MT257/MT258 | ✓      |        |
| 18                    | PIPE 130 | 3.5"      | XS       | C             | MT259/MT260 | ✓      |        |
| 19                    | PIPE 131 | 3.5"      | XS       | C             | MT261/MT262 | ✓      |        |
| 20                    | PIPE 132 | 3.5"      | XS       | C             | MT263/MT264 | ✓      |        |
| 21                    | PIPE 133 | 3.5"      | XS       | C             | MT265/MT266 | ✓      |        |
| 22                    | PIPE 134 | 3.5"      | XS       | C             | MT267/MT268 | ✓      |        |
| 23                    | PIPE 135 | 3.5"      | XS       | C             | MT269/MT270 | ✓      |        |
| 24                    | PIPE 136 | 3.5"      | XS       | C             | MT271/MT272 | ✓      |        |
| 25                    | PIPE 137 | 3.5"      | XS       | C             | MT273/MT274 | ✓      |        |
| 26                    | PIPE 138 | 3.5"      | XS       | C             | MT275/MT276 | ✓      |        |
| 27                    | PIPE 139 | 3.5"      | XS       | C             | MT277/MT278 | ✓      |        |
| 28                    | PIPE 140 | 3.5"      | XS       | C             | MT279/MT280 | ✓      |        |

### TYPICAL BORE PIPE



### Material Legend

### Surface Condition

### Equipment / Materials used For Corresponding Procedure & Technique:

### REPORT ACCEPTANCE

|                                                                                  |                       |                                                                                      |             |   |                                       |   |                                                                       |              |
|----------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---|---------------------------------------|---|-----------------------------------------------------------------------|--------------|
| C = Carbon Steel                                                                 | Oxidized/Coated       | Sentinel Yoke: MP-A-2L<br>S/N: MP5775                                                | AC          | ✓ | Continues                             | ✓ | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ | JULY 18 2026 |
| S = Stainless Steel                                                              | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |   |                                       |   | Mag Lead Time: 10 Seconds                                             |              |
| CS = Carbon Steel to Stainless Steel                                             | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   | ✓           |   | Min Light Intensity: ≥ 100 FC Visible | ✓ | LED Flashlight                                                        | ✓            |
| A = Aluminum                                                                     | Environment Condition | Fluorescent                                                                          | Black/White | ✓ | Aerosol                               | ✓ | Visible                                                               | ✓            |
|                                                                                  | Sunny                 |                                                                                      |             |   | Dry                                   |   | Puffer                                                                |              |
| Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone |                       |                                                                                      |             |   |                                       |   |                                                                       |              |

Client Rep: \_\_\_\_\_

Client Rep

Sign: \_\_\_\_\_

Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Date: JULY 23 2026

Client: BROTHERS HDD

Technician Certification:

**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Location: BROTHERS SHOP SEXSMITH  
AB.

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Assistant: Dallan Van Wert

Invoice #:

BF26156

Report #:

BF26156-M1

Page:

6 of 10

Acceptance Code:

CSA W59-2024

Specification:

MT-Rev.9

Procedure:

Technique:

MT 2 - Wet Visible, Black On White

Contractor:

BROTHERS HDD

A.F.E.#:

CPG.#:

Job.#:

Code.#:


Project:

MT BORE PIPE

COMMENTS: MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.

| Field Weld Number (s)           | Size     | Thickness | Material | Welder Symbol | Remarks     | Accept | Reject |
|---------------------------------|----------|-----------|----------|---------------|-------------|--------|--------|
| ITEMS INSPECTED: 3.5" BORE PIPE |          |           |          |               |             |        |        |
| 1                               | PIPE 141 | 3.5"      | XS       | C             | MT281/MT282 | ✓      |        |
| 2                               | PIPE 142 | 3.5"      | XS       | C             | MT283/MT284 | ✓      |        |
| 3                               | PIPE 143 | 3.5"      | XS       | C             | MT285/MT286 | ✓      |        |
| 4                               | PIPE 144 | 3.5"      | XS       | C             | MT287/MT288 | ✓      |        |
| 5                               | PIPE 145 | 3.5"      | XS       | C             | MT289/MT290 | ✓      |        |
| 6                               | PIPE 146 | 3.5"      | XS       | C             | MT291/MT292 | ✓      |        |
| 7                               | PIPE 147 | 3.5"      | XS       | C             | MT293/MT294 | ✓      |        |
| 8                               | PIPE 148 | 3.5"      | XS       | C             | MT295/MT296 | ✓      |        |
| 9                               | PIPE 149 | 3.5"      | XS       | C             | MT297/MT298 | ✓      |        |
| 10                              | PIPE 150 | 3.5"      | XS       | C             | MT299/MT300 | ✓      |        |
| 11                              | PIPE 151 | 3.5"      | XS       | C             | MT301/MT302 | ✓      |        |
| 12                              | PIPE 152 | 3.5"      | XS       | C             | MT303/MT304 | ✓      |        |
| 13                              | PIPE 153 | 3.5"      | XS       | C             | MT305/MT306 | ✓      |        |
| 14                              | PIPE 154 | 3.5"      | XS       | C             | MT307/MT308 | ✓      |        |
| 15                              | PIPE 155 | 3.5"      | XS       | C             | MT309/MT310 | ✓      |        |
| 16                              | PIPE 156 | 3.5"      | XS       | C             | MT311/MT312 | ✓      |        |
| 17                              | PIPE 157 | 3.5"      | XS       | C             | MT313/MT314 | ✓      |        |
| 18                              | PIPE 158 | 3.5"      | XS       | C             | MT315/MT316 | ✓      |        |
| 19                              | PIPE 159 | 3.5"      | XS       | C             | MT317/MT318 | ✓      |        |
| 20                              | PIPE 160 | 3.5"      | XS       | C             | MT319/MT320 | ✓      |        |
| 21                              | PIPE 161 | 3.5"      | XS       | C             | MT321/MT322 | ✓      |        |
| 22                              | PIPE 162 | 3.5"      | XS       | C             | MT323/MT324 | ✓      |        |
| 23                              | PIPE 163 | 3.5"      | XS       | C             | MT325/MT326 | ✓      |        |
| 24                              | PIPE 164 | 3.5"      | XS       | C             | MT327/MT328 | ✓      |        |
| 25                              | PIPE 165 | 3.5"      | XS       | C             | MT329/MT330 | ✓      |        |
| 26                              | PIPE 166 | 3.5"      | XS       | C             | MT331/MT332 | ✓      |        |
| 27                              | PIPE 167 | 3.5"      | XS       | C             | MT333/MT334 | ✓      |        |
| 28                              | PIPE 168 | 3.5"      | XS       | C             | MT335/MT336 | ✓      |        |

TYPICAL BORE PIPE



| Material Legend                      | Surface Condition     | Equipment / Materials used For Corresponding Procedure & Technique:                  |             |                                       |           |   |                                                                       | REPORT ACCEPTANCE                                                                                                                   |                   |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---------------------------------------|-----------|---|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775                                                   | AC          | ✓                                     | Continues | ✓ | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ | JULY 18 2026                                                                                                                        | Client Rep: _____ |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |                                       |           |   |                                                                       | Mag Lead Time: 10 Seconds                                                                                                           |                   |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   |             | Min Light Intensity: ≥ 100 FC Visible |           | ✓ | LED Flashlight                                                        | ✓                                                                                                                                   | Client Rep        |
|                                      | Environment Condition | Fluorescent                                                                          | Black/White | ✓                                     | Aerosol   | ✓ | Visible                                                               | ✓                                                                                                                                   | Sign: _____       |
| A = Aluminum                         | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |                                       |           |   |                                                                       | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |                   |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
[www.slickinspection.com](http://www.slickinspection.com)

# MT / PT / VT INSPECTION REPORT

Technician Sign:

### Technician Certification:

**BRANDON FLAIG**

CGSB Level II MT REG.#32777

CWB LEVEL 1 INSPECTOR

REG. #12190660

Assistant:

Dallon Van Wert

Date:

**Client:**

JULY 23 2026

**BROTHERS HDD**

**Location:**

## BROTHERS SHOP SEXSMITH

**AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

**Invoice #:**

Report #:

Page:

Acceptance Code:

**Specification:**

**Procedure:**

**Technique:**

Contractor:

A.F.E.#:

CPG.#:

Job.#:

Code #

Project:

BF26156

**BF26156-M1**

7 of 10

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White

**BROTHERS HDD**

MT BORE PIPE

| Field Weld Number (s)                | Size                  | Thickness                                                                            | Material    | Welder Symbol                                                       | Remarks                               | Accept                    | Reject  | COMMENTS: MAGNETIC PARTICAL INSPECTION PERFORMED ON ITEM/S BELOW.<br>NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.   |                   |                                                                                                                                     |                  |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------|---------------------------------------|---------------------------|---------|-----------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------|------------------|
| ITEMS INSPECTED:                     |                       |                                                                                      |             |                                                                     | 3.5" BORE PIPE                        |                           |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 1                                    | PIPE 169              | 3.5"                                                                                 | XS          | C                                                                   | MT337/MT338                           | ✓                         |         | <div>TYPICAL BORE PIPE</div> <div></div> |                   |                                                                                                                                     |                  |
| 2                                    | PIPE 170              | 3.5"                                                                                 | XS          | C                                                                   | MT339/MT340                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 3                                    | PIPE 171              | 3.5"                                                                                 | XS          | C                                                                   | MT341/MT342                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 4                                    | PIPE 172              | 3.5"                                                                                 | XS          | C                                                                   | MT343/MT344                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 5                                    | PIPE 173              | 3.5"                                                                                 | XS          | C                                                                   | MT345/MT346                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 6                                    | PIPE 174              | 3.5"                                                                                 | XS          | C                                                                   | MT347/MT348                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 7                                    | PIPE 175              | 3.5"                                                                                 | XS          | C                                                                   | MT349/MT350                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 8                                    | PIPE 176              | 3.5"                                                                                 | XS          | C                                                                   | MT351/MT352                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 9                                    | PIPE 177              | 3.5"                                                                                 | XS          | C                                                                   | MT353/MT354                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 10                                   | PIPE 178              | 3.5"                                                                                 | XS          | C                                                                   | MT355/MT356                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 11                                   | PIPE 179              | 3.5"                                                                                 | XS          | C                                                                   | MT357/MT358                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 12                                   | PIPE 180              | 3.5"                                                                                 | XS          | C                                                                   | MT359/MT360                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 13                                   | PIPE 181              | 3.5"                                                                                 | XS          | C                                                                   | MT361/MT362                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 14                                   | PIPE 182              | 3.5"                                                                                 | XS          | C                                                                   | MT363/MT364                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 15                                   | PIPE 183              | 3.5"                                                                                 | XS          | C                                                                   | MT365/MT366                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 16                                   | PIPE 184              | 3.5"                                                                                 | XS          | C                                                                   | MT367/MT368                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 17                                   | PIPE 185              | 3.5"                                                                                 | XS          | C                                                                   | MT369/MT370                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 18                                   | PIPE 186              | 3.5"                                                                                 | XS          | C                                                                   | MT371/MT372                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 19                                   | PIPE 187              | 3.5"                                                                                 | XS          | C                                                                   | MT373/MT374                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 20                                   | PIPE 188              | 3.5"                                                                                 | XS          | C                                                                   | MT375/MT376                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 21                                   | PIPE 189              | 3.5"                                                                                 | XS          | C                                                                   | MT377/MT378                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 22                                   | PIPE 190              | 3.5"                                                                                 | XS          | C                                                                   | MT379/MT380                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 23                                   | PIPE 191              | 3.5"                                                                                 | XS          | C                                                                   | MT381/MT382                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 24                                   | PIPE 192              | 3.5"                                                                                 | XS          | C                                                                   | MT383/MT384                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 25                                   | PIPE 193              | 3.5"                                                                                 | XS          | C                                                                   | MT385/MT386                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 26                                   | PIPE 194              | 3.5"                                                                                 | XS          | C                                                                   | MT387/MT388                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 27                                   | PIPE 195              | 3.5"                                                                                 | XS          | C                                                                   | MT389/MT390                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| 28                                   | PIPE 196              | 3.5"                                                                                 | XS          | C                                                                   | MT391/MT392                           | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| Material Legend                      |                       | Surface Condition                                                                    |             | Equipment / Materials used For Corresponding Procedure & Technique: |                                       |                           |         | REPORT ACCEPTANCE                                                                                                           |                   |                                                                                                                                     |                  |
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775                                                   |             | AC                                                                  | ✓                                     | Continues                 | ✓       | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ JULY 18 2026                                          | Client Rep: _____ |                                                                                                                                     |                  |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |                                                                     |                                       | Mag Lead Time: 10 Seconds |         |                                                                                                                             |                   |                                                                                                                                     |                  |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   |             | ✓                                                                   | Min Light Intensity: ≥ 100 FC Visible |                           | ✓       | LED Flashlight                                                                                                              | ✓                 |                                                                                                                                     |                  |
|                                      | Environment Condition | Fluorescent                                                                          | Black/White | ✓                                                                   | Aerosol                               | ✓                         | Visible | ✓                                                                                                                           | Dry               | Puffer                                                                                                                              | Client Rep _____ |
| A = Aluminum                         | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |                                                                     |                                       |                           |         |                                                                                                                             |                   | Sign: _____                                                                                                                         |                  |
|                                      |                       |                                                                                      |             |                                                                     |                                       |                           |         |                                                                                                                             |                   | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |                  |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Technician Certification:  
**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660  
Assistant: Dallan Van Wert

Date: JULY 23 2026  
Client: **BROTHERS HDD**

Location: **BROTHERS SHOP SEXSMITH AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #: **BF26156**  
Report #: **BF26156-M1**  
Page: 8 of 10  
Acceptance Code: CSA W59-2024  
Specification: MT-Rev.9  
Procedure: MT 2 - Wet Visible, Black On White  
Technique: BROTHERS HDD  
Contractor:  
A.F.E.#:  
CPG.#:  
Job.#:  
Code.#:  
Project: MT BORE PIPE

| Field Weld Number (s)   | Size     | Thickness | Material | Welder Symbol | Remarks     | Accept | Reject |
|-------------------------|----------|-----------|----------|---------------|-------------|--------|--------|
| <b>ITEMS INSPECTED:</b> |          |           |          |               |             |        |        |
| <b>3.5" BORE PIPE</b>   |          |           |          |               |             |        |        |
| 1                       | PIPE 197 | 3.5"      | XS       | C             | MT393/MT394 | ✓      |        |
| 2                       | PIPE 198 | 3.5"      | XS       | C             | MT395/MT396 | ✓      |        |
| 3                       | PIPE 199 | 3.5"      | XS       | C             | MT397/MT398 | ✓      |        |
| 4                       | PIPE 200 | 3.5"      | XS       | C             | MT399/MT400 | ✓      |        |
| 5                       | PIPE 201 | 3.5"      | XS       | C             | MT401/MT402 | ✓      |        |
| 6                       | PIPE 202 | 3.5"      | XS       | C             | MT403/MT404 | ✓      |        |
| 7                       | PIPE 203 | 3.5"      | XS       | C             | MT405/MT406 | ✓      |        |
| 8                       | PIPE 204 | 3.5"      | XS       | C             | MT407/MT408 | ✓      |        |
| 9                       | PIPE 205 | 3.5"      | XS       | C             | MT409/MT410 | ✓      |        |
| 10                      | PIPE 206 | 3.5"      | XS       | C             | MT411/MT412 | ✓      |        |
| 11                      | PIPE 207 | 3.5"      | XS       | C             | MT413/MT414 | ✓      |        |
| 12                      | PIPE 208 | 3.5"      | XS       | C             | MT415/MT416 | ✓      |        |
| 13                      | PIPE 209 | 3.5"      | XS       | C             | MT417/MT418 | ✓      |        |
| 14                      | PIPE 210 | 3.5"      | XS       | C             | MT419/MT420 | ✓      |        |
| 15                      | PIPE 211 | 3.5"      | XS       | C             | MT421/MT422 | ✓      |        |
| 16                      | PIPE 212 | 3.5"      | XS       | C             | MT423/MT424 | ✓      |        |
| 17                      | PIPE 213 | 3.5"      | XS       | C             | MT425/MT426 | ✓      |        |
| 18                      | PIPE 214 | 3.5"      | XS       | C             | MT427/MT428 | ✓      |        |
| 19                      | PIPE 215 | 3.5"      | XS       | C             | MT429/MT430 | ✓      |        |
| 20                      | PIPE 216 | 3.5"      | XS       | C             | MT431/MT432 | ✓      |        |
| 21                      | PIPE 217 | 3.5"      | XS       | C             | MT433/MT434 | ✓      |        |
| 22                      | PIPE 218 | 3.5"      | XS       | C             | MT435/MT436 | ✓      |        |
| 23                      | PIPE 219 | 3.5"      | XS       | C             | MT437/MT438 | ✓      |        |
| 24                      | PIPE 220 | 3.5"      | XS       | C             | MT439/MT440 | ✓      |        |
| 25                      | PIPE 221 | 3.5"      | XS       | C             | MT441/MT442 | ✓      |        |
| 26                      | PIPE 222 | 3.5"      | XS       | C             | MT443/MT444 | ✓      |        |
| 27                      | PIPE 223 | 3.5"      | XS       | C             | MT445/MT446 | ✓      |        |
| 28                      | PIPE 224 | 3.5"      | XS       | C             | MT447/MT448 | ✓      |        |

**COMMENTS:** MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.

**TYPICAL BORE PIPE**

| Material Legend                      | Surface Condition     | Equipment / Materials used For Corresponding Procedure & Technique:                                                                    | REPORT ACCEPTANCE |
|--------------------------------------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775 AC ✓ Continues ✓ Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ JULY 18 2026 | Client Rep: _____ |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF Mag Lead Time: 10 Seconds                         | Client Rep _____  |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026 ✓ Min Light Intensity: ≥ 100 FC Visible ✓ LED Flashlight ✓          | Sign: _____       |
| A = Aluminum                         | Environment Condition | Fluorescent Black/White ✓ Aerosol ✓ Visible ✓ Dry Puffer                                                                               |                   |
|                                      | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone                                                       |                   |

Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
[www.slickinspection.com](http://www.slickinspection.com)

# MT / PT / VT INSPECTION REPORT

Technician Sign:

### Technician Certification:

**BRANDON FLAIG**

CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant:

Dallon Van Wert

Date:

**Client:**

JULY 23 2026

**BROTHERS HDD**

**Location:**

**BROTHERS SHOP SEXSMITH  
AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

**Invoice #:**

Report #:

Page:

Acceptance Code:

Specification:

**Procedure:**

**Technique:**

**Contractor:**

A.F.E.#:

CPG.#:

Job.#:

Code.#

**Project:**

**BF26156**

**BF26156-M1**

9 of 10

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White

BROTHERS HDD

MT BORE PIPE

| Field Weld Number (s)                                                                                                               | Size     | Thickness             | Material | Welder Symbol                                                                                                                            | Remarks     | Accept         | Reject | COMMENTS: MAGNETIC PARTICAL INSPECTION PERFORMED ON ITEM/S BELOW.<br>NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION. |  |
|-------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------|----------|------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------|--------|---------------------------------------------------------------------------------------------------------------------------|--|
| ITEMS INSPECTED:                                                                                                                    |          |                       |          |                                                                                                                                          |             | 3.5" BORE PIPE |        |                                                                                                                           |  |
| 1                                                                                                                                   | PIPE 225 | 3.5"                  | XS       | C                                                                                                                                        | MT449/MT450 | ✓              |        |                                                                                                                           |  |
| 2                                                                                                                                   | PIPE 226 | 3.5"                  | XS       | C                                                                                                                                        | MT451/MT452 | ✓              |        |                                                                                                                           |  |
| 3                                                                                                                                   | PIPE 227 | 3.5"                  | XS       | C                                                                                                                                        | MT453/MT454 | ✓              |        |                                                                                                                           |  |
| 4                                                                                                                                   | PIPE 228 | 3.5"                  | XS       | C                                                                                                                                        | MT455/MT456 | ✓              |        |                                                                                                                           |  |
| 5                                                                                                                                   | PIPE 229 | 3.5"                  | XS       | C                                                                                                                                        | MT457/MT458 | ✓              |        |                                                                                                                           |  |
| 6                                                                                                                                   | PIPE 230 | 3.5"                  | XS       | C                                                                                                                                        | MT459/MT460 | ✓              |        |                                                                                                                           |  |
| 7                                                                                                                                   | PIPE 231 | 3.5"                  | XS       | C                                                                                                                                        | MT461/MT462 | ✓              |        |                                                                                                                           |  |
| 8                                                                                                                                   | PIPE 232 | 3.5"                  | XS       | C                                                                                                                                        | MT463/MT464 | ✓              |        |                                                                                                                           |  |
| 9                                                                                                                                   | PIPE 233 | 3.5"                  | XS       | C                                                                                                                                        | MT465/MT466 | ✓              |        |                                                                                                                           |  |
| 10                                                                                                                                  | PIPE 234 | 3.5"                  | XS       | C                                                                                                                                        | MT467/MT468 | ✓              |        |                                                                                                                           |  |
| 11                                                                                                                                  | PIPE 235 | 3.5"                  | XS       | C                                                                                                                                        | MT469/MT470 | ✓              |        |                                                                                                                           |  |
| 12                                                                                                                                  | PIPE 236 | 3.5"                  | XS       | C                                                                                                                                        | MT471/MT472 | ✓              |        |                                                                                                                           |  |
| 13                                                                                                                                  | PIPE 237 | 3.5"                  | XS       | C                                                                                                                                        | MT473/MT474 | ✓              |        |                                                                                                                           |  |
| 14                                                                                                                                  | PIPE 238 | 3.5"                  | XS       | C                                                                                                                                        | MT475/MT476 | ✓              |        |                                                                                                                           |  |
| 15                                                                                                                                  | PIPE 239 | 3.5"                  | XS       | C                                                                                                                                        | MT477/MT478 | ✓              |        |                                                                                                                           |  |
| 16                                                                                                                                  | PIPE 240 | 3.5"                  | XS       | C                                                                                                                                        | MT479/MT480 | ✓              |        |                                                                                                                           |  |
| 17                                                                                                                                  | PIPE 241 | 3.5"                  | XS       | C                                                                                                                                        | MT481/MT482 | ✓              |        |                                                                                                                           |  |
| 18                                                                                                                                  | PIPE 242 | 3.5"                  | XS       | C                                                                                                                                        | MT483/MT484 | ✓              |        |                                                                                                                           |  |
| 19                                                                                                                                  | PIPE 243 | 3.5"                  | XS       | C                                                                                                                                        | MT485/MT486 | ✓              |        |                                                                                                                           |  |
| 20                                                                                                                                  | PIPE 244 | 3.5"                  | XS       | C                                                                                                                                        | MT487/MT488 | ✓              |        |                                                                                                                           |  |
| 21                                                                                                                                  | PIPE 245 | 3.5"                  | XS       | C                                                                                                                                        | MT489/MT490 | ✓              |        |                                                                                                                           |  |
| 22                                                                                                                                  | PIPE 246 | 3.5"                  | XS       | C                                                                                                                                        | MT491/MT492 | ✓              |        |                                                                                                                           |  |
| 23                                                                                                                                  | PIPE 247 | 3.5"                  | XS       | C                                                                                                                                        | MT493/MT494 | ✓              |        |                                                                                                                           |  |
| 24                                                                                                                                  | PIPE 248 | 3.5"                  | XS       | C                                                                                                                                        | MT495/MT496 | ✓              |        |                                                                                                                           |  |
| 25                                                                                                                                  | PIPE 249 | 3.5"                  | XS       | C                                                                                                                                        | MT497/MT498 | ✓              |        |                                                                                                                           |  |
| 26                                                                                                                                  | PIPE 250 | 3.5"                  | XS       | C                                                                                                                                        | MT499/MT500 | ✓              |        |                                                                                                                           |  |
| 27                                                                                                                                  | PIPE 251 | 3.5"                  | XS       | C                                                                                                                                        | MT501/MT502 | ✓              |        |                                                                                                                           |  |
| 28                                                                                                                                  | PIPE 252 | 3.5"                  | XS       | C                                                                                                                                        | MT503/MT504 | ✓              |        |                                                                                                                           |  |
| Material Legend                                                                                                                     |          | Surface Condition     |          | Equipment / Materials used For Corresponding Procedure & Technique:                                                                      |             |                |        | REPORT ACCEPTANCE                                                                                                         |  |
| C = Carbon Steel                                                                                                                    |          | Oxidized/Coated       |          | Sentential Yoke: MP-A-2L S/N: MP5775 AC ✓ Continues ✓ Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ JULY 19 2026 |             |                |        | Client Rep: _____                                                                                                         |  |
| S = Stainless Steel                                                                                                                 |          | Time Of Testing       |          | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF Mag Lead Time: 10 Seconds                           |             |                |        |                                                                                                                           |  |
| CS = Carbon Steel to Stainless Steel                                                                                                |          | 6:00AM                |          | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026 ✓ Min Light Intensity: ≥ 100 FC Visible ✓ LED Flashlight ✓            |             |                |        | Client Rep _____                                                                                                          |  |
|                                                                                                                                     |          | Environment Condition |          | Fluorescent Black/White ✓ Aerosol ✓ Visible ✓ Dry Puffer                                                                                 |             |                |        | Sign: _____                                                                                                               |  |
| A = Aluminum                                                                                                                        |          | Sunny                 |          | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone                                                         |             |                |        |                                                                                                                           |  |
| TYPICAL BORE PIPE                                                                                                                   |          |                       |          |                                                                                                                                          |             |                |        |                                                                                                                           |  |
|                                                                                                                                     |          |                       |          |                                                                                                                                          |             |                |        |                                                                                                                           |  |
| Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |          |                       |          |                                                                                                                                          |             |                |        |                                                                                                                           |  |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
[www.slickinspection.com](http://www.slickinspection.com)

# MT / PT / VT INSPECTION REPORT

Technician Sign: 

### Technician Certification:

**BRANDON FLAIG**

CGSB Level II MT REG.#32777

**CWB LEVEL 1 INSPECTOR**

REG. #12190660

Assistant: Dallon Van Wert

Date: JULY 23 2026  
Client:

**BROTHERS HDD**

Location: **BROTHERS SHOP SEXSMITH  
AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

**Invoice #:**

Report #:

Page:

Acceptance Code:

**Specification:**

**Procedure:**

**Technique:**

**Contractor:**

A.F.E.#:

CPG.#:

Job.#:

Code.4

**Project:**

**BF26156**

**BF26156-M1**

10 of 10

CSA W59-2024

MT-Rev.9

**MT 2 - Wet Visible. Black On White**

**BROTHERS HDD**

MT BORE PIPE

| Field Weld Number (s)                | Size                 | Thickness                                                                            | Material    | Welder Symbol                                                       | Remarks                               | Accept                    | Reject  | COMMENTS: MAGNETIC PARTICAL INSPECTION PERFORMED ON ITEM/S BELOW.<br>NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.   |              |                                                                                                                                     |             |
|--------------------------------------|----------------------|--------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------|---------------------------------------|---------------------------|---------|-----------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ITEMS INSPECTED:                     |                      |                                                                                      |             |                                                                     | 3.5" BORE PIPE                        |                           |         |                                                                                                                             |              |                                                                                                                                     |             |
| 1                                    | PIPE 253             | 3.5"                                                                                 | XS          | C                                                                   | MT505/MT506                           | ✓                         |         | <div>TYPICAL BORE PIPE</div> <div></div> |              |                                                                                                                                     |             |
| 2                                    | PIPE 254             | 3.5"                                                                                 | XS          | C                                                                   | MT507/MT508                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 3                                    | PIPE 255             | 3.5"                                                                                 | XS          | C                                                                   | MT509/MT510                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 4                                    | PIPE 256             | 3.5"                                                                                 | XS          | C                                                                   | MT511/MT512                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 5                                    | PIPE 257             | 3.5"                                                                                 | XS          | C                                                                   | MT513/MT514                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 6                                    | PIPE 258             | 3.5"                                                                                 | XS          | C                                                                   | MT515/MT516                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 7                                    | PIPE 259             | 3.5"                                                                                 | XS          | C                                                                   | MT517/MT518                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 8                                    | PIPE 260             | 3.5"                                                                                 | XS          | C                                                                   | MT519/MT520                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 9                                    | PIPE 261             | 3.5"                                                                                 | XS          | C                                                                   | MT521/MT522                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 10                                   | PIPE 262             | 3.5"                                                                                 | XS          | C                                                                   | MT523/MT524                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 11                                   | PIPE 263             | 3.5"                                                                                 | XS          | C                                                                   | MT525/MT526                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 12                                   | PIPE 264             | 3.5"                                                                                 | XS          | C                                                                   | MT527/MT528                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 13                                   | PIPE 265             | 3.5"                                                                                 | XS          | C                                                                   | MT529/MT530                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 14                                   | PIPE 266             | 3.5"                                                                                 | XS          | C                                                                   | MT531/MT532                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 15                                   | PIPE 267             | 3.5"                                                                                 | XS          | C                                                                   | MT533/MT534                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 16                                   | PIPE 268             | 3.5"                                                                                 | XS          | C                                                                   | MT535/MT536                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 17                                   | PIPE 269             | 3.5"                                                                                 | XS          | C                                                                   | MT537/MT538                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 18                                   | PIPE 270             | 3.5"                                                                                 | XS          | C                                                                   | MT539/MT540                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 19                                   | PIPE 271             | 3.5"                                                                                 | XS          | C                                                                   | MT541/MT542                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 20                                   | PIPE 272             | 3.5"                                                                                 | XS          | C                                                                   | MT543/MT544                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 21                                   | PIPE 273             | 3.5"                                                                                 | XS          | C                                                                   | MT545/MT546                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 22                                   | PIPE 274             | 3.5"                                                                                 | XS          | C                                                                   | MT547/MT548                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 23                                   | PIPE 275             | 3.5"                                                                                 | XS          | C                                                                   | MT549/MT550                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 24                                   | PIPE 276             | 3.5"                                                                                 | XS          | C                                                                   | MT551/MT552                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 25                                   | PIPE 277             | 3.5"                                                                                 | XS          | C                                                                   | MT553/MT554                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 26                                   | PIPE 278             | 3.5"                                                                                 | XS          | C                                                                   | MT555/MT556                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 27                                   | PIPE 279             | 3.5"                                                                                 | XS          | C                                                                   | MT557/MT558                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| 28                                   | PIPE 280             | 3.5"                                                                                 | XS          | C                                                                   | MT559/MT560                           | ✓                         |         |                                                                                                                             |              |                                                                                                                                     |             |
| Material Legend                      |                      | Surface Condition                                                                    |             | Equipment / Materials used For Corresponding Procedure & Technique: |                                       |                           |         | REPORT ACCEPTANCE                                                                                                           |              |                                                                                                                                     |             |
| C = Carbon Steel                     | Oxidized/Coated      | Sentinel Yoke: MP-A-2L<br>S/N: MP5775                                                |             | AC                                                                  | ✓                                     | Continues                 | ✓       | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓                                                       | JULY 19 2026 | Client Rep: _____                                                                                                                   |             |
| S = Stainless Steel                  | Time Of Testing      | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |                                                                     |                                       | Mag Lead Time: 10 Seconds |         |                                                                                                                             |              | Client Rep _____                                                                                                                    |             |
| CS = Carbon Steel to Stainless Steel | 6:00AM               | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   |             | ✓                                                                   | Min Light Intensity: ≥ 100 FC Visible |                           | ✓       | LED Flashlight                                                                                                              | ✓            | Client Rep _____                                                                                                                    |             |
|                                      | Enviroment Condition | Fluorescent                                                                          | Black/White | ✓                                                                   | Aerosol                               | ✓                         | Visible | ✓                                                                                                                           | Dry          | Puffer                                                                                                                              | Sign: _____ |
| A = Aluminum                         | Sunny                | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |                                                                     |                                       |                           |         |                                                                                                                             |              | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |             |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Technician Certification:  
**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant: Dallon Van Wert

Date: JULY 17 2026

Client: **BROTHERS HDD**

Location: **BROTHERS SHOP GRANDE  
PRAIRIE AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #:

Report #:

Page:

Acceptance Code:

Specification:

Procedure:

Technique:

Contractor:

A.F.E.#:

CPG.#:

Job.#:

Code.#:

Project:

**BF26156**

**BF26156-M1**

1 of 10

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White

BROTHERS HDD

MT BORE PIPE

**COMMENTS:** MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.

### ITEMS INSPECTED:

### 3.5" BORE PIPE

| Field Weld Number (s) | Size     | Thickness | Material | Welder Symbol | Remarks     | Accept | Reject |
|-----------------------|----------|-----------|----------|---------------|-------------|--------|--------|
| 1                     |          |           |          |               |             |        |        |
| 2                     | PIPE 282 | 3.5"      | XS       | C             | MT563/MT564 | ✓      |        |
| 3                     | PIPE 283 | 3.5"      | XS       | C             | MT565/MT566 | ✓      |        |
| 4                     | PIPE 284 | 3.5"      | XS       | C             | MT567/MT568 | ✓      |        |
| 5                     | PIPE 285 | 3.5"      | XS       | C             | MT569/MT570 | ✓      |        |
| 6                     | PIPE 286 | 3.5"      | XS       | C             | MT571/MT572 | ✓      |        |
| 7                     | PIPE 287 | 3.5"      | XS       | C             | MT573/MT574 | ✓      |        |
| 8                     | PIPE 288 | 3.5"      | XS       | C             | MT575/MT576 | ✓      |        |
| 9                     | PIPE 289 | 3.5"      | XS       | C             | MT577/MT578 | ✓      |        |
| 10                    | PIPE 290 | 3.5"      | XS       | C             | MT579/MT580 | ✓      |        |
| 11                    | PIPE 291 | 3.5"      | XS       | C             | MT581/MT582 | ✓      |        |
| 12                    | PIPE 292 | 3.5"      | XS       | C             | MT583/MT584 | ✓      |        |
| 13                    | PIPE 293 | 3.5"      | XS       | C             | MT585/MT586 | ✓      |        |
| 14                    | PIPE 294 | 3.5"      | XS       | C             | MT587/MT588 | ✓      |        |
| 15                    | PIPE 295 | 3.5"      | XS       | C             | MT589/MT590 | ✓      |        |
| 16                    | PIPE 296 | 3.5"      | XS       | C             | MT591/MT592 | ✓      |        |
| 17                    | PIPE 297 | 3.5"      | XS       | C             | MT593/MT594 | ✓      |        |
| 18                    | PIPE 298 | 3.5"      | XS       | C             | MT595/MT596 | ✓      |        |
| 19                    | PIPE 299 | 3.5"      | XS       | C             | MT597/MT598 | ✓      |        |
| 20                    | PIPE 300 | 3.5"      | XS       | C             | MT599/MT600 | ✓      |        |
| 21                    | PIPE 301 | 3.5"      | XS       | C             | MT601/MT602 | ✓      |        |
| 22                    | PIPE 302 | 3.5"      | XS       | C             | MT603/MT604 | ✓      |        |
| 23                    | PIPE 303 | 3.5"      | XS       | C             | MT605/MT606 | ✓      |        |
| 24                    | PIPE 304 | 3.5"      | XS       | C             | MT607/MT608 | ✓      |        |
| 25                    | PIPE 305 | 3.5"      | XS       | C             | MT609/MT610 | ✓      |        |
| 26                    | PIPE 306 | 3.5"      | XS       | C             | MT611/MT612 | ✓      |        |
| 27                    | PIPE 307 | 3.5"      | XS       | C             | MT613/MT614 | ✓      |        |
| 28                    | PIPE 308 | 3.5"      | XS       | C             | MT615/MT616 | ✓      |        |

### TYPICAL BORE PIPE



### Material Legend

### Surface Condition

### Equipment / Consumables used For Corresponding Procedure & Technique:

### REPORT ACCEPTANCE

|                                      |                       |                                                                                      |               |                                         |                                                                       |              |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|---------------|-----------------------------------------|-----------------------------------------------------------------------|--------------|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L<br>S/N: MP5775                                                | AC ✓          | Continues ✓                             | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ | JULY 19 2026 |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |               |                                         | Mag Lead Time: 10 Seconds                                             |              |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31,2026 ✓                 |               | Min Light Intensity: ≥ 100 FC Visible ✓ | LED Flashlight ✓                                                      |              |
| A = Aluminum                         | Environment Condition | Fluorescent                                                                          | Black/White ✓ | Aerosol ✓                               | Visible ✓                                                             | Dry Puffer   |
|                                      | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |               |                                         |                                                                       |              |

Client Rep: \_\_\_\_\_

Client Rep

Sign: \_\_\_\_\_

Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Technician Certification:

**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant: Dallon Van Wert

Date: JULY 17 2026  
Client:

**BROTHERS HDD**

Location: **BROTHERS SHOP GRANDE  
PRAIRIE AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #:

**BF26156**

Report #:

**BF26156-M1**

Page:

2 of 10

Acceptance Code:

CSA W59-2024

Specification:

MT-Rev.9

Procedure:

MT 2 - Wet Visible, Black On White

Technique:

BROTHERS HDD

Contractor:

A.F.E.#:

CPG.#:

Job.#:

Code.#:

Project:

MT BORE PIPE

**COMMENTS: MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.**

| Field Weld Number (s)                                                                                                               | Size                  | Thickness                                                                            | Material | Welder Symbol                                                                  | Remarks     | Accept    | Reject |                                                                                     |                          |
|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------------|----------|--------------------------------------------------------------------------------|-------------|-----------|--------|-------------------------------------------------------------------------------------|--------------------------|
| <b>ITEMS INSPECTED:</b>                                                                                                             |                       |                                                                                      |          |                                                                                |             |           |        |                                                                                     |                          |
| <b>3.5" BORE PIPE</b>                                                                                                               |                       |                                                                                      |          |                                                                                |             |           |        |                                                                                     |                          |
| 1                                                                                                                                   | PIPE 309              | 3/5"                                                                                 | XS       | C                                                                              | MT617/MT618 | ✓         |        |                                                                                     |                          |
| 2                                                                                                                                   | PIPE 310              | 3/5"                                                                                 | XS       | C                                                                              | MT619/MT620 | ✓         |        |                                                                                     |                          |
| 3                                                                                                                                   | PIPE 311              | 3/5"                                                                                 | XS       | C                                                                              | MT621/MT622 | ✓         |        |                                                                                     |                          |
| 4                                                                                                                                   | PIPE 312              | 3/5"                                                                                 | XS       | C                                                                              | MT623/MT624 | ✓         |        |                                                                                     |                          |
| 5                                                                                                                                   | PIPE 313              | 3/5"                                                                                 | XS       | C                                                                              | MT625/MT626 | ✓         |        |                                                                                     |                          |
| 6                                                                                                                                   | PIPE 314              | 3/5"                                                                                 | XS       | C                                                                              | MT627/MT628 | ✓         |        |                                                                                     |                          |
| 7                                                                                                                                   | PIPE 315              | 3/5"                                                                                 | XS       | C                                                                              | MT629/MT630 | ✓         |        |                                                                                     |                          |
| 8                                                                                                                                   | PIPE 316              | 3/5"                                                                                 | XS       | C                                                                              | MT631/MT632 | ✓         |        |                                                                                     |                          |
| 9                                                                                                                                   | PIPE 317              | 3/5"                                                                                 | XS       | C                                                                              | MT633/MT634 | ✓         |        |                                                                                     |                          |
| 10                                                                                                                                  | PIPE 318              | 3/5"                                                                                 | XS       | C                                                                              | MT635/MT636 | ✓         |        |                                                                                     |                          |
| 11                                                                                                                                  | PIPE 319              | 3/5"                                                                                 | XS       | C                                                                              | MT637/MT638 | ✓         |        |                                                                                     |                          |
| 12                                                                                                                                  | PIPE 320              | 3/5"                                                                                 | XS       | C                                                                              | MT639/MT640 | ✓         |        |                                                                                     |                          |
| 13                                                                                                                                  | PIPE 321              | 3/5"                                                                                 | XS       | C                                                                              | MT641/MT642 | ✓         |        |                                                                                     |                          |
| 14                                                                                                                                  | PIPE 322              | 3/5"                                                                                 | XS       | C                                                                              | MT643/MT644 | ✓         |        |                                                                                     |                          |
| 15                                                                                                                                  | PIPE 323              | 3/5"                                                                                 | XS       | C                                                                              | MT645/MT646 | ✓         |        |                                                                                     |                          |
| 16                                                                                                                                  | PIPE 324              | 3/5"                                                                                 | XS       | C                                                                              | MT647/MT648 | ✓         |        |                                                                                     |                          |
| 17                                                                                                                                  | PIPE 325              | 3/5"                                                                                 | XS       | C                                                                              | MT649/MT650 | ✓         |        |                                                                                     |                          |
| 18                                                                                                                                  | PIPE 326              | 3/5"                                                                                 | XS       | C                                                                              | MT651/MT652 | ✓         |        |                                                                                     |                          |
| 19                                                                                                                                  | PIPE 327              | 3/5"                                                                                 | XS       | C                                                                              | MT653/MT654 | ✓         |        |                                                                                     |                          |
| 20                                                                                                                                  | PIPE 328              | 3/5"                                                                                 | XS       | C                                                                              | MT655/MT656 | ✓         |        |                                                                                     |                          |
| 21                                                                                                                                  | PIPE 329              | 3/5"                                                                                 | XS       | C                                                                              | MT657/MT658 | ✓         |        |                                                                                     |                          |
| 22                                                                                                                                  | PIPE 330              | 3/5"                                                                                 | XS       | C                                                                              | MT659/MT660 | ✓         |        |                                                                                     |                          |
| 23                                                                                                                                  | PIPE 331              | 3/5"                                                                                 | XS       | C                                                                              | MT661/MT662 | ✓         |        |                                                                                     |                          |
| 24                                                                                                                                  | PIPE 332              | 3/5"                                                                                 | XS       | C                                                                              | MT663/MT664 | ✓         |        |                                                                                     |                          |
| 25                                                                                                                                  | PIPE 333              | 3/5"                                                                                 | XS       | C                                                                              | MT665/MT666 | ✓         |        |                                                                                     |                          |
| 26                                                                                                                                  | PIPE 334              | 3/5"                                                                                 | XS       | C                                                                              | MT667/MT668 | ✓         |        |                                                                                     |                          |
| 27                                                                                                                                  | PIPE 335              | 3/5"                                                                                 | XS       | C                                                                              | MT669/MT670 | ✓         |        |                                                                                     |                          |
| 28                                                                                                                                  | PIPE 336              | 3/5"                                                                                 | XS       | C                                                                              | MT671/MT672 | ✓         |        |                                                                                     |                          |
| <b>TYPICAL BORE PIPE</b>                                                                                                            |                       |                                                                                      |          |                                                                                |             |           |        |                                                                                     |                          |
|                                                                                                                                     |                       |                                                                                      |          |                                                                                |             |           |        |                                                                                     |                          |
| <b>Material Legend</b>                                                                                                              |                       | <b>Surface Condition</b>                                                             |          | <b>Equipment / Materials used For Corresponding Procedure &amp; Technique:</b> |             |           |        | <b>REPORT ACCEPTANCE</b>                                                            |                          |
| C = Carbon Steel                                                                                                                    | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775                                                   |          | AC                                                                             | ✓           | Continues | ✓      | Calibration Block: West. Instruments S/N: 1427 Cal Verified to 10lb: ✓ JULY 19 2026 | <b>Client Rep:</b> _____ |
| S = Stainless Steel                                                                                                                 | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |          | Mag Lead Time: 10 Seconds                                                      |             |           |        | <b>Client Rep</b>                                                                   |                          |
| CS = Carbon Steel to Stainless Steel                                                                                                | 6:00AM                | Light Meter: XR-1000 Spectronics S/N: 1752289 Cal Date: May 31/2026 ✓                |          | Min Light Intensity: ≥ 100 FC Visible ✓ LED Flashlight ✓                       |             |           |        | <b>Sign:</b> _____                                                                  |                          |
| A = Aluminum                                                                                                                        | Environment Condition | Fluorescent                                                                          |          | Black/White                                                                    | ✓           | Aerosol   | ✓      | Visible ✓ Dry Puffer                                                                |                          |
| Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone                                                    |                       |                                                                                      |          |                                                                                |             |           |        |                                                                                     |                          |
| Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |                       |                                                                                      |          |                                                                                |             |           |        |                                                                                     |                          |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Date: JULY 17 2026  
Client: BROTHERS HDD

Technician Certification:  
**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant: Dallon Van Wert

Location: BROTHERS SHOP GRANDE  
PRAIRIE AB.

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #:

Report #:

Page:

Acceptance Code:

Specification:

Procedure:

Technique:

Contractor:

A.F.E.#:

CPG.#:

Job.#:

Code.#:

Project:

BF26156

BF26156-M1

3 of 10

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White

BROTHERS HDD

MT BORE PIPE

COMMENTS: MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.

| Field Weld Number (s)           | Size     | Thickness | Material | Welder Symbol | Remarks     | Accept | Reject |
|---------------------------------|----------|-----------|----------|---------------|-------------|--------|--------|
| ITEMS INSPECTED: 3.5" BORE PIPE |          |           |          |               |             |        |        |
| 1                               | PIPE 337 | 3.5"      | XS       | C             | MT673/MT674 | ✓      |        |
| 2                               | PIPE 338 | 3.5"      | XS       | C             | MT675/MT676 | ✓      |        |
| 3                               | PIPE 339 | 3.5"      | XS       | C             | MT677/MT678 | ✓      |        |
| 4                               | PIPE 340 | 3.5"      | XS       | C             | MT679/MT680 | ✓      |        |
| 5                               | PIPE 341 | 3.5"      | XS       | C             | MT681/MT682 | ✓      |        |
| 6                               | PIPE 342 | 3.5"      | XS       | C             | MT683/MT684 | ✓      |        |
| 7                               | PIPE 343 | 3.5"      | XS       | C             | MT685/MT686 | ✓      |        |
| 8                               | PIPE 344 | 3.5"      | XS       | C             | MT687/MT688 | ✓      |        |
| 9                               | PIPE 345 | 3.5"      | XS       | C             | MT689/MT690 | ✓      |        |
| 10                              |          |           |          |               |             |        |        |
| 11                              | PIPE 347 | 3.5"      | XS       | C             | MT693/MT694 | ✓      |        |
| 12                              | PIPE 348 | 3.5"      | XS       | C             | MT695/MT696 | ✓      |        |
| 13                              | PIPE 349 | 3.5"      | XS       | C             | MT697/MT698 | ✓      |        |
| 14                              | PIPE 350 | 3.5"      | XS       | C             | MT699/MT700 | ✓      |        |
| 15                              | PIPE 351 | 3.5"      | XS       | C             | MT701/MT702 | ✓      |        |
| 16                              | PIPE 352 | 3.5"      | XS       | C             | MT703/MT704 | ✓      |        |
| 17                              | PIPE 353 | 3.5"      | XS       | C             | MT705/MT706 | ✓      |        |
| 18                              | PIPE 354 | 3.5"      | XS       | C             | MT707/MT708 | ✓      |        |
| 19                              | PIPE 355 | 3.5"      | XS       | C             | MT709/MT710 | ✓      |        |
| 20                              | PIPE 356 | 3.5"      | XS       | C             | MT711/MT712 | ✓      |        |
| 21                              | PIPE 357 | 3.5"      | XS       | C             | MT713/MT714 | ✓      |        |
| 22                              | PIPE 358 | 3.5"      | XS       | C             | MT715/MT716 | ✓      |        |
| 23                              | PIPE 359 | 3.5"      | XS       | C             | MT717/MT718 | ✓      |        |
| 24                              | PIPE 360 | 3.5"      | XS       | C             | MT719/MT720 | ✓      |        |
| 25                              | PIPE 361 | 3.5"      | XS       | C             | MT721/MT722 | ✓      |        |
| 26                              |          |           |          |               |             |        |        |
| 27                              | PIPE 363 | 3.5"      | XS       | C             | MT725/MT726 | ✓      |        |
| 28                              | PIPE 364 | 3.5"      | XS       | C             | MT727/MT728 | ✓      |        |

TYPICAL BORE PIPE



| Material Legend                      | Surface Condition     | Equipment / Materials used For Corresponding Procedure & Technique:                  |             |                                       |           |                |                                                                                    | REPORT ACCEPTANCE |                                                                                                                                     |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---------------------------------------|-----------|----------------|------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775                                                   | AC          | ✓                                     | Continues | ✓              | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ JULY 19 2026 | Client Rep:       |                                                                                                                                     |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |                                       |           |                |                                                                                    | Client Rep        |                                                                                                                                     |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   | ✓           | Min Light Intensity: ≥ 100 FC Visible | ✓         | LED Flashlight | ✓                                                                                  | Sign:             |                                                                                                                                     |
| A = Aluminum                         | Environment Condition | Fluorescent                                                                          | Black/White | ✓                                     | Aerosol   | ✓              | Visible                                                                            | ✓                 | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |
|                                      | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |                                       |           |                |                                                                                    |                   |                                                                                                                                     |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
[www.slickinspection.com](http://www.slickinspection.com)

# MT / PT / VT INSPECTION REPORT

Technician Sign:

### Technician Certification:

**BRANDON FLAIG**

CGSB Level II MT REG.#32777

CWB LEVEL 1 INSPECTOR

REG. #12190660

**Assistant:**

## Dallon Van Wert

Date:

**Client:**

JULY 17 2026

**BROTHERS HDD**

**Location:**

## BROTHERS SHOP GRANDE

**PRAIRIE AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

**Invoice #:**

Report #:

Page:

**Acceptance Code:**

**Specification:**

**Procedure:**

**Technique:**

**Contractor:**

A.F.E.#:

CPG.#:

Job.#:

Code:

**Project:**

**BF26156**

**BF26156-M1**

4 of 10

CSA W59-2024

MT-Rev.9

**MT 2 - Wet Visible, Black On White**

**BROTHERS HDD**

MT BORE PIPE

| Field Weld Number (s)                   | Size                  | Thickness                                                                            | Material    | Welder Symbol                                                       | Remarks        | Accept                    | Reject                                                                             | COMMENTS: MAGNETIC PARTICAL INSPECTION PERFORMED ON ITEM/S BELOW.<br>NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.   |
|-----------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------|----------------|---------------------------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| ITEMS INSPECTED:                        |                       |                                                                                      |             |                                                                     | 3.5" BORE PIPE |                           |                                                                                    |                                                                                                                             |
| 1                                       | PIPE365               | 3.5"                                                                                 | XS          | C                                                                   | MT729/MT730    | ✓                         |                                                                                    | <div>TYPICAL BORE PIPE</div> <div></div> |
| 2                                       | PIPE366               | 3.5"                                                                                 | XS          | C                                                                   | MT731/MT732    | ✓                         |                                                                                    |                                                                                                                             |
| 3                                       | PIPE367               | 3.5"                                                                                 | XS          | C                                                                   | MT733/MT734    | ✓                         |                                                                                    |                                                                                                                             |
| 4                                       | PIPE368               | 3.5"                                                                                 | XS          | C                                                                   | MT735/MT736    | ✓                         |                                                                                    |                                                                                                                             |
| 5                                       | PIPE369               | 3.5"                                                                                 | XS          | C                                                                   | MT737/MT738    | ✓                         |                                                                                    |                                                                                                                             |
| 6                                       | PIPE370               | 3.5"                                                                                 | XS          | C                                                                   | MT739/MT740    | ✓                         |                                                                                    |                                                                                                                             |
| 7                                       | PIPE371               | 3.5"                                                                                 | XS          | C                                                                   | MT741/MT742    | ✓                         |                                                                                    |                                                                                                                             |
| 8                                       | PIPE372               | 3.5"                                                                                 | XS          | C                                                                   | MT743/MT744    | ✓                         |                                                                                    |                                                                                                                             |
| 9                                       | PIPE373               | 3.5"                                                                                 | XS          | C                                                                   | MT745/MT746    | ✓                         |                                                                                    |                                                                                                                             |
| 10                                      | PIPE374               | 3.5"                                                                                 | XS          | C                                                                   | MT747/MT748    | ✓                         |                                                                                    |                                                                                                                             |
| 11                                      | PIPE375               | 3.5"                                                                                 | XS          | C                                                                   | MT749/MT750    | ✓                         |                                                                                    |                                                                                                                             |
| 12                                      | PIPE376               | 3.5"                                                                                 | XS          | C                                                                   | MT751/MT752    | ✓                         |                                                                                    |                                                                                                                             |
| 13                                      | PIPE377               | 3.5"                                                                                 | XS          | C                                                                   | MT753/MT754    | ✓                         |                                                                                    |                                                                                                                             |
| 14                                      | PIPE378               | 3.5"                                                                                 | XS          | C                                                                   | MT755/MT756    | ✓                         |                                                                                    |                                                                                                                             |
| 15                                      | PIPE379               | 3.5"                                                                                 | XS          | C                                                                   | MT757/MT758    | ✓                         |                                                                                    |                                                                                                                             |
| 16                                      | PIPE380               | 3.5"                                                                                 | XS          | C                                                                   | MT759/MT760    | ✓                         |                                                                                    |                                                                                                                             |
| 17                                      | PIPE381               | 3.5"                                                                                 | XS          | C                                                                   | MT761/MT762    | ✓                         |                                                                                    |                                                                                                                             |
| 18                                      | PIPE382               | 3.5"                                                                                 | XS          | C                                                                   | MT763/MT764    | ✓                         |                                                                                    |                                                                                                                             |
| 19                                      | PIPE383               | 3.5"                                                                                 | XS          | C                                                                   | MT765/MT766    | ✓                         |                                                                                    |                                                                                                                             |
| 20                                      | PIPE384               | 3.5"                                                                                 | XS          | C                                                                   | MT767/MT768    | ✓                         |                                                                                    |                                                                                                                             |
| 21                                      | PIPE385               | 3.5"                                                                                 | XS          | C                                                                   | MT769/MT770    | ✓                         |                                                                                    |                                                                                                                             |
| 22                                      | PIPE386               | 3.5"                                                                                 | XS          | C                                                                   | MT771/MT772    | ✓                         |                                                                                    |                                                                                                                             |
| 23                                      | PIPE387               | 3.5"                                                                                 | XS          | C                                                                   | MT773/MT774    | ✓                         |                                                                                    |                                                                                                                             |
| 24                                      | PIPE388               | 3.5"                                                                                 | XS          | C                                                                   | MT775/MT776    | ✓                         |                                                                                    |                                                                                                                             |
| 25                                      | PIPE389               | 3.5"                                                                                 | XS          | C                                                                   | MT777/MT778    | ✓                         |                                                                                    |                                                                                                                             |
| 26                                      | PIPE390               | 3.5"                                                                                 | XS          | C                                                                   | MT779/MT780    | ✓                         |                                                                                    |                                                                                                                             |
| 27                                      | PIPE391               | 3.5"                                                                                 | XS          | C                                                                   | MT781/MT782    | ✓                         |                                                                                    |                                                                                                                             |
| 28                                      | PIPE392               | 3.5"                                                                                 | XS          | C                                                                   | MT783/MT784    | ✓                         |                                                                                    |                                                                                                                             |
| Material Legend                         |                       | Surface Condition                                                                    |             | Equipment / Materials used For Corresponding Procedure & Technique: |                |                           |                                                                                    | REPORT ACCEPTANCE                                                                                                           |
| C = Carbon Steel                        | Oxidized/Coated       | Sentinel Yoke: MP-A-2L<br>S/N: MP5775                                                | AC          | ✓                                                                   | Continues      | ✓                         | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ JULY 20 2026 | Client Rep: _____                                                                                                           |
| S = Stainless Steel                     | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |                                                                     |                | Mag Lead Time: 10 Seconds |                                                                                    | Client Rep<br>Sign: _____                                                                                                   |
| CS = Carbon Steel to<br>Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026 ✓                 |             | Min Light Intensity: ≥ 100 FC Visible ✓                             |                | LED Flashlight ✓          |                                                                                    |                                                                                                                             |
|                                         | Environment Condition | Fluorescent                                                                          | Black/White | ✓                                                                   | Aerosol        | ✓                         | Visible ✓ Dry Puffer                                                               |                                                                                                                             |
| A = Aluminum                            | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |                                                                     |                |                           |                                                                                    |                                                                                                                             |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
[www.slickinspection.com](http://www.slickinspection.com)

## MT / PT / VT INSPECTION REPORT

Technician Sign:

---

**Technician Certification:**

**BRANDON FLAIG**

CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant:

Dallon Van Wert

Date: \_\_\_\_\_  
Client: \_\_\_\_\_

JULY 17 2026

## BROTHERS HDD

**Location:**

**BROTHERS SHOP GRANDE  
PRAIRIE AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

**Invoice #:**

Report #:

Page:

Acceptance Code:

**Specification:**

**Procedure:**

**Technique:**

**Contractor:**

A.F.E.#:

CPG.#:

Job.#:

**Code.#:**

**Project:**

**BF26156**

**BF26156-M1**

5 of 10

CSA W59-2024

MT-Rev.9


MT 2 - Wet Visible, Black On White  
BROTHERS HDD

MT BORE PIPE

| Field Weld Number (s) | Size     | Thickness | Material | Welder Symbol | Remarks        | Accept | Reject |
|-----------------------|----------|-----------|----------|---------------|----------------|--------|--------|
| ITEMS INSPECTED:      |          |           |          |               | 3.5" BORE PIPE |        |        |
| 1                     | PIPE 393 | 3.5"      | XS       | C             | MT785/MT786    | ✓      |        |
| 2                     |          |           |          |               |                |        |        |
| 3                     | PIPE 395 | 3.5"      | XS       | C             | MT789/MT790    | ✓      |        |
| 4                     | PIPE 396 | 3.5"      | XS       | C             | MT791/MT792    | ✓      |        |
| 5                     | PIPE 397 | 3.5"      | XS       | C             | MT793/MT794    | ✓      |        |
| 6                     | PIPE 398 | 3.5"      | XS       | C             | MT795/MT796    | ✓      |        |
| 7                     | PIPE 399 | 3.5"      | XS       | C             | MT797/MT798    | ✓      |        |
| 8                     | PIPE 400 | 3.5"      | XS       | C             | MT799/MT800    | ✓      |        |
| 9                     | PIPE 401 | 3.5"      | XS       | C             | MT801/MT802    | ✓      |        |
| 10                    | PIPE 402 | 3.5"      | XS       | C             | MT803/MT804    | ✓      |        |
| 11                    | PIPE 403 | 3.5"      | XS       | C             | MT805/MT806    | ✓      |        |
| 12                    | PIPE 404 | 3.5"      | XS       | C             | MT807/MT808    | ✓      |        |
| 13                    | PIPE 405 | 3.5"      | XS       | C             | MT809/MT810    | ✓      |        |
| 14                    | PIPE 406 | 3.5"      | XS       | C             | MT811/MT812    | ✓      |        |
| 15                    | PIPE 407 | 3.5"      | XS       | C             | MT813/MT814    | ✓      |        |
| 16                    | PIPE 408 | 3.5"      | XS       | C             | MT815/MT816    | ✓      |        |
| 17                    | PIPE 409 | 3.5"      | XS       | C             | MT817/MT818    | ✓      |        |
| 18                    | PIPE 410 | 3.5"      | XS       | C             | MT819/MT820    | ✓      |        |
| 19                    | PIPE 411 | 3.5"      | XS       | C             | MT821/MT822    | ✓      |        |
| 20                    | PIPE 412 | 3.5"      | XS       | C             | MT823/MT824    | ✓      |        |
| 21                    | PIPE 413 | 3.5"      | XS       | C             | MT825/MT826    | ✓      |        |
| 22                    | PIPE 414 | 3.5"      | XS       | C             | MT827/MT828    | ✓      |        |
| 23                    | PIPE 415 | 3.5"      | XS       | C             | MT829/MT830    | ✓      |        |
| 24                    | PIPE 416 | 3.5"      | XS       | C             | MT831/MT832    | ✓      |        |
| 25                    | PIPE 417 | 3.5"      | XS       | C             | MT833/MT834    | ✓      |        |
| 26                    | PIPE 418 | 3.5"      | XS       | C             | MT835/MT836    | ✓      |        |
| 27                    |          |           |          |               |                |        |        |
| 28                    | PIPE 420 | 3.5"      | XS       | C             | MT839/MT840    | ✓      |        |

**COMMENTS: MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.**  
**NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.**

**TYPICAL BORE PIPE**



| Material Legend                                                                  | Surface Condition     | Equipment / Materials used For Corresponding Procedure & Technique:                  |             |   |                                       |   |                                                                       | REPORT ACCEPTANCE |                   |
|----------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---|---------------------------------------|---|-----------------------------------------------------------------------|-------------------|-------------------|
| C = Carbon Steel                                                                 | Oxidized/Coated       | Sentinel Yoke: MP-A-2L<br>S/N: MP5775                                                | AC          | ✓ | Continues                             | ✓ | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ | JULY 20 2026      | Client Rep: _____ |
| S = Stainless Steel                                                              | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |   |                                       |   | Mag Lead Time: 10 Seconds                                             |                   |                   |
| CS = Carbon Steel to Stainless Steel                                             | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   |             |   | Min Light Intensity: ≥ 100 FC Visible |   | ✓                                                                     | LED Flashlight    | ✓                 |
|                                                                                  | Environment Condition | Fluorescent                                                                          | Black/White | ✓ | Aerosol                               | ✓ | Visible                                                               | ✓                 | Dry               |
| A = Aluminum                                                                     | Sunny                 | Puffer                                                                               |             |   |                                       |   |                                                                       |                   |                   |
| Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone |                       |                                                                                      |             |   |                                       |   |                                                                       |                   |                   |

Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Date: JULY 17 2026  
Client: BROTHERS HDD

Technician Certification:  
**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG.#12190660

Assistant: Dallon Van Wert

| Location: BROTHERS SHOP GRANDE PRAIRIE AB. |            |      |      |
|--------------------------------------------|------------|------|------|
| Reg. Hours                                 | O.T. Hours | K.M. | Sub. |
| X                                          | X          | X    | X    |

Invoice #: BF26156  
Report #: BF26156-M1  
Page: 6 of 10  
Acceptance Code: CSA W59-2024  
Specification: MT-Rev.9  
Procedure: MT 2 - Wet Visible, Black On White  
Technique: BROTHERS HDD  
Contractor:  
A.F.E.#:  
CPG.#:  
Job.#:  
Code.#:  
Project: MT BORE PIPE

| Field Weld Number (s)                  | Size     | Thickness | Material | Welder Symbol | Remarks     | Accept | Reject |
|----------------------------------------|----------|-----------|----------|---------------|-------------|--------|--------|
| <b>ITEMS INSPECTED:</b> 3.5" BORE PIPE |          |           |          |               |             |        |        |
| 1                                      | PIPE 421 | 3.5"      | XS       | C             | MT841/MT842 | ✓      |        |
| 2                                      | PIPE 422 | 3.5"      | XS       | C             | MT843/MT844 | ✓      |        |
| 3                                      | PIPE 423 | 3.5"      | XS       | C             | MT845/MT846 | ✓      |        |
| 4                                      | PIPE 424 | 3.5"      | XS       | C             | MT847/MT848 | ✓      |        |
| 5                                      | PIPE 425 | 3.5"      | XS       | C             | MT849/MT850 | ✓      |        |
| 6                                      | PIPE 426 | 3.5"      | XS       | C             | MT851/MT852 | ✓      |        |
| 7                                      | PIPE 427 | 3.5"      | XS       | C             | MT853/MT854 | ✓      |        |
| 8                                      | PIPE 428 | 3.5"      | XS       | C             | MT855/MT856 | ✓      |        |
| 9                                      | PIPE 429 | 3.5"      | XS       | C             | MT857/MT858 | ✓      |        |
| 10                                     | PIPE 430 | 3.5"      | XS       | C             | MT859/MT860 | ✓      |        |
| 11                                     | PIPE 431 | 3.5"      | XS       | C             | MT861/MT862 | ✓      |        |
| 12                                     | PIPE 432 | 3.5"      | XS       | C             | MT863/MT864 | ✓      |        |
| 13                                     | PIPE 433 | 3.5"      | XS       | C             | MT865/MT866 | ✓      |        |
| 14                                     | PIPE 434 | 3.5"      | XS       | C             | MT867/MT868 | ✓      |        |
| 15                                     | PIPE 435 | 3.5"      | XS       | C             | MT869/MT870 | ✓      |        |
| 16                                     | PIPE 436 | 3.5"      | XS       | C             | MT871/MT872 | ✓      |        |
| 17                                     | PIPE 437 | 3.5"      | XS       | C             | MT873/MT874 | ✓      |        |
| 18                                     | PIPE 438 | 3.5"      | XS       | C             | MT875/MT876 | ✓      |        |
| 19                                     | PIPE 439 | 3.5"      | XS       | C             | MT877/MT878 | ✓      |        |
| 20                                     | PIPE 440 | 3.5"      | XS       | C             | MT879/MT880 | ✓      |        |
| 21                                     | PIPE 441 | 3.5"      | XS       | C             | MT881/MT882 | ✓      |        |
| 22                                     | PIPE 442 | 3.5"      | XS       | C             | MT883/MT884 | ✓      |        |
| 23                                     | PIPE 443 | 3.5"      | XS       | C             | MT885/MT886 | ✓      |        |
| 24                                     | PIPE 444 | 3.5"      | XS       | C             | MT887/MT888 | ✓      |        |
| 25                                     | PIPE 445 | 3.5"      | XS       | C             | MT889/MT890 | ✓      |        |
| 26                                     | PIPE 446 | 3.5"      | XS       | C             | MT891/MT892 | ✓      |        |
| 27                                     | PIPE 447 | 3.5"      | XS       | C             | MT893/MT894 | ✓      |        |
| 28                                     | PIPE 448 | 3.5"      | XS       | C             | MT895/MT896 | ✓      |        |

**COMMENTS:** MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.

**TYPICAL BORE PIPE**

| Material Legend                      | Surface Condition     | Equipment / Materials used For Corresponding Procedure & Technique:                                                                    | REPORT ACCEPTANCE |
|--------------------------------------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775 AC ✓ Continues ✓ Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ JULY 20 2026 | Client Rep: _____ |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF Mag Lead Time: 10 Seconds                         | Client Rep        |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026 ✓ Min Light Intensity: ≥ 100 FC Visible ✓ LED Flashlight ✓          | Sign: _____       |
| A = Aluminum                         | Environment Condition | Fluorescent Black/White ✓ Aerosol ✓ Visible ✓ Dry Puffer                                                                               |                   |
|                                      | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone                                                       |                   |

Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
[www.slickinspection.com](http://www.slickinspection.com)

# MT / PT / VT INSPECTION REPORT

Technician Sign:

### Technician Certification:

**BRANDON FLAIG**

CGSB Level II MT REG.#32777

CWB LEVEL 1 INSPECTOR

REG. #12190660

Assistant:

Dallon Van Wert

Date:

**Client:**

JULY 17 2026

**BROTHERS HDD**

**Location:**

**BROTHERS SHOP GRANDE**

**PRAIRIE AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

**Invoice #:**

Report #:

Page:

**BF26156**

**BF26156-M:**

7 of 10

Acceptance Code:

**Specification:**

**Procedure:**

**Technique:**

Contractor:

A.F.E.#:

CPG.#:

Job #:

Code :

Project:

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White

**BROTHERS HDD**

MT BORE PIPE

| Field Weld Number (s)                                                                                                               | Size     | Thickness            | Material | Welder Symbol                                                                        | Remarks        | Accept                                                                                 | Reject | COMMENTS: MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.<br>NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION. |                           |                   |  |             |  |
|-------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|----------|--------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------|--------|--------------------------------------------------------------------------------------------------------------------------|---------------------------|-------------------|--|-------------|--|
| ITEMS INSPECTED:                                                                                                                    |          |                      |          |                                                                                      | 3.5" BORE PIPE |                                                                                        |        |                                                                                                                          |                           |                   |  |             |  |
| 1                                                                                                                                   | PIPE 449 | 3.5"                 | XS       | C                                                                                    | MT897/MT898    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 2                                                                                                                                   | PIPE 450 | 3.5"                 | XS       | C                                                                                    | MT899/MT900    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 3                                                                                                                                   | PIPE 451 | 3.5"                 | XS       | C                                                                                    | MT901/MT902    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 4                                                                                                                                   | PIPE 452 | 3.5"                 | XS       | C                                                                                    | MT903/MT904    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 5                                                                                                                                   | PIPE 453 | 3.5"                 | XS       | C                                                                                    | MT905/MT906    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 6                                                                                                                                   | PIPE 454 | 3.5"                 | XS       | C                                                                                    | MT907/MT908    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 7                                                                                                                                   | PIPE 455 | 3.5"                 | XS       | C                                                                                    | MT909/MT910    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 8                                                                                                                                   | PIPE 456 | 3.5"                 | XS       | C                                                                                    | MT911/MT912    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 9                                                                                                                                   | PIPE 457 | 3.5"                 | XS       | C                                                                                    | MT913/MT914    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 10                                                                                                                                  | PIPE 458 | 3.5"                 | XS       | C                                                                                    | MT915/MT916    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 11                                                                                                                                  | PIPE 459 | 3.5"                 | XS       | C                                                                                    | MT917/MT918    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 12                                                                                                                                  | PIPE 460 | 3.5"                 | XS       | C                                                                                    | MT919/MT920    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 13                                                                                                                                  | PIPE 461 | 3.5"                 | XS       | C                                                                                    | MT921/MT922    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 14                                                                                                                                  | PIPE 462 | 3.5"                 | XS       | C                                                                                    | MT923/MT924    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 15                                                                                                                                  | PIPE 463 | 3.5"                 | XS       | C                                                                                    | MT925/MT926    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 16                                                                                                                                  | PIPE 464 | 3.5"                 | XS       | C                                                                                    | MT927/MT928    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 17                                                                                                                                  | PIPE 465 | 3.5"                 | XS       | C                                                                                    | MT929/MT930    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 18                                                                                                                                  | PIPE 466 | 3.5"                 | XS       | C                                                                                    | MT931/MT932    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 19                                                                                                                                  | PIPE 467 | 3.5"                 | XS       | C                                                                                    | MT933/MT934    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 20                                                                                                                                  | PIPE 468 | 3.5"                 | XS       | C                                                                                    | MT935/MT936    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 21                                                                                                                                  | PIPE 469 | 3.5"                 | XS       | C                                                                                    | MT937/MT938    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 22                                                                                                                                  | PIPE 470 | 3.5"                 | XS       | C                                                                                    | MT939/MT940    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 23                                                                                                                                  | PIPE 471 | 3.5"                 | XS       | C                                                                                    | MT941/MT942    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 24                                                                                                                                  | PIPE 472 | 3.5"                 | XS       | C                                                                                    | MT943/MT944    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 25                                                                                                                                  | PIPE 473 | 3.5"                 | XS       | C                                                                                    | MT945/MT946    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 26                                                                                                                                  | PIPE 474 | 3.5"                 | XS       | C                                                                                    | MT947/MT948    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 27                                                                                                                                  | PIPE 475 | 3.5"                 | XS       | C                                                                                    | MT949/MT950    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| 28                                                                                                                                  | PIPE 476 | 3.5"                 | XS       | C                                                                                    | MT951/MT952    | ✓                                                                                      |        |                                                                                                                          |                           |                   |  |             |  |
| Material Legend                                                                                                                     |          | Surface Condition    |          | Equipment / Materials used For Corresponding Procedure & Technique:                  |                |                                                                                        |        |                                                                                                                          | REPORT ACCEPTANCE         |                   |  |             |  |
| C = Carbon Steel                                                                                                                    |          | Oxidized/Coated      |          | Sentential Yoke: MP-A-2L<br>S/N: MP5775                                              |                | AC ✓ Continues ✓ Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ |        | JULY 20 2026                                                                                                             |                           | Client Rep: _____ |  |             |  |
| S = Stainless Steel                                                                                                                 |          | Time Of Testing      |          | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |                |                                                                                        |        |                                                                                                                          | Mag Lead Time: 10 Seconds |                   |  |             |  |
| CS = Carbon Steel to Stainless Steel                                                                                                |          | 6:00AM               |          | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026 ✓                 |                | Min Light Intensity: ≥ 100 FC Visible ✓                                                |        | LED Flashlight ✓                                                                                                         |                           | Client Rep _____  |  |             |  |
|                                                                                                                                     |          | Enviroment Condition |          | Fluorescent                                                                          |                | Black/White ✓ Aerosol ✓                                                                |        | Visible ✓ Dry                                                                                                            |                           | Puffer            |  |             |  |
| A = Aluminum                                                                                                                        |          | Sunny                |          | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |                |                                                                                        |        |                                                                                                                          |                           |                   |  | Sign: _____ |  |
| Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |          |                      |          |                                                                                      |                |                                                                                        |        |                                                                                                                          |                           |                   |  |             |  |

TYPICAL BORE PIPE



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
[www.slickinspection.com](http://www.slickinspection.com)

# MT / PT / VT INSPECTION REPORT

Technician Sign:

### Technician Certification:

**BRANDON FLAIG**

CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant:

Dallon Van Wert

Date:  
Client:

**JULY 17 2026**

## BROTHERS HDD

**Location:**

**BROTHERS SHOP GRANDE  
PRAIRIE AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

**Invoice #:**

Report #:

Page:

Acceptance Code:

**Specification:**

**Procedure:**

**Technique:**

**Contractor:**

A.F.E.#:

CPG.#:

Job.#:

Code.#

**Project:**

**BF26156**

**BF26156-M1**

8 of 10


CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White

**BROTHERS HDD**

MT BORE PIPE

| Field Weld Number (s)                | Size                  | Thickness                                                                            | Material    | Welder Symbol                                                       | Remarks                               | Accept                    | Reject  | COMMENTS: MAGNETIC PARTICAL INSPECTION PERFORMED ON ITEM/S BELOW.<br>NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION. |                                                                                                                                                                                                        |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------|---------------------------------------|---------------------------|---------|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ITEMS INSPECTED:                     |                       |                                                                                      |             |                                                                     | 3.5" BORE PIPE                        |                           |         |                                                                                                                           |                                                                                                                                                                                                        |
| 1                                    | PIPE 477              | 3.5"                                                                                 | XS          | C                                                                   | MT953/MT954                           | ✓                         |         | <p>TYPICAL BORE PIPE</p>               |                                                                                                                                                                                                        |
| 2                                    | PIPE 478              | 3.5"                                                                                 | XS          | C                                                                   | MT955/MT956                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 3                                    | PIPE 479              | 3.5"                                                                                 | XS          | C                                                                   | MT957/MT958                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 4                                    | PIPE 480              | 3.5"                                                                                 | XS          | C                                                                   | MT959/MT960                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 5                                    | PIPE 481              | 3.5"                                                                                 | XS          | C                                                                   | MT961/MT962                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 6                                    | PIPE 482              | 3.5"                                                                                 | XS          | C                                                                   | MT963/MT964                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 7                                    | PIPE 483              | 3.5"                                                                                 | XS          | C                                                                   | MT965/MT966                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 8                                    | PIPE 484              | 3.5"                                                                                 | XS          | C                                                                   | MT967/MT968                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 9                                    | PIPE 485              | 3.5"                                                                                 | XS          | C                                                                   | MT969/MT970                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 10                                   | PIPE 486              | 3.5"                                                                                 | XS          | C                                                                   | MT971/MT972                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 11                                   | PIPE 487              | 3.5"                                                                                 | XS          | C                                                                   | MT973/MT974                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 12                                   | PIPE 488              | 3.5"                                                                                 | XS          | C                                                                   | MT975/MT976                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 13                                   | PIPE 489              | 3.5"                                                                                 | XS          | C                                                                   | MT977/MT978                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 14                                   | PIPE 490              | 3.5"                                                                                 | XS          | C                                                                   | MT979/MT980                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 15                                   | PIPE 491              | 3.5"                                                                                 | XS          | C                                                                   | MT981/MT982                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 16                                   | PIPE 492              | 3.5"                                                                                 | XS          | C                                                                   | MT983/MT984                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 17                                   | PIPE 493              | 3.5"                                                                                 | XS          | C                                                                   | MT985/MT986                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 18                                   | PIPE 494              | 3.5"                                                                                 | XS          | C                                                                   | MT987/MT988                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 19                                   | PIPE 495              | 3.5"                                                                                 | XS          | C                                                                   | MT989/MT990                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 20                                   | PIPE 496              | 3.5"                                                                                 | XS          | C                                                                   | MT991/MT992                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 21                                   | PIPE 497              | 3.5"                                                                                 | XS          | C                                                                   | MT993/MT994                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 22                                   | PIPE 498              | 3.5"                                                                                 | XS          | C                                                                   | MT995/MT996                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 23                                   | PIPE 499              | 3.5"                                                                                 | XS          | C                                                                   | MT997/MT998                           | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 24                                   | PIPE 500              | 3.5"                                                                                 | XS          | C                                                                   | MT999/MT1000                          | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 25                                   | PIPE 501              | 3.5"                                                                                 | XS          | C                                                                   | MT1001/MT1002                         | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 26                                   | PIPE 502              | 3.5"                                                                                 | XS          | C                                                                   | MT1003/MT1004                         | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 27                                   | PIPE 503              | 3.5"                                                                                 | XS          | C                                                                   | MT1005/MT1006                         | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| 28                                   | PIPE 504              | 3.5"                                                                                 | XS          | C                                                                   | MT1007/MT1008                         | ✓                         |         |                                                                                                                           |                                                                                                                                                                                                        |
| Material Legend                      |                       | Surface Condition                                                                    |             | Equipment / Materials used For Corresponding Procedure & Technique: |                                       |                           |         | REPORT ACCEPTANCE                                                                                                         |                                                                                                                                                                                                        |
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775                                                   |             | AC                                                                  | ✓                                     | Continues                 | ✓       | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ JULY 20 2026                                        | Client Rep: _____                                                                                                                                                                                      |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |                                                                     |                                       | Mag Lead Time: 10 Seconds |         |                                                                                                                           |                                                                                                                                                                                                        |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   |             | ✓                                                                   | Min Light Intensity: ≥ 100 FC Visible |                           | ✓       | LED Flashlight                                                                                                            | ✓                                                                                                                                                                                                      |
|                                      | Environment Condition | Fluorescent                                                                          | Black/White | ✓                                                                   | Aerosol                               | ✓                         | Visible | ✓                                                                                                                         | Dry                                                                                                                                                                                                    |
| A = Aluminum                         | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |                                                                     |                                       |                           |         |                                                                                                                           | Puffer                                                                                                                                                                                                 |
|                                      |                       |                                                                                      |             |                                                                     |                                       |                           |         |                                                                                                                           | Client Rep Sign: _____<br>Client Rep Sign: _____<br><small>Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor</small> |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Technician Certification:  
**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant: Dallon Van Wert

Date: JULY 17 2026

Client: **BROTHERS HDD**

Location: **BROTHERS SHOP GRANDE  
PRAIRIE AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #:

Report #:

Page:

Acceptance Code:

Specification:

Procedure:

Technique:

Contractor:

A.F.E.#:

CPG.#:

Job.#:

Code.#:

Project:

**BF26156**

**BF26156-M1**

9 of 10

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White


BROTHERS HDD

MT BORE PIPE

**COMMENTS: MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.**

| Field Weld Number (s)   | Size     | Thickness | Material | Welder Symbol | Remarks       | Accept | Reject |
|-------------------------|----------|-----------|----------|---------------|---------------|--------|--------|
| <b>ITEMS INSPECTED:</b> |          |           |          |               |               |        |        |
| <b>3.5" BORE PIPE</b>   |          |           |          |               |               |        |        |
| 1                       | PIPE 505 | 3.5"      | XS       | C             | MT1009/MT1010 | ✓      |        |
| 2                       | PIPE 506 | 3.5"      | XS       | C             | MT1011/MT1012 | ✓      |        |
| 3                       | PIPE 507 | 3.5"      | XS       | C             | MT1013/MT1014 | ✓      |        |
| 4                       | PIPE 508 | 3.5"      | XS       | C             | MT1015/MT1016 | ✓      |        |
| 5                       | PIPE 509 | 3.5"      | XS       | C             | MT1017/MT1018 | ✓      |        |
| 6                       | PIPE 510 | 3.5"      | XS       | C             | MT1019/MT1020 | ✓      |        |
| 7                       | PIPE 511 | 3.5"      | XS       | C             | MT1021/MT1022 | ✓      |        |
| 8                       | PIPE 512 | 3.5"      | XS       | C             | MT1023/MT1024 | ✓      |        |
| 9                       | PIPE 513 | 3.5"      | XS       | C             | MT1025/MT1026 | ✓      |        |
| 10                      | PIPE 514 | 3.5"      | XS       | C             | MT1027/MT1028 | ✓      |        |
| 11                      | PIPE 515 | 3.5"      | XS       | C             | MT1029/MT1030 | ✓      |        |
| 12                      | PIPE 516 | 3.5"      | XS       | C             | MT1031/MT1032 | ✓      |        |
| 13                      | PIPE 517 | 3.5"      | XS       | C             | MT1033/MT1034 | ✓      |        |
| 14                      | PIPE 518 | 3.5"      | XS       | C             | MT1035/MT1036 | ✓      |        |
| 15                      |          |           |          |               |               |        |        |
| 16                      | PIPE 520 | 3.5"      | XS       | C             | MT1039/MT1040 | ✓      |        |
| 17                      | PIPE 521 | 3.5"      | XS       | C             | MT1041/MT1042 | ✓      |        |
| 18                      | PIPE 522 | 3.5"      | XS       | C             | MT1043/MT1044 | ✓      |        |
| 19                      | PIPE 523 | 3.5"      | XS       | C             | MT1045/MT1046 | ✓      |        |
| 20                      | PIPE 524 | 3.5"      | XS       | C             | MT1047/MT1048 | ✓      |        |
| 21                      | PIPE 525 | 3.5"      | XS       | C             | MT1049/MT1050 | ✓      |        |
| 22                      | PIPE 526 | 3.5"      | XS       | C             | MT1051/MT1052 | ✓      |        |
| 23                      | PIPE 527 | 3.5"      | XS       | C             | MT1053/MT1054 | ✓      |        |
| 24                      | PIPE 528 | 3.5"      | XS       | C             | MT1055/MT1056 | ✓      |        |
| 25                      | PIPE 529 | 3.5"      | XS       | C             | MT1057/MT1058 | ✓      |        |
| 26                      | PIPE 530 | 3.5"      | XS       | C             | MT1059/MT1060 | ✓      |        |
| 27                      | PIPE 531 | 3.5"      | XS       | C             | MT1061/MT1062 | ✓      |        |
| 28                      | PIPE 532 | 3.5"      | XS       | C             | MT1063/MT1064 | ✓      |        |

**TYPICAL BORE PIPE**



| Material Legend                      | Surface Condition     | Equipment / Materials used For Corresponding Procedure & Technique:                  |             |   |                                       |   |                                                                                  | REPORT ACCEPTANCE                                                                                                                   |  |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---|---------------------------------------|---|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|--|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775                                                   | AC          | ✓ | Continues                             | ✓ | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: JULY 20 2026 | Client Rep:                                                                                                                         |  |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |   |                                       |   |                                                                                  | Client Rep                                                                                                                          |  |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   |             | ✓ | Min Light Intensity: ≥ 100 FC Visible |   | ✓                                                                                | Sign:                                                                                                                               |  |
| A = Aluminum                         | Environment Condition | Fluorescent                                                                          | Black/White | ✓ | Aerosol                               | ✓ | Visible                                                                          | ✓                                                                                                                                   |  |
|                                      | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |   |                                       |   |                                                                                  | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |  |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Date: JULY 17 2026  
Client: BROTHERS HDD

Technician Certification:  
**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG.#12190660

Location: BROTHERS SHOP GRANDE  
PRAIRIE AB.

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Assistant: Dallon Van Wert

Invoice #:  
Report #:  
Page:  
Acceptance Code:  
Specification:  
Procedure:  
Technique:  
Contractor:  
A.F.E.#:  
CPG.#:  
Job.#:  
Code.#:  
Project:

BF26156  
BF26156-M1  
10 of 10  
CSA W59-2024  
MT-Rev.9  
MT 2 - Wet Visible, Black On White  
BROTHERS HDD  
MT BORE PIPE

| Field Weld Number (s)                                                                                                    | Size | Thickness | Material | Welder Symbol | Remarks | Accept | Reject |
|--------------------------------------------------------------------------------------------------------------------------|------|-----------|----------|---------------|---------|--------|--------|
| COMMENTS: MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.<br>NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION. |      |           |          |               |         |        |        |

| ITEMS INSPECTED: |          |      |    |   | 3.5" BORE PIPE |   |
|------------------|----------|------|----|---|----------------|---|
| 1                | PIPE 533 | 3.5" | XS | C | MT1065/MT1066  | ✓ |
| 2                | PIPE 534 | 3.5" | XS | C | MT1067/MT1068  | ✓ |
| 3                | PIPE 535 | 3.5" | XS | C | MT1069/MT1070  | ✓ |
| 4                | PIPE 536 | 3.5" | XS | C | MT1071/MT1072  | ✓ |
| 5                | PIPE 537 | 3.5" | XS | C | MT1073/MT1074  | ✓ |
| 6                | PIPE 538 | 3.5" | XS | C | MT1075/MT1076  | ✓ |
| 7                | PIPE 539 | 3.5" | XS | C | MT1077/MT1078  | ✓ |
| 8                | PIPE 540 | 3.5" | XS | C | MT1079/MT1080  | ✓ |
| 9                | PIPE 541 | 3.5" | XS | C | MT1081/MT1082  | ✓ |
| 10               | PIPE 542 | 3.5" | XS | C | MT1083/MT1084  | ✓ |
| 11               | PIPE 543 | 3.5" | XS | C | MT1085/MT1086  | ✓ |
| 12               | PIPE 544 | 3.5" | XS | C | MT1087/MT1088  | ✓ |
| 13               | PIPE 545 | 3.5" | XS | C | MT1089/MT1090  | ✓ |
| 14               | PIPE 546 | 3.5" | XS | C | MT1091/MT1092  | ✓ |
| 15               | PIPE 547 | 3.5" | XS | C | MT1093/MT1094  | ✓ |
| 16               | PIPE 548 | 3.5" | XS | C | MT1095/MT1096  | ✓ |
| 17               | PIPE 549 | 3.5" | XS | C | MT1097/MT1098  | ✓ |
| 18               | PIPE 550 | 3.5" | XS | C | MT1099/MT1100  | ✓ |
| 19               | PIPE 551 | 3.5" | XS | C | MT1101/MT1102  | ✓ |
| 20               | PIPE 552 | 3.5" | XS | C | MT1103/MT1104  | ✓ |
| 21               | PIPE 553 | 3.5" | XS | C | MT1105/MT1106  | ✓ |
| 22               | PIPE 554 | 3.5" | XS | C | MT1107/MT1108  | ✓ |
| 23               | PIPE 555 | 3.5" | XS | C | MT1109/MT1110  | ✓ |
| 24               | PIPE 556 | 3.5" | XS | C | MT1111/MT1112  | ✓ |
| 25               | PIPE 557 | 3.5" | XS | C | MT1113/MT1114  | ✓ |
| 26               | PIPE 558 | 3.5" | XS | C | MT1115/MT1116  | ✓ |
| 27               | PIPE 559 | 3.5" | XS | C | MT1117/MT1118  | ✓ |
| 28               | PIPE 560 | 3.5" | XS | C | MT1119/MT1120  | ✓ |

### TYPICAL BORE PIPE



| Material Legend                      | Surface Condition     | Equipment / Materials used For Corresponding Procedure & Technique:                 |             |                                       |           |                |                                                                                    | REPORT ACCEPTANCE                                                                                                                   |   |
|--------------------------------------|-----------------------|-------------------------------------------------------------------------------------|-------------|---------------------------------------|-----------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|---|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L<br>S/N: MP5775                                               | AC          | ✓                                     | Continues | ✓              | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ JULY 21 2026 | Client Rep:                                                                                                                         |   |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partial Suspension: 7HF |             |                                       |           |                |                                                                                    | Client Rep                                                                                                                          |   |
| CS = Carbon Steel to Stainless Steel | 6:00am                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                  | ✓           | Min Light Intensity: ≥ 100 FC Visible | ✓         | LED Flashlight | ✓                                                                                  | Sign:                                                                                                                               |   |
| A = Aluminum                         | Environment Condition | Fluorescent                                                                         | Black/White | ✓                                     | Aerosol   | ✓              | Visible                                                                            | ✓                                                                                                                                   | ✓ |
|                                      | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone    |             |                                       |           |                |                                                                                    | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |   |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Technician Certification:  
**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant: Dallon Van Wert

Date: JULY 17 2026

Client: **BROTHERS HDD**

Location: **BROTHERS SHOP GRANDE  
PRAIRIE AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #:

Report #:

Page:

Acceptance Code:

Specification:

Procedure:

Technique:

Contractor:

A.F.E.#:

CPG.#:

Job.#:

Code.#:

Project:

**BF26156**

**BF26156-M1**

1 of 5

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White  
BROTHERS HDD

MT BORE PIPE

**COMMENTS:** MAGNETIC PARTICAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.

| Field Weld Number (s) | Size     | Thickness | Material | Welder Symbol | Remarks       | Accept | Reject |
|-----------------------|----------|-----------|----------|---------------|---------------|--------|--------|
| ITEMS INSPECTED:      |          |           |          |               |               |        |        |
| 3.5" BORE PIPE        |          |           |          |               |               |        |        |
| 1                     | PIPE 561 | 3.5"      | XS       | C             | MT1121/MT1122 | ✓      |        |
| 2                     | PIPE 562 | 3.5"      | XS       | C             | MT1123/MT1124 | ✓      |        |
| 3                     | PIPE 563 | 3.5"      | XS       | C             | MT1125/MT1126 | ✓      |        |
| 4                     | PIPE 564 | 3.5"      | XS       | C             | MT1127/MT1128 | ✓      |        |
| 5                     | PIPE 565 | 3.5"      | XS       | C             | MT1129/MT1130 | ✓      |        |
| 6                     | PIPE 566 | 3.5"      | XS       | C             | MT1131/MT1132 | ✓      |        |
| 7                     | PIPE 567 | 3.5"      | XS       | C             | MT1133/MT1134 | ✓      |        |
| 8                     | PIPE 568 | 3.5"      | XS       | C             | MT1135/MT1136 | ✓      |        |
| 9                     | PIPE 569 | 3.5"      | XS       | C             | MT1137/MT1138 | ✓      |        |
| 10                    | PIPE 570 | 3.5"      | XS       | C             | MT1139/MT1140 | ✓      |        |
| 11                    | PIPE 571 | 3.5"      | XS       | C             | MT1141/MT1142 | ✓      |        |
| 12                    | PIPE 572 | 3.5"      | XS       | C             | MT1143/MT1144 | ✓      |        |
| 13                    | PIPE 573 | 3.5"      | XS       | C             | MT1145/MT1146 | ✓      |        |
| 14                    | PIPE 574 | 3.5"      | XS       | C             | MT1147/MT1148 | ✓      |        |
| 15                    | PIPE 575 | 3.5"      | XS       | C             | MT1149/MT1150 | ✓      |        |
| 16                    | PIPE 576 | 3.5"      | XS       | C             | MT1151/MT1152 | ✓      |        |
| 17                    | PIPE 577 | 3.5"      | XS       | C             | MT1153/MT1154 | ✓      |        |
| 18                    | PIPE 578 | 3.5"      | XS       | C             | MT1155/MT1156 | ✓      |        |
| 19                    | PIPE 579 | 3.5"      | XS       | C             | MT1157/MT1158 | ✓      |        |
| 20                    | PIPE 580 | 3.5"      | XS       | C             | MT1159/MT1160 | ✓      |        |
| 21                    | PIPE 581 | 3.5"      | XS       | C             | MT1161/MT1162 | ✓      |        |
| 22                    | PIPE 582 | 3.5"      | XS       | C             | MT1163/MT1164 | ✓      |        |
| 23                    | PIPE 583 | 3.5"      | XS       | C             | MT1165/MT1166 | ✓      |        |
| 24                    | PIPE 584 | 3.5"      | XS       | C             | MT1167/MT1168 | ✓      |        |
| 25                    | PIPE 585 | 3.5"      | XS       | C             | MT1169/MT1170 | ✓      |        |
| 26                    | PIPE 586 | 3.5"      | XS       | C             | MT1171/MT1172 | ✓      |        |
| 27                    | PIPE 587 | 3.5"      | XS       | C             | MT1173/MT1174 | ✓      |        |
| 28                    | PIPE 588 | 3.5"      | XS       | C             | MT1175/MT1176 | ✓      |        |

### TYPICAL BORE PIPE



| Material Legend                      | Surface Condition     | Equipment / Consumables used For Corresponding Procedure & Technique:                                                         |             |   |           |   |                                                                                    | REPORT ACCEPTANCE                                                                                                                   |   |
|--------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------|---|-----------|---|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|---|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775                                                                                            | AC          | ✓ | Continues | ✓ | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ JULY 21 2026 | Client Rep:                                                                                                                         |   |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF                                          |             |   |           |   |                                                                                    | Client Rep                                                                                                                          |   |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31,2026 ✓ Min Light Intensity: ≥ 100 FC Visible ✓ LED Flashlight ✓ |             |   |           |   |                                                                                    | Sign:                                                                                                                               |   |
| A = Aluminum                         | Environment Condition | Fluorescent                                                                                                                   | Black/White | ✓ | Aerosol   | ✓ | Visible                                                                            | ✓                                                                                                                                   | ✓ |
|                                      | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone                                              |             |   |           |   |                                                                                    | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |   |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Technician Certification:

**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant: Dallan Van Wert

Date: JULY 17 2026  
Client: BROTHERS HDD

Location: BROTHERS SHOP GRANDE  
PRAIRIE AB.

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #:

BF26156

Report #:

BF26156-M1

Page:

2 of 5

Acceptance Code:

CSA W59-2024

Specification:

MT-Rev.9

Procedure:

MT 2 - Wet Visible, Black On White

Technique:

Contractor:

BROTHERS HDD

A.F.E.#:

CPG.#:

Job.#:

Code.#:

Project:

MT BORE PIPE

COMMENTS: MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.

### TYPICAL BORE PIPE



| ITEMS INSPECTED:      |         |           |                        | 3.5" BORE PIPE |               |        |  |
|-----------------------|---------|-----------|------------------------|----------------|---------------|--------|--|
| Field Weld Number (s) | Size    | Thickness | Material Welder Symbol | Remarks        | Accept        | Reject |  |
| 1                     | PIPE589 | 3.5"      | XS                     | C              | MT1177/MT1178 | ✓      |  |
| 2                     | PIPE590 | 3.5"      | XS                     | C              | MT1179/MT1180 |        |  |
| 3                     | PIPE591 | 3.5"      | XS                     | C              | MT1181/MT1182 |        |  |
| 4                     | PIPE592 | 3.5"      | XS                     | C              | MT1183/MT1184 |        |  |
| 5                     | PIPE593 | 3.5"      | XS                     | C              | MT1185/MT1186 |        |  |
| 6                     | PIPE594 | 3.5"      | XS                     | C              | MT1187/MT1188 |        |  |
| 7                     | PIPE595 | 3.5"      | XS                     | C              | MT1189/MT1190 |        |  |
| 8                     | PIPE596 | 3.5"      | XS                     | C              | MT1191/MT1192 |        |  |
| 9                     | PIPE597 | 3.5"      | XS                     | C              | MT1193/MT1194 |        |  |
| 10                    | PIPE598 | 3.5"      | XS                     | C              | MT1195/MT1196 |        |  |
| 11                    | PIPE599 | 3.5"      | XS                     | C              | MT1197/MT1198 |        |  |
| 12                    | PIPE600 | 3.5"      | XS                     | C              | MT1199/MT1200 |        |  |
| 13                    | PIPE601 | 3.5"      | XS                     | C              | MT1201/MT1202 |        |  |
| 14                    | PIPE602 | 3.5"      | XS                     | C              | MT1203/MT1204 |        |  |
| 15                    | PIPE603 | 3.5"      | XS                     | C              | MT1205/MT1206 |        |  |
| 16                    | PIPE604 | 3.5"      | XS                     | C              | MT1207/MT1208 |        |  |
| 17                    | PIPE605 | 3.5"      | XS                     | C              | MT1209/MT1210 |        |  |
| 18                    | PIPE606 | 3.5"      | XS                     | C              | MT1211/MT1212 |        |  |
| 19                    | PIPE607 | 3.5"      | XS                     | C              | MT1213/MT1214 |        |  |
| 20                    | PIPE608 | 3.5"      | XS                     | C              | MT1215/MT1216 |        |  |
| 21                    | PIPE609 | 3.5"      | XS                     | C              | MT1217/MT1218 |        |  |
| 22                    | PIPE610 | 3.5"      | XS                     | C              | MT1219/MT1220 |        |  |
| 23                    | PIPE611 | 3.5"      | XS                     | C              | MT1221/MT1222 |        |  |
| 24                    | PIPE612 | 3.5"      | XS                     | C              | MT1223/MT1224 |        |  |
| 25                    | PIPE613 | 3.5"      | XS                     | C              | MT1225/MT1226 |        |  |
| 26                    | PIPE614 | 3.5"      | XS                     | C              | MT1227/MT1228 |        |  |
| 27                    | PIPE615 | 3.5"      | XS                     | C              | MT1229/MT1230 |        |  |
| 28                    | PIPE616 | 3.5"      | XS                     | C              | MT1231/MT1232 |        |  |

| Material Legend                      | Surface Condition     | Equipment / Materials used For Corresponding Procedure & Technique:                  |             |                                       |           |                |                                                                                    | REPORT ACCEPTANCE                                                                                                                   |   |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---------------------------------------|-----------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|---|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775                                                   | AC          | ✓                                     | Continues | ✓              | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ JULY 21 2026 | Client Rep:                                                                                                                         |   |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |                                       |           |                |                                                                                    | Client Rep                                                                                                                          |   |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   | ✓           | Min Light Intensity: ≥ 100 FC Visible | ✓         | LED Flashlight | ✓                                                                                  | Sign:                                                                                                                               |   |
| A = Aluminum                         | Environment Condition | Fluorescent                                                                          | Black/White | ✓                                     | Aerosol   | ✓              | Visible                                                                            | ✓                                                                                                                                   | ✓ |
|                                      | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |                                       |           |                |                                                                                    | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |   |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
[www.slickinspection.com](http://www.slickinspection.com)

# MT / PT / VT INSPECTION REPORT

Technician Sign: 

Technician Certification:

**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant: Dallon Van Wert

Date: JULY 17 2026

**Client:**

## BROTHERS HDD

**Location:**

**BROTHERS SHOP GRANDE  
PRAIRIE AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

**Invoice #:**

Report #:

Page:

Acceptance Code:

**Specification:**

**Procedure:**

**Technique:**

Contractor:

A.F.E.#:

CPG.#:

Job.#:

Code.#

**Project:**

**BF26156**

**BF26156-M1**

3 of 5

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White  
BROTHERS HDD

MT BORE PIPE

| Field Weld Number (s)                | Size                 | Thickness                                                                            | Material    | Welder Symbol                                                       | Remarks                               | Accept                    | Reject  | COMMENTS: MAGNETIC PARTICAL INSPECTION PERFORMED ON ITEM/S BELOW.<br>NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.   |                   |                                                                                                                                     |
|--------------------------------------|----------------------|--------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------|---------------------------------------|---------------------------|---------|-----------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| ITEMS INSPECTED:                     |                      |                                                                                      |             |                                                                     | 3.5" BORE PIPE                        |                           |         |                                                                                                                             |                   |                                                                                                                                     |
| 1                                    | PIPE617              | 3.5"                                                                                 | XS          | C                                                                   | MT1233/MT1234                         | ✓                         |         | <div>TYPICAL BORE PIPE</div> <div></div> |                   |                                                                                                                                     |
| 2                                    | PIPE618              | 3.5"                                                                                 | XS          | C                                                                   | MT1235/MT1236                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 3                                    | PIPE619              | 3.5"                                                                                 | XS          | C                                                                   | MT1237/MT1238                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 4                                    | PIPE620              | 3.5"                                                                                 | XS          | C                                                                   | MT1239/MT1240                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 5                                    | PIPE621              | 3.5"                                                                                 | XS          | C                                                                   | MT1241/MT1242                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 6                                    | PIPE622              | 3.5"                                                                                 | XS          | C                                                                   | MT1243/MT1244                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 7                                    | PIPE623              | 3.5"                                                                                 | XS          | C                                                                   | MT1245/MT1246                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 8                                    | PIPE624              | 3.5"                                                                                 | XS          | C                                                                   | MT1247/MT1248                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 9                                    | PIPE625              | 3.5"                                                                                 | XS          | C                                                                   | MT1249/MT1250                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 10                                   | PIPE626              | 3.5"                                                                                 | XS          | C                                                                   | MT1251/MT1252                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 11                                   | PIPE627              | 3.5"                                                                                 | XS          | C                                                                   | MT1253/MT1254                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 12                                   | PIPE628              | 3.5"                                                                                 | XS          | C                                                                   | MT1255/MT1256                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 13                                   | PIPE629              | 3.5"                                                                                 | XS          | C                                                                   | MT1257/MT1258                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 14                                   | PIPE630              | 3.5"                                                                                 | XS          | C                                                                   | MT1259/MT1260                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 15                                   | PIPE631              | 3.5"                                                                                 | XS          | C                                                                   | MT1261/MT1262                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 16                                   | PIPE632              | 3.5"                                                                                 | XS          | C                                                                   | MT1263/MT1264                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 17                                   | PIPE633              | 3.5"                                                                                 | XS          | C                                                                   | MT1265/MT1266                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 18                                   | PIPE634              | 3.5"                                                                                 | XS          | C                                                                   | MT1267/MT1268                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 19                                   | PIPE635              | 3.5"                                                                                 | XS          | C                                                                   | MT1269/MT1270                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 20                                   | PIPE636              | 3.5"                                                                                 | XS          | C                                                                   | MT1271/MT1272                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 21                                   | PIPE637              | 3.5"                                                                                 | XS          | C                                                                   | MT1273/MT1274                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 22                                   | PIPE638              | 3.5"                                                                                 | XS          | C                                                                   | MT1275/MT1276                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 23                                   | PIPE639              | 3.5"                                                                                 | XS          | C                                                                   | MT1277/MT1278                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 24                                   | PIPE640              | 3.5"                                                                                 | XS          | C                                                                   | MT1279/MT1280                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 25                                   | PIPE641              | 3.5"                                                                                 | XS          | C                                                                   | MT1281/MT1282                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 26                                   | PIPE642              | 3.5"                                                                                 | XS          | C                                                                   | MT1283/MT1284                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 27                                   | PIPE643              | 3.5"                                                                                 | XS          | C                                                                   | MT1285/MT1286                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| 28                                   | PIPE644              | 3.5"                                                                                 | XS          | C                                                                   | MT1287/MT1288                         | ✓                         |         |                                                                                                                             |                   |                                                                                                                                     |
| Material Legend                      |                      | Surface Condition                                                                    |             | Equipment / Materials used For Corresponding Procedure & Technique: |                                       |                           |         | REPORT ACCEPTANCE                                                                                                           |                   |                                                                                                                                     |
| C = Carbon Steel                     | Oxidized/Coated      | Sentenial Yoke: MP-A-2L S/N: MP5775                                                  |             | AC                                                                  | ✓                                     | Continues                 | ✓       | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ JULY 21 2026                                          | Client Rep: _____ |                                                                                                                                     |
| S = Stainless Steel                  | Time Of Testing      | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |                                                                     |                                       | Mag Lead Time: 10 Seconds |         |                                                                                                                             |                   |                                                                                                                                     |
| CS = Carbon Steel to Stainless Steel | 6:00AM               | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   |             | ✓                                                                   | Min Light Intensity: ≥ 100 FC Visible |                           | ✓       | LED Flashlight                                                                                                              | ✓                 |                                                                                                                                     |
|                                      | Enviroment Condition | Fluorescent                                                                          | Black/White | ✓                                                                   | Aerosol                               | ✓                         | Visible | ✓                                                                                                                           | Dry               | Puffer                                                                                                                              |
| A = Aluminum                         | Sunny                | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |                                                                     |                                       |                           |         |                                                                                                                             |                   | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Technician Certification:  
**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG. #12190660

Assistant: Dallan Van Wert

Date: JULY 17 2026

Client:

**BROTHERS HDD**

Location:

**BROTHERS SHOP GRANDE  
PRAIRIE AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #:

Report #:

Page:

Acceptance Code:

Specification:

Procedure:

Technique:

Contractor:

A.F.E.#:

CPG.#:

Job.#:

Code.#:

Project:

**BF26156**

**BF26156-M1**

4 of 5

CSA W59-2024

MT-Rev.9

MT 2 - Wet Visible, Black On White  
BROTHERS HDD

MT BORE PIPE

**COMMENTS: MAGNETIC PARTIAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.**

### TYPICAL BORE PIPE



| ITEMS INSPECTED:      |         |           |          |               | 3.5" BORE PIPE |               |
|-----------------------|---------|-----------|----------|---------------|----------------|---------------|
| Field Weld Number (s) | Size    | Thickness | Material | Welder Symbol | Remarks        | Accept/Reject |
| 1                     | PIPE645 | 3.5"      | XS       | C             | MT1289/MT1290  | ✓             |
| 2                     | PIPE646 | 3.5"      | XS       | C             | MT1291/MT1292  | ✓             |
| 3                     | PIPE647 | 3.5"      | XS       | C             | MT1293/MT1294  | ✓             |
| 4                     | PIPE648 | 3.5"      | XS       | C             | MT1295/MT1296  | ✓             |
| 5                     | PIPE649 | 3.5"      | XS       | C             | MT1297/MT1298  | ✓             |
| 6                     | PIPE650 | 3.5"      | XS       | C             | MT1299/MT1300  | ✓             |
| 7                     | PIPE651 | 3.5"      | XS       | C             | MT1301/MT1302  | ✓             |
| 8                     | PIPE652 | 3.5"      | XS       | C             | MT1303/MT1304  | ✓             |
| 9                     | PIPE653 | 3.5"      | XS       | C             | MT1305/MT1306  | ✓             |
| 10                    | PIPE654 | 3.5"      | XS       | C             | MT1307/MT1308  | ✓             |
| 11                    | PIPE655 | 3.5"      | XS       | C             | MT1309/MT1310  | ✓             |
| 12                    | PIPE656 | 3.5"      | XS       | C             | MT1311/MT1312  | ✓             |
| 13                    | PIPE657 | 3.5"      | XS       | C             | MT1313/MT1314  | ✓             |
| 14                    | PIPE658 | 3.5"      | XS       | C             | MT1315/MT1316  | ✓             |
| 15                    | PIPE659 | 3.5"      | XS       | C             | MT1317/MT1318  | ✓             |
| 16                    |         |           |          |               |                |               |
| 17                    | PIPE661 | 3.5"      | XS       | C             | MT1321/MT1322  | ✓             |
| 18                    | PIPE662 | 3.5"      | XS       | C             | MT1323/MT1324  | ✓             |
| 19                    |         |           |          |               |                |               |
| 20                    | PIPE664 | 3.5"      | XS       | C             | MT1327/MT1328  | ✓             |
| 21                    | PIPE665 | 3.5"      | XS       | C             | MT1329/MT1330  | ✓             |
| 22                    | PIPE666 | 3.5"      | XS       | C             | MT1331/MT1332  | ✓             |
| 23                    | PIPE667 | 3.5"      | XS       | C             | MT1333/MT1334  | ✓             |
| 24                    | PIPE668 | 3.5"      | XS       | C             | MT1335/MT1336  | ✓             |
| 25                    | PIPE669 | 3.5"      | XS       | C             | MT1337/MT1338  | ✓             |
| 26                    | PIPE670 | 3.5"      | XS       | C             | MT1339/MT1340  | ✓             |
| 27                    | PIPE671 | 3.5"      | XS       | C             | MT1341/MT1342  | ✓             |
| 28                    | PIPE672 | 3.5"      | XS       | C             | MT1343/MT1344  | ✓             |

| Material Legend                      | Surface Condition     | Equipment / Materials used For Corresponding Procedure & Technique:                  |  |             |   |                                       |         |                                                                     | REPORT ACCEPTANCE         |              |                           |                                                                                                                                     |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|--|-------------|---|---------------------------------------|---------|---------------------------------------------------------------------|---------------------------|--------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L<br>S/N: MP5775                                                |  | AC          | ✓ | Continues                             | ✓       | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: | ✓                         | JULY 21 2026 | Client Rep: _____         |                                                                                                                                     |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |  |             |   |                                       |         |                                                                     | Mag Lead Time: 10 Seconds |              |                           |                                                                                                                                     |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   |  | ✓           |   | Min Light Intensity: ≥ 100 FC Visible |         | ✓                                                                   | LED Flashlight            | ✓            | Client Rep<br>Sign: _____ |                                                                                                                                     |
|                                      | Environment Condition | Fluorescent                                                                          |  | Black/White |   | ✓                                     | Aerosol |                                                                     | ✓                         | Visible      |                           | ✓                                                                                                                                   |
| A = Aluminum                         | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |  |             |   |                                       |         |                                                                     |                           |              |                           | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |



2038-12th AVE NW  
Medicine Hat, AB, T1C 2A7  
PH: 403-527-9854  
FAX: 403-527-9867  
www.slickinspection.com

## MT / PT / VT INSPECTION REPORT

Technician Sign:

Technician Certification:  
**BRANDON FLAIG**  
CGSB Level II MT REG.#32777  
CWB LEVEL 1 INSPECTOR  
REG.#12190660  
Assistant: Dallon Van Wert

Date: JULY 17 2026  
Client: **BROTHERS HDD**

Location: **BROTHERS SHOP GRANDE PRAIRIE AB.**

| Reg. Hours | O.T. Hours | K.M. | Sub. |
|------------|------------|------|------|
| X          | X          | X    | X    |

Invoice #: **BF26156**  
Report #: **BF26156-M1**  
Page: 5 of 5  
Acceptance Code: CSA W59-2024  
Specification: MT-Rev.9  
Procedure: MT 2 - Wet Visible, Black On White  
Technique: BROTHERS HDD  
Contractor:  
A.F.E.#:  
CPG.#:  
Job.#:  
Code.#:  
Project: MT BORE PIPE

| Field Weld Number (s)                       | Size    | Thickness | Material | Welder Symbol | Remarks       | Accept | Reject |
|---------------------------------------------|---------|-----------|----------|---------------|---------------|--------|--------|
| ITEMS INSPECTED: <b>3.5"/4.5" BORE PIPE</b> |         |           |          |               |               |        |        |
| 1                                           | PIPE673 | 3.5"      | XS       | C             | MT1345/MT1346 | ✓      |        |
| 2                                           |         |           |          |               |               |        |        |
| 3                                           | PIPE675 | 3.5"      | XS       | C             | MT1349/MT1350 | ✓      |        |
| 4                                           | PIPE676 | 3.5"      | XS       | C             | MT1351/MT1352 | ✓      |        |
| 5                                           | PIPE677 | 4.5"      | XS       | C             | MT1353/MT1354 | ✓      |        |
| 6                                           | PIPE678 | 4.5"      | XS       | C             | MT1355/MT1356 | ✓      |        |
| 7                                           | PIPE679 | 4.5"      | XS       | C             | MT1357/MT1358 | ✓      |        |
| 8                                           |         |           |          |               |               |        |        |
| 9                                           | PIPE681 | 4.5"      | XS       | C             | MT1361/MT1362 | ✓      |        |
| 10                                          | PIPE682 | 4.5"      | XS       | C             | MT1363/MT1364 | ✓      |        |
| 11                                          | PIPE683 | 4.5"      | XS       | C             | MT1365/MT1366 | ✓      |        |
| 12                                          |         |           |          |               |               |        |        |
| 13                                          | PIPE685 | 4.5"      | XS       | C             | MT1369/MT1370 | ✓      |        |
| 14                                          | PIPE686 | 4.5"      | XS       | C             | MT1371/MT1372 | ✓      |        |
| 15                                          | PIPE687 | 4.5"      | XS       | C             | MT1373/MT1374 | ✓      |        |
| 16                                          | PIPE688 | 4.5"      | XS       | C             | MT1375/MT1376 | ✓      |        |
| 17                                          | PIPE689 | 4.5"      | XS       | C             | MT1377/MT1378 | ✓      |        |
| 18                                          | PIPE690 | 4.5"      | XS       | C             | MT1379/MT1380 | ✓      |        |
| 19                                          |         |           |          |               |               |        |        |
| 20                                          |         |           |          |               |               |        |        |
| 21                                          |         |           |          |               |               |        |        |
| 22                                          |         |           |          |               |               |        |        |
| 23                                          |         |           |          |               |               |        |        |
| 24                                          |         |           |          |               |               |        |        |
| 25                                          |         |           |          |               |               |        |        |
| 26                                          |         |           |          |               |               |        |        |
| 27                                          |         |           |          |               |               |        |        |
| 28                                          |         |           |          |               |               |        |        |

**COMMENTS:** MAGNETIC PARTICAL INSPECTION PERFORMED ON ITEM/S BELOW.  
NO RELEVANT INDICATIONS FOUND AT TIME OF INSPECTION.

**3.5"/4.5" BORE PIPE**

| Material Legend                      | Surface Condition     | Equipment / Materials used For Corresponding Procedure & Technique:                  |             |   |                                       |                           |                                                                       | REPORT ACCEPTANCE                                                                                                                   |       |
|--------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------|---|---------------------------------------|---------------------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------|
| C = Carbon Steel                     | Oxidized/Coated       | Sentinel Yoke: MP-A-2L S/N: MP5775                                                   | AC          | ✓ | Continues                             | ✓                         | Calibration Block: West. Instruments S/N:1427 Cal Verified to 10lb: ✓ | Client Rep:                                                                                                                         |       |
| S = Stainless Steel                  | Time Of Testing       | MT 2: Magnavis White Contrast Paint: WCP-2 / Magnavis Black Partical Suspension: 7HF |             |   |                                       | Mag Lead Time: 10 Seconds |                                                                       |                                                                                                                                     |       |
| CS = Carbon Steel to Stainless Steel | 6:00AM                | Light Meter: XR-1000 Spectronics S/N:1752289 Cal Date: May 31/2026                   |             | ✓ | Min Light Intensity: ≥ 100 FC Visible |                           | ✓                                                                     | Client Rep                                                                                                                          |       |
|                                      | Environment Condition | Fluorescent                                                                          | Black/White | ✓ | Aerosol                               | ✓                         | Visible                                                               | ✓                                                                                                                                   | Sign: |
| A = Aluminum                         | Sunny                 | Above Method/s Used To Inspect 100% Of The Area of Interest & Heat Affected Zone     |             |   |                                       |                           |                                                                       | Upon approval/acceptance by the Contractor the liability for the accuracy of final product becomes responsibility of the Contractor |       |