

HALLAM TRUCK CENTRE PTY LTD A039 FINNS BULK HAULAGE PTY LTD 217 PRINCES HIGHWAY 3 RIDGE PLACE

HALLAM, Victoria Australia 3803 PAKENHAM, Victoria Australia 3810

Phone: 0407904404 Phone: 0359413711 Fax: 97964499 Fax: 0359401100

Email: dohara@hallamtruck.com.au Contact Email: jason@finnsbh.com.au Prepared for: JASON . TIVANDALE

## **Customer Truck Purchase Order**

	Unit		Chassis	
Model:		T610SAR	Fr Axle Load (kg):	6500
Туре:		Prime Mover	Max Front Load (kg):	6500
Description:		860 SLEEPER	Distance at Max Load (%):	50
	Application		Rr Axle Load (kg):	16500
Intended Serv.:		Farm Produce	Max Rear Load (kg):	16500
Commodity:		Mixed Stock Feed	Distance at Max Rear Load (%):	50
			G.C.M. (kg):	57500
	Body		Max G.C.M. Load (kg):	68000
			Requested G.C.M. Load (kg):	97000
Туре:			Distance at Max G.C.M. Load (%):	50
Length (mm):		0	Wheelbase (mm):	5170
Height (mm):		0	Overhang (mm):	1370
Body Weight (kg):		0	Fr Axle to BOC (mm):	2,870
Body Width (mm):		0	Cab to Axle (mm):	2,300
	Trailer		Cab to EOF (mm):	3,670
No. of Trailer Axles:			Overall Comb. Length	18380
INO. OF FRANCES.			(mm):	10300
Туре:		Rear tipper - tip	Road Conditions:	
•		over axle		
Length (mm):		14000	Class A (l'state hwy/Roads):	100
Height (mm):		2200	Class B (Well maintained):	0
Kingpin Inset (mm):		1430	Class C (Poorly maintained):	0
Corner Radius (mm	):	0	Class D (Off-Road):	0
Trailer Width (mm):		2500	Maximum Grade:	8 1
	Restrictions		Length Max Grade (km):	
Length (mm):		26000	Normal Grade (%):	3
Width (mm):		2500	Length Normal Grade (km):	
Height (mm):		4300	Annual Distance (km):	125000
			Special Req.	
			Intrastate - Victoria	
Approved by:			Date:	

Unpublished options may require revi	ew/approval.
Dimensional and performance data for unpublished options may ve	ary from that displayed in PROSPECTOR.

 Printed:
 5/12/2023 6:19:42 AM
 Complete
 Model Number:
 T610SAR

 Effective Date:
 Jan 1, 2023
 Quote/DTPO/CO:
 Q03303074

 Prepared by:
 DANIEL J O'HARA
 Version Number:
 42.02

32437-7EB5-0546 Page 1 of 15



## HALLAM TRUCK CENTRE PTY LTD A039 217 PRINCES HIGHWAY

dohara@hallamtruck.com.au

## FINNS BULK HAULAGE PTY LTD

**3 RIDGE PLACE** 

HALLAM, Victoria Australia 3803

Phone: 0407904404 Fax: 97964499

Email:

PAKENHAM, Victoria Australia 3810 Phone: 0359413711

Fax: 0359401100

Contact Email: jason@finnsbh.com.au Prepared for: JASON . TIVANDALE

Data	Code	Description	Weight
Model			
00006101	S	T610SAR Includes radiator, silicon radiator/heater hoses, front axle shock absorbers, PVC covered chassis wiring, grab handles at rear of cab/sleeper, fuel tank steps, front tow hitch/hook, rear axle park brakes, colour coded polyester nylon cab & chassis airlines.	7,681
Configurati			
00010004	0	Single steer + tandem drive (6 x 4)	0
00100006	0	Farm Produce Vegetables, crops	0
00110116	0	Mixed Stock Feed	0
00120005	0	Rear tipper - tip over axle	0
00140010	0	Prime Mover with B-Double trailers. 2 trailers, each connected via 5th wheel on back of truck or trailer. Up to 26.0m overall length.	0
00150006	0	Drum trailer brakes with ABS/EBSS on trailer	0
00160001	0	ADR compliant	0
00160002	0	B-Double compliant	0
00160003	0	Road Train compliant	0
00901002	0	Intrastate - Victoria	0
00951003	0	Australia	0
00970100	0	Speed Limiter - 100km/hr	0
00980010	0	Sulphur free operating environment	0
00980102	0	PBS assessment Use this code only for trucks that are intended for PBS permits. Performance-Based Standard assessment may have to meet different standard than general access vehicles	0
<b>Kits</b> 11000007	s	No fuel haul kit	0
13000001	S	Standard Service kit	0

## **Engine & Equipment**

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:5/12/2023 6:19:42 AMCompleteModel Number:T610SAREffective Date:Jan 1, 2023Quote/DTPO/CO:Q03303074Prepared by:DANIEL J O'HARAVersion Number:42.02

32437-7EB5-0546 Page 2 of 15



Weight	Description	Code	Data
C	Cummins X15 Euro V 600hp / 2050lbft 615hp @ 1800 rpm, 2050lbft torque @ 1200 rpm. 15.0 litre displacement. ADR80/03. Six cylinder in-line turbocharged air-to-air aftercooled, Aluminium flywheel housing. Fleetguard combination full flow & by-pass oil filters & integral oil cooler. Includes 2000rpm max, Cummins road speed limiter, KW spin on water filter.	0	21012557
34	EGP mtd in chassis, Dual side of cab exhaust - In chassis EGP mounted RHS.	0	21500067
38	Dual SS exhaust shield (Kenworth) - Polished shield with KENWORTH laser cut into both sides.	0	22000002
18	Dual delivery tailpipes - for travel to dealership (dealer to supply and fit final tailpipe for delivery to customer)	0	22500230
C	Fuel Pro fuel filter/water separator Cummins ISX/Signature Engine Family only.	0	23500035
C	Cummins 8.8 l/s (18.7cfm) compressor	S	24000040
C	12V starter with key switch	S	25000001
C	PACCAR 13" Stainless Steel cowl mtd Air Cleaners - Includes integral air intake caps	S	25500042
С	170A non isolated alternator (X15)	S	26200027
C	12 volt cab/chassis electrics (unless otherwise specified in Misc Air Equipment, trailer connections will also be 12V)	S	26500001
С	Urea metering device - required with SCR or SMA exhaust systems	S	26500010
С	Cummins engine brake, column mtd control on single stalk	S	27000103
C	Radiator mounted bug screen	S	27500005
C	Horton single speed fan clutch	S	28500001
C	Barry type rear engine mounts (GCM 110T & less)	S	29000020
	utch	on & Cli	<b>Fransmissi</b>
C	Eaton Fuller RTLO22918B transmission 2250lbft torque, 18 speed overdrive.		31024310
C	2250lbft Easy Pedal Advantage 3 - VCT+ clutch (manual adjust) with hydraulic clutch assistance	0	32028120
12	RPL25 main driveline (MERITOR Series)	0	34020001
14	RPL20 interaxle driveline - tandem (MERITOR Series)	0	34500100
С	Isolated gearshift lever (T9 includes stainless steel gearshift surround)	S	35000005
C	Transmission oil cooler	S	35000010

Un	published options may require review/approval.
Dimensional and performance of	data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:5/12/2023 6:19:42 AMCompleteModel Number:T610SAREffective Date:Jan 1, 2023Quote/DTPO/CO:Q03303074Prepared by:DANIEL J O'HARAVersion Number:42.02

32437-7EB5-0546 Page 3 of 15



Data	Code	Description	Weight
35000011	S	Aluminium transmission bell housing (manual only)	0
35000310	0	Aftermarket trans PTO with factory switch - use with a shiftable trans PTO.	0
37000010	S	Transmission mounted breather	0
Avios 9 Ea	uinmont		
<b>Axles &amp; Eq</b> 41026035		MERITOR MFS73 (7.3t capacity)	27
		(single steer) Includes standard warranty: 24 Months/Unlimited kms (excluding wheel end equipment).	
41226030	0	Meritor 16.5x6 LA(Q+) front drum brakes (single) on Meritor MFS73 and FL941 front axles	0
41500167	0	Front springs, 7.2t taper leaf (> 9" susp)	0
41800011	0	2 HD steel piloted front hubs & drums - 285PCD (MFS73/D2000F)	5
42000020	S	TRW Ross TAS 85 power steering	0
42500008	S	Automatic Slack Adjusters (single steer)	0
42900430	0	REAR AXLE RATIO-4.30	0
43026524	0	MERITOR MT21-165GP - dual diff locks (Vocational) 20.9t GAW (tandem - vocational applications). Includes Timken NP pinion bearing to front diff carrier and tight fitting crown wheel bolts to both diff carriers. Standard warranty: GCM <=110T, 48 Months/800,000 kms (excluding wheel end equipment).	203
43226001	S	16.5" x 7" Meritor Q+ rear drum brakes (tandem)	0
43502241	0	AIRGLIDE 460 10.5", 20.9T GAWR (tandem) 2 steel pedestals, 10.5" ride height	56
43700100	S	Rear Axle spacing 1321mm  NOTE - axles are located by suspension components which may move longitudinally with variances of vertical load or installation angles.	0
43800004	S	4 Aluminium piloted rear hubs & drums - 285PCD (R-series)	0
43900010	S	Interaxle diff lock	0
44000008	S	Automatic slack adjusters - tandem rear axle	0
44200001	S	Diff breather(s) on axle housing	0
44500006	0	Koni HD shock absorbers (AG only) - Tandem	3
Tyres & Wh	neels		
46050148		Bridgestone 295/80 R22.5 R154ECO	0
46250065	S	- 2 steer  Bridgestone 11R22.5 M866 - 312 RPK	0
47000011		Alcoa 9.00x22.5 285PCD - 2 steer hub pilot (includes polished hub covers)	14

Unpublished options may require review/approval.	
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR	₹.

 Printed:
 5/12/2023 6:19:42 AM
 Complete
 Model Number:
 T610SAR

 Effective Date:
 Jan 1, 2023
 Quote/DTPO/CO:
 Q03303074

 Prepared by:
 DANIEL J O'HARA
 Version Number:
 42.02

32437-7EB5-0546 Page 4 of 15



Data	Code	Description	Weight
47200113	S	Alcoa ULTRA ONE 8.25x22.5 285PCD	0
47500003	0	hub pilot  2 Dura-Bright polished wheels - single steer (only required with Alcoa steer wheels/rims)	0
47600022	0	4 Dura-Bright Polished, 4 Clean Buff finishes - rear (only required with Alcoa drive wheels/rims)	0
Frame & Ed		t en	
51000210	S	<b>270mm x 89mm x 7.9mm rails up to 7700mm</b> (0.0521kg/mm/pair of rails)	35
51500005	0	Extended rear suspension insert - From forward suspension crossmember to rear of frame.	68
52000006	S	Tractor taper / Light duty crossmember	0
52500104	0	Sealant between chassis rail & suspension insert	2
53000063	S	Texas Style FUPS Bumper polished - T610SAR	0
54000058	0	Double tier battery box LHRR	12
54140018	0	Double tier toolbox RHRR	39
54200040	S	4 x 12V heavy duty Kenworth batteries Trucks offline from 28/8/2023 will be fitted with heavy duty maintenance free KW batteries. Refer to FYI 2784 for details.	0
54500011	0	Cab power supply disconnect switch - Not Fuel Haul Compliant	2
55000004	0	Reversing alarm	1
56000110	0	Spraysafe Tandem plastic mudguards - Red	4
56050001	0	Rear mudguard loop kit	4
56500020	S	Thermoflex mudflaps - front (single steer)	0
56600020	S	Thermoflex mudflaps - rear	0
57000202	0	Steps to double tier Battery/Tool Box LHRR in line with rectangular fuel tank steps	6
57000203	0	Steps to double tier Tool Box RHRR in line with rectangular fuel tank steps	6
58000021	0	100w (50mm evens) fifth wheel angles GCM limited to 200T.	17
59040001	S	Customer installed fifth wheel	0
59100200	0	5th Wheel setting Positive 200mm	0
59500078	0	Kenworth sleeper air suspension mounted outboard of chassis (2 shocks & 2 airbags)	0

## Cab & Equipment

I in PROSPECTOR.

 Printed:
 5/12/2023 6:19:42 AM
 Complete
 Model Number:
 T610SAR

 Effective Date:
 Jan 1, 2023
 Quote/DTPO/CO:
 Q03303074

 Prepared by:
 DANIEL J O'HARA
 Version Number:
 42.02

32437-7EB5-0546 Page 5 of 15



Data	Code	Description	Weight
61003661	0	T610SAR 2.1m wide cab, integrated sleeper external air cleaners. Stamped aluminium cab with panoramic curved glass windscreen and stamped aluminium triple sealed doors. Manufactured using self-piercing rivets and structural adhesive.	0
61300612	S	Traditional hood, T610SAR, external air cleaners	0
61500180	S	Premium soft trim, Red Garnet (4816)  HD diamond pleat vinyl with grey ember hard trim	0
62000842	0	ISRI 6860/870 STD air susp driver seat, Charcoal with standard seat cushion and L & R arm rests (LH arm rest only on COE). NOT with Horizontal Isolator.	0
62001345	0	Fixed rider's seat - Charcoal with no arm rests.	0
62300001	S	Drivers black lap/sash seat belt	0
62300051	S	Riders black lap/sash seat belt	0
62500098	0	FM/AM radio aerial - Sunvisor mounted with Aero roof - 600mm, 860mm & 1400mm sleeper.	0
62500108	0	Audio Visual Navigation Screen - 6 speakers - includes AM/FM/DAB+ radio and navigation options in a 6.5in touch screen display with steering wheel mounted controls	0
62500184	U	As per FYI 2776 - trucks offline 22/8/2 3 onward with a 6.5" AVN (SC 62500109) will be fitted with an 8" AVN	0
62500203	0	Electrophone UHF CB radio with aerial to LHS	2
62500250	0	Electrophone UHF CB radio with aerial to RHS	2
63000020	S	Climate control High capacity unit with one touch automatic temperature control and with fresh & recirculated air filters.	0
63300100	S	One piece curved windscreen - tinted, laminated safety glass with dual electric variable speed windscreen wipers (conventional models) or with three electric variable speed windscreen wipers (COE only)	0
63500034	S	Kenworth, LHS triple sealed door with electric lift window	0
63500035	S	Kenworth, RHS triple sealed door with electric lift window	0
63800003	0	Twin single pedestal airhorns with dual trumpets mounted on roof	1
64000012	0	Kenworth aerodynamic mirrors with chrome covers heated with integral spotter mirror and electronic adjustment	0
64100015	0	Curb side mirror	1
64500025	S	Power socket in rider side B-pillar	0
64500031	S	Manual reset circuit breakers on truck and trailer lighting circuits only, fuses used on other circuits	0
64500041	S	USB power supply	0

# Unpublished options may require review/approval. Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

 Printed:
 5/12/2023 6:19:42 AM
 Complete
 Model Number:
 T610SAR

 Effective Date:
 Jan 1, 2023
 Quote/DTPO/CO:
 Q03303074

 Prepared by:
 DANIEL J O'HARA
 Version Number:
 42.02

32437-7EB5-0546 Page 6 of 15



Data	Code	Description	Weight
64500046	S	12v Power socket x 2 (1 x driver side, 1 x passenger side)	0
64500060	S	Two spare switches in main switch panel (where space permits)	0
64500073	0	Spare switches to any empty locations in main switch panel	0
64500088	0	PTO switch, wiring & solenoid for aftermarket PTO  - Does not include Park Brake Interlock - if an interlock is required, please select 64500096 (T4's & T6's from Feb 2024 price level) or raise an NPO in the "Cab Air & Electrical" section (64599000).	1
64800163	0	LED headlights, LED Hi Beam, functional DRL - integrated daytime running lights are functional in this option	2
65000200	0	Wiring & switch - later fitment of driving lights with a maximum current draw of 20A (continuous current draw of 15A only)	0
65000395	0	LED floodlight bar on the back of the cab/sleeper	2
65000520	S	Door courtesy lights	0
65000536	S	LED stop/tail lights (incl. reverse lights)	0
65200060	S	LED marker lights     (subject to Kenworth Engineering approval)	0
65400220	0	Exterior sunvisor - painted	-1
65500050	S	PACCAR information centre displays engine voltage, transmission temperature (except with PACCAR transmission or Allison auto), outside air temperature, 2 clocks and trip and fuel economy information	0
65500190	S	SCR fluid gauge	0
65500263	S	Speedometer and tachometer	0
65500292	0	Engine idle timer Default run time is 3 minutes - can be re-programmed for other times at the dealership.	0
65500900	S	Engine coolant temperature gauge	0
65500910	S	Engine oil pressure gauge	0
65500950	S	Fuel level gauge	0
65500980	S	Air system pressure gauges - 2 gauges including one for front air pressure and one for rear air pressure	0
65501001	S	Chrome bezel gauges	0
65503060	S	Virtual gauge - Fuel Economy	0
65503070	S	Virtual gauge - Percent torque	0
65503080	S	Virtual gauge - Tractor brake application	0
65503140	S	Virtual gauge - Engine Oil Temperature	0

# Unpublished options may require review/approval. Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:5/12/2023 6:19:42 AMCompleteModel Number:T610SAREffective Date:Jan 1, 2023Quote/DTPO/CO:Q03303074Prepared by:DANIEL J O'HARAVersion Number:42.02

32437-7EB5-0546 Page 7 of 15



0

Data	Code	Description	Weight
65503270	S	Virtual gauge - Turbo boost	0
65503360	S	Virtual gauge - Analogue clock	0
65600250	S	Cummins cruise control, steering wheel mounted	0
65700170	S	Adjustable steer column and steering wheel with leather wrap and inbuilt audio and cruise controls	0
65900030	0	No jack and wheelbrace	-18
66000070	S	Integral two cup drink holder in dash	0
66000527	S	No external side of cab grab handles	0
66000539	S	Back of cab grab handles (non-painted)	0
66000575	S	Radiator mounted condensor	0
66000579	0	Seven hood grille bars - in lieu of three grille bars (Euro 5 compliant engines only)	2
66000580	S	Perforated S/Steel grille, externally mounted	0
66000701	S	Remote keyless entry with pre-trip ext lamp test	0
66000730	0	Park brake warning alarm	0
66000740	S	Drivers side fasten seat belt warning	0
66000793	S	Black interior grab handles on A and B pillars	0
66200018	S	Dual hood hooks	0
67000860	0	Aero roof 860mm integrated sleeper.  LH and RH sleeper vents, two section tool compartment with external doors, LH sleeper access door as standard, 790mm x 1880mm innerspring mattress (with hinged pan for under bunk storage), sleeper restraint belts, 12V socket in RHS control panel, includes windscreen privacy curtain and sleeper blackout curtains.	377
67500122	0	Right hand sleeper access door (830mm X 430mm) - Only available with 860mm sleeper.	6
67500140	0	Flywire screens RH & LH sleeper doors	0
67500203	0	Sleeper rear window - fixed (939mm X 511mm) tinted green, with curtain	4
67500363	0	LHS rear storage shelf (860mm sleeper)	8
67500364	0	RHS rear storage shelf (860mm sleeper)	8
67500616	0	42L fridge mounted under bunk (top access slide drawer)	25
67600714	0	Stainless steel vanity skirts to 860mm sleeper	5
67700261	0	Side extenders for 860mm sleeper including continuation tabs	32

**Documentation, Telematics & Training**68000001 S **Kenworth driver's information pack** 

with driver's handbook

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 5/12/2023 6:19:42 AM Complete Model Number: T610SAR Effective Date: Jan 1, 2023 Quote/DTPO/CO: Q03303074 Prepared by: DANIEL J O'HARA Version Number: 42.02

32437-7EB5-0546 Page 8 of 15



Data	Code	Description	Weight
68000010	S	Kenworth custom maintenance manual - USB drive	0
68200001	S	PACCAR CONNECT 12 months base subscription.  PACCAR Connect is a subscription service that provides you with access to GPS tracking and telematics information to track your vehicle, monitor vehicle performance and driver behaviours. PACCAR and its affiliates also use this information to improve PACCAR vehicles and services to PACCAR customers and in accordance with the PACCAR Connect Privacy Policy.	0
Air Equipm	ent		
71000012		Semi trailer kit. Includes trailer hand-piece (All NZ trucks and K220 with Endurant transmission & ESP will be fitted with an auto-reset hand-piece. From offline date 16/10/2023, ALL K220 trucks will be fitted with an auto-reset hand-piece, regardless of transmission type. Refer to FYI 2787 for details.)	0
71200001	S	PBR air line couplings	0
71400002	0	Semi trailer detachable coiled air lines	0
71600004	0	Semi trailer detachable light line - AS 2513 plug coiled light line, 2 trailer maximum without a power distribution box	0
71800003	0	Hosetenna on sliding X-member, rear of cab/slpr	-2
72000010	S	Manual air tank drain valves	0
73000010	S	Chicago Rawhide Turbo 2000 air dryer	0
75000020	0	Trailer release valve	1
75500015	0	TRM – Trailer Response Module - 12 Volt nominal, becomes 24 volt when (75500022) "24 Volt Inverter for Trailer Safety systems" is selected.	1
75500022	0	24 volt inverter for trailer safety systems. Increases trailer ABS & TRM supply voltage from 12V to 24V - required for road train compliance.	1
75500040	S	ESP (Prime Mover) - Electronic Stability Program	0
75500050	S	Electronic Braking Safety System (ABS+ATC+DTC) - EBSS is an Electronically controlled pneumatic braking system (standard features: Antilock Braking System + Automatic Traction Control + Drag Torque Control)	0
75600011	0	Semi trailer ABS - socket + detachable lead - 12 Volt nominal, becomes 24 volt when (75500022) "24 Volt Inverter for Trailer Safety systems" is selected. This Socket and detachable lead option can be used with Semi Trailer kit or Combined kit.	3

## Fuel Tanks & Equip

Unpublished options may require review/approval.
onpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:5/12/2023 6:19:42 AMCompleteModel Number:T610SAREffective Date:Jan 1, 2023Quote/DTPO/CO:Q03303074Prepared by:DANIEL J O'HARAVersion Number:42.02

32437-7EB5-0546 Page 9 of 15



Data	Code	Description	Weight
80500001	S	Aluminium  Note: each fuel tank specified is filled with 200L fuel when it leaves the KW factory. Tanks with a capacity less than 200L will be completely filled. Polished aluminium fuel tanks apply to all orders from the January 2015 price book onwards. Non-polished aluminium fuel tanks will be provided for all trucks ordered in price levels earlier than the January 2015 price book.	0
80600010	S	Polished finish - Aluminium tanks only	0
81010630	0	630L rectangular notched fuel tank LHF (rpl) forward notched	64
81510630	0	630L rectangular notched fuel tank RHF (add) forward notched	152
82001225	0	225L rectangular oil tank LHR c/w breather & 1.25" BSP in/outlets. Aftermarket fittings and hoses for the oil tank may need up to 150mm of additional rail space.	257
84400051	0	225L square AdBlue tank RHR (stainless steel) for X15 (60L AdBlue supplied at factory)	17
88000025	S	Single fuel pickup & return with no fuel cooler	0
89500020	_	Hydraulic PTO retrofit to UNDERSIDE of trans. locate air tanks, airlines, fuel lines and electrical harnesses clear from underside of clutch housing to output yoke. (Not with Allison transmission), (subject to Kenworth Engineering approval)	0
89500056	0	Do not locate air tanks at EOF	0
89500600		LUPO - FRAME LAYOUT REQUIRED BEFORE BUI LD APPROVAL	0
<b>Paint</b> 91000003	0	Paint cab 2 colours, 1 break	0
91099000	U	UPO 206393 - PAINT ROC 2 COLOURS, 1 BRE AK (WITH SIDE EXTENDERS)	0
92200003	0	Paint integrated sleeper 2 colours, 1 break	0
92500002	0	Chassis painted 1 colour	0
97000000	0	PAINT COLOR NUMBER  N97020 COLOUR A 419KEA.BFK7 Whitsunday BI N97040 COLOUR B 419KEA.KMV2 Ice White N97700 SUNVISOR 419KEA.BFK7 Whitsunday BI N97350 CHASSIS 419KEA.CPL3 Bright Red	0
Miscellane		10	0

Unachlished outline moure moules actions and						
Unpublished options may require review/approval.						
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.						

Printed:5/12/2023 6:19:42 AMCompleteModel Number:T610SAREffective Date:Jan 1, 2023Quote/DTPO/CO:Q03303074Prepared by:DANIEL J O'HARAVersion Number:42.02

32437-7EB5-0546 Page 10 of 15



Total Weight 9254kg

**Prices and Specifications Subject to Change Without Notice.** 

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

 Printed:
 5/12/2023 6:19:42 AM
 Complete
 Model Number:
 T610SAR

 Effective Date:
 Jan 1, 2023
 Quote/DTPO/CO:
 Q03303074

 Prepared by:
 DANIEL J O'HARA
 Version Number:
 42.02

32437-7EB5-0546 Page 11 of 15



## HALLAM TRUCK CENTRE PTY LTD A039 217 PRINCES HIGHWAY

## FINNS BULK HAULAGE PTY LTD **3 RIDGE PLACE**

HALLAM. Victoria Australia 3803

0407904404 Phone: 97964499 Fax:

dohara@hallamtruck.com.au Email:

PAKENHAM. Victoria Australia 3810

0359413711 Phone: 0359401100 Fax:

Contact Email: jason@finnsbh.com.au **JASON . TIVANDALE** Prepared for:

### **GENERAL CONDITIONS**

- 1. THE Vendor shall not be responsible for failure or delay in making the Goods available for collection due to fires, floods, strikes, transportation difficulties, shortage of or inability to obtain necessary materials or labour, or any other causes beyond the Vendor's reasonable control. The existence of any such cause of delay shall extend the time for performance to such extent as may be necessary to enable the Vendor by the exercise of reasonable diligence to make Goods available for collection, provided however that if such delay shall exceed thirty (30) days from the preferred collection date, the Vendor may cancel this order and the Vendor shall then have no other or further liabilities to the Purchaser other than to return to the Purchaser any deposit paid by the Purchaser to the Vendor. The Purchaser otherwise acknowledges and agrees that risk in the Goods passes to the Purchaser upon the Purchaser's collection of the Goods from the Vendor.
- THE total net purchase price shown on this Order (subject to clauses 5 & 6 below and to subsequent changes by 2. agreement) shall be due and payable to the Vendor by the Purchaser at the time the Goods are collected from the Vendor or at such time as the Purchaser is notified that they are available for collection (whichever is the earlier date) subject to any contrary written arrangement signed or otherwise accepted by the Vendor and the Purchaser.
- FOR a material breach of any agreement by the Purchaser, the Vendor may at its option terminate this Contract and may sue the Purchaser for damages and may retain any deposit paid by the Purchaser, or the Vendor may otherwise enforce the terms of the agreement. The Purchaser agrees that:
  - the amount of any deposit retained by the Vendor under this clause 3 represents fair and genuine pre-estimation of the loss (or any part thereof) suffered by the Vendor as a result of the Purchaser's breach; and
  - the venue of any suit or action in respect of this agreement is Victoria (or as otherwise selected by the Vendor) b. and the Purchaser agrees to submit to the exclusive jurisdiction of the courts of that venue.
- The Purchaser acknowledges and agrees that: 4
  - Until the Purchaser pays all indebtedness to the Vendor and has performed all other obligations under this agreement:
    - title in the Goods remains with the Vendor; and
    - ii. if the Purchaser has taken possession of the Goods it shall hold those Goods as Bailee for the Vendor;
    - the Purchaser must not agree, attempt, offer or purport to sell, assign, sub-lease, lend, pledge, mortgage, let on hire, encumber or part with possession of the Goods without the Vendor's consent.
  - b. In addition to the rights and obligations outlined above, these terms and conditions create a Security Interest under (and as defined by) the Personal Property Securities Act 2009 (Cth) ("Act") in the Goods sold by the Vendor to the Purchaser and in the proceeds of sale of the goods sold for the purposes of the Act (both being "Secured Property" as defined by the Act).
  - The Vendor may (in its sole and absolute discretion) effect a registration on the Personal Property Securities C. Register under the Act in relation to the security interest arising under or in connection with these terms and conditions and the Purchaser agrees to provide all assistance required by the Vendor to facilitate this.
  - In relation to the part of the Secured Property that is inventory, the Purchaser will not allow any Security Interest d to arise in respect of that Secured Property unless the Vendor has perfected the Security Interest in the Secured Property prior to the Purchaser's possession of the Secured Property.

    If Chapter 4 of the Act applies to the enforcement of the Security Interest arising under or in connection with
  - e. these terms and conditions:
    - to the extent permitted by section 115(1) of the Act, the following provisions of the Act will not apply to the enforcement of that Security Interest: sections 95 (to the extent that it requires the Vendor to give a notice to the Purchaser) 96, 121(4), 125, 130, 132(3)(d), 32(4), 142 and 143; and

Unpublished options may require review/approval. Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

5/12/2023 6:19:42 AM Complete Model Number: T610SAR Printed: Effective Date: Jan 1, 2023 Quote/DTPO/CO: Q03303074 Prepared by: DANIEL J O'HARA Version Number: 42.02

32437-7EB5-0546 Page 12 of 15



### HALLAM TRUCK CENTRE PTY LTD A039 **217 PRINCES HIGHWAY**

## FINNS BULK HAULAGE PTY LTD **3 RIDGE PLACE**

HALLAM, Victoria Australia 3803

Phone: 0407904404 Fax: 97964499

Email: dohara@hallamtruck.com.au PAKENHAM, Victoria Australia 3810

Phone: 0359413711 Fax: 0359401100

Contact Email: jason@finnsbh.com.au Prepared for: JASON . TIVANDALE

- to the extent permitted by section 115(7) of the Act, the following provisions of the PPSA will not apply to ii. the enforcement of that Security Interest: sections 127, 129(2), 129(3), 132, 134(2), 135, 136(3), 136(4),
- If the Purchaser makes payments to the Vendor at any time whether in connection with these terms and f conditions or otherwise, the Vendor may in its absolute discretion apply that payment in any manner it sees fit.
- The Purchaser will immediately notify the Vendor of any changes to its name or address.
- The Purchaser will do anything that the Vendor requests the Purchaser to do (such as obtaining consents, signing and producing documents, producing receipts and getting documents completed and signed):

  - to provide more effective security over the Secured Property; to register in respect of a Security Interest constituted by these Terms at any time; ii.
  - to enable the Vendor to exercise its rights in connection with the Secured Property; and iii
  - to show the Vendor that the Purchaser has complied with these terms and conditions.
- i The Purchaser will pay on demand any losses arising from, and any costs and expenses incurred in connection with, any action taken by the Vendor under or in relation to the Act, including any registration, or any response to an amendment, demand or a request under section 275 of the Act.
- Any notices or documents which are required or permitted to be given to the Vendor for the purposes of the Act j. must be given in accordance with the Act.
- The Purchaser waives the right to receive any notice under the Act (including notice of a verification statement) unless the notice is required by the Act and cannot be excluded.
- ALL prices are subject to increase or decrease in the amount of any existing new or changed taxes imposed by 5. Federal or State and/or Municipal authorities upon the manufacture, transportation and/or sales of the commodities named. The Purchaser agrees to pay the amount of any such tax in addition to the price payable.
- 6. ALL quotations of prices are based on estimates of present cost of labour and material. To the extent that the Vendor is unable to secure firm prices from its suppliers the Vendor reserves the right to make price increases or decreases should cost change so as to necessitate price adjustment between date of this order and the time of manufacture. The Purchaser agrees that it is responsible for payment in full at the time of collection in respect of any cost increases including any cost increases required by the changes to specification whether or not originating from the Purchaser or the Vendor provided that the Purchaser has accepted the change.

  IF any material is furnished by the Purchaser for use in the manufacture of the Goods, the Purchaser indemnifies and
- 7. agrees to keep indemnified the Vendor from all costs, claims or damages whatsoever arising from any defect or failure of the material or Goods to operate properly as a result of the use of that material.
- 8 THE Vendor undertakes that it will warrant to the first user of the Goods under Kenworth or DAF's standard Warranty, however, to the maximum extent permitted by law, the Vendor and PACCAR Australia make no warranties whatsoever to the Purchaser in respect of the Goods, whether express or implied and in particular, the Vendor and PACCAR Australia makes no express warranty of acceptable quality or fitness for a particular purpose.
- IN regards to any claim for breach of consumer guarantees under the Australian Consumer Law, the Vendor and 9 PACCAR Australia limit their liability to replacement or repair of the Goods or payment of the cost of replacement or repair
- THE Vendor collects the information on this form in order to forward it to PACCAR Australia. PACCAR Australia will 10. then use the information for the purpose of manufacturing/providing a truck for the Purchaser's use. The Vendor may also forward the information on this form to a finance company for the purpose of offering the Purchaser assistance in arranging finance for their truck purchase. If the Purchaser does not want any personal information forwarded to a finance company, please tick the box - []. The Vendor, PACCAR Australia, and all finance companies with which the Vendor conducts business, comply with the provisions of the Privacy Act 1988.
- 11 The PACCAR Connect telematics service, when installed and active, records and sends data from the vehicle such as the vehicle's location, performance and driver behaviours to PACCAR Australia and, if applicable, the Purchaser through the PACCAR Connect website and mobile applications. This data is shared with PACCAR, its related bodies corporate and other third parties, including the PACCAR dealer network and service providers. The Purchaser must put certain measures in place before taking out a subscription to PACCAR Connect, including measures as directed by PACCAR Australia from time to time or as otherwise required by law with respect to the operation of the vehicle. Where the vehicle is driven by anyone other than the Purchaser, the Purchaser must notify the third party driver prior to them driving the vehicle and must take steps to ensure PACCAR Connect is not used to track any NSW employee driver if or when they are not driving for work purposes. The Purchaser and any drivers of the Purchaser's vehicle must agree to the PACCAR Connect Privacy Policy found on paccar.com.au and the PACCAR Connect Terms and Conditions found on paccarconnect.com.au. The Purchaser must also ensure that the PACCAR Connect sticker is and remains prominently visible and affixed to the cabin of the vehicle.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 5/12/2023 6:19:42 AM Complete Model Number: T610SAR Quote/DTPO/CO: Q03303074 Effective Date: Jan 1, 2023

32437-7EB5-0546 Page 13 of 15 Prepared by: DANIEL J O'HARA Version Number: 42.02



	M TRUCK CENTRE PTY LTD A039 NCES HIGHWAY	FINNS BULK HAULAGE PTY LTD 3 RIDGE PLACE		
HALLA Phone: Fax: Email:	M, Victoria Australia 3803 0407904404 97964499 dohara@hallamtruck.com.au	Phone: Fax:	ctoria Australia 3810 0359413711 0359401100 jason@finnsbh.com.au JASON . TIVANDALE	ı
	Typical accuracy of a weight estimate is There is no guarantee as to the accura			
	der is given and accepted subject to the S Conditions contained herein, and is not be cturer.			
Signed	by, or on behalf of, the Purchaser			
Signed	Signature of Purchaser or their Authorised F	Representative	Date:	
Name:	Print and specify designation/position (e.g. [	Director, Agent, Man	ager)	
Submit	ed by Dealer's Sales Representative:			
	Signature:		Date:	
Accepto	ed by or on Behalf of the Vendor:			
	Signature:		Date:	
	Unpublished options Dimensional and performance data for unpublishe	may require review/app d options may vary froi		TOR.
Printed: Effective [	5/12/2023 6:19:42 AM <b>C</b> o	omplete Model	Number: DTPO/CO:	T610SAR Q03303074

32437-7EB5-0546 Page 14 of 15

Prepared by: DANIEL J O'HARA Version Number: 42.02

32437-7EB5-0546 Page 15 of 15