

Chassis No: Kilometres: 150998 Date Inspected: 1/3/24
 Rego: 85106.5

[illegible]

Leading Hand / Mechanic: Dan Cao Date: 1/8/24

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 1504035 Date Inspected: 17/01/24

Rego: 85106-S TOTAL HR \$25296
A TRAILER FRIDGE MOTOR ENG. HR \$24611
 Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

								Tech Init.																																
1.	Grease and check condition of all grease points							<u>JB</u>																																
2.	Check operation and condition of all lights, reflectors and safety signals							<u>JB</u>																																
3.	Check condition of all brake components							<u>JB</u>																																
4.	Check and adjust brakes							<u>JB</u>																																
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th></th> <th>%</th> <th>R</th> <th></th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td><u>A</u></td> <td><u>70</u></td> <td>%</td> <td><u>A</u></td> <td><u>70</u></td> <td>%</td> </tr> <tr> <td></td> <td>Middle</td> <td><u>A</u></td> <td><u>70</u></td> <td>%</td> <td><u>A</u></td> <td><u>70</u></td> <td>%</td> </tr> <tr> <td></td> <td>Rear</td> <td><u>A</u></td> <td><u>60</u></td> <td>%</td> <td><u>A</u></td> <td><u>60</u></td> <td>%</td> </tr> </tbody> </table>									Brake % Report	Front	L		%	R		%			<u>A</u>	<u>70</u>	%	<u>A</u>	<u>70</u>	%		Middle	<u>A</u>	<u>70</u>	%	<u>A</u>	<u>70</u>	%		Rear	<u>A</u>	<u>60</u>	%	<u>A</u>	<u>60</u>	%
Brake % Report	Front	L		%	R		%																																	
		<u>A</u>	<u>70</u>	%	<u>A</u>	<u>70</u>	%																																	
	Middle	<u>A</u>	<u>70</u>	%	<u>A</u>	<u>70</u>	%																																	
	Rear	<u>A</u>	<u>60</u>	%	<u>A</u>	<u>60</u>	%																																	
5.	Check all air hoses & fittings							<u>JB</u>																																
6.	Drain all air tanks							<u>JB</u>																																
7.	Check turntable and King Pin for movement							<u>JB</u>																																
8.	Grease and check landing legs							<u>JB</u>																																
9.	Inspect all suspension components							<u>JB</u>																																
10.	Check chassis for cracks and fatigue							<u>JB</u>																																
11.	Check wheel bearings for movement							<u>JB</u>																																
12.	Check condition of tyres rims and hubs							<u>JB</u>																																
13.	Check and report on condition of safety signs							<u>JB</u>																																
Please list any faults found																																								
<u>EXCESSIVE WEAR ON JACK MOUNTINGS.</u>																																								
<u>FRIDGE MOTOR SERVICE OVER-DUE - SERVICE DONE</u>																																								
<u>ETV CIRCUIT FAULT KEEP SHOWING UP - BOOK TO ICS.</u>																																								
<u>AIR LEAK ON AIR CONNECTOR AND AIR LINE - DONE</u>																																								
<u>MISSING AMPER REPLACED - DONE</u>																																								

Leading Hand Mechanic: Joppy Date: 18-01-24

Chassis No:..... Kilometres: 1485396 Date Inspected: 13-11-23
Rego: 85106-S

Tick = OK A = Adjust R = Repair

[illegible]

~~Leading Hand~~ / Mechanic: Jeffrey Date: 27-11-23

JEFTOMSON TRAILER SERVICE

Chassis No:

Kilometres: NO METERDate Inspected: 31/1/23.Rego: 88905A - FLAT TOP.

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

							Tech Init.																								
1.	Grease and check condition of all grease points						DN																								
2.	Check operation and condition of all lights, reflectors and safety signals						DN																								
3.	Check condition of all brake components						DN																								
4.	Check and adjust brakes						DN																								
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th>%</th> <th>R</th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td>80</td> <td></td> <td>80</td> </tr> <tr> <td></td> <td>Middle</td> <td>L</td> <td>80</td> <td></td> <td>80</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td>80</td> <td></td> <td>80</td> </tr> </tbody> </table>							Brake % Report	Front	L	%	R	%				80		80		Middle	L	80		80		Rear	L	80		80	
Brake % Report	Front	L	%	R	%																										
			80		80																										
	Middle	L	80		80																										
	Rear	L	80		80																										
5.	Check all air hoses & fittings						DN																								
6.	Drain all air tanks						DN																								
7.	Check turntable and King Pin for movement						DN																								
8.	Grease and check landing legs						DN																								
9.	Inspect all suspension components						DN																								
10.	Check chassis for cracks and fatigue						DN																								
11.	Check wheel bearings for movement						DN																								
12.	Check condition of tyres rims and hubs						DN																								
13.	Check and report on condition of safety signs						DN																								
Please list any faults found																															
FAULTS SLIT COIL SPRING MISSING/BROKEN TRAILER VERY DIRTY																															

Leading Hand / Mechanic:


Date: 31/1/23

JEFTOMSON TRAILER SERVICEChassis No: Kilometres: 1402650 Date Inspected: 31/1/23Rego: 85106-S 23,556 ENG HOURS

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

							Tech Init.																																
1.	Grease and check condition of all grease points						DN																																
2.	Check operation and condition of all lights, reflectors and safety signals						DN																																
3.	Check condition of all brake components						DN																																
4.	Check and adjust brakes						DN																																
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th></th> <th>%</th> <th>R</th> <th></th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td>90</td> <td>%</td> <td></td> <td>90</td> <td>%</td> </tr> <tr> <td></td> <td>Middle</td> <td>L</td> <td>90</td> <td>%</td> <td></td> <td>90</td> <td>%</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td>90</td> <td>%</td> <td></td> <td>90</td> <td>%</td> </tr> </tbody> </table>							Brake % Report	Front	L		%	R		%				90	%		90	%		Middle	L	90	%		90	%		Rear	L	90	%		90	%	
Brake % Report	Front	L		%	R		%																																
			90	%		90	%																																
	Middle	L	90	%		90	%																																
	Rear	L	90	%		90	%																																
5.	Check all air hoses & fittings						DN																																
6.	Drain all air tanks						DN																																
7.	Check turntable and King Pin for movement						DN																																
8.	Grease and check landing legs						DN																																
9.	Inspect all suspension components						DN																																
10.	Check chassis for cracks and fatigue						DN																																
11.	Check wheel bearings for movement						DN																																
12.	Check condition of tyres rims and hubs						DN																																
13.	Check and report on condition of safety signs						DN																																
Please list any faults found																																							
→ REWELDED MIDDLE AXLE S-CAM TUBES.																																							
→ COMPRESSOR BELT HAS CRACKS IN IT.																																							
→ DIRTY INSIDE VAN																																							

Leading Hand / Mechanic: Date: 31/1/23

JEFTOMSON TRAILER SERVICE

Chassis No:

Kilometres

Date Inspected:

Rego:

85106 S 1370551 20-9-22
 Total Air # 23690
 FRIDGE MOTOR ENGINE AIR # 23035

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

								Tech Init.		
1.	Grease and check condition of all grease points							JB		
2.	Check operation and condition of all lights, reflectors and safety signals							JB		
3.	Check condition of all brake components							JB		
4.	Check and adjust brakes							JB		
Brake % Report		Front	L	A	80	%	R	A	80	%
		Middle	L	A	80	%	R	A	80	%
		Rear	L	A	80	%	R	A	80	%
5.	Check all air hoses & fittings							JB		
6.	Drain all air tanks							JB		
7.	Check turntable and King Pin for movement							JB		
8.	Grease and check landing legs							JB		
9.	Inspect all suspension components							JB		
10.	Check chassis for cracks and fatigue							JB		
11.	Check wheel bearings for movement							JB		
12.	Check condition of tyres rims and hubs							JB		
13.	Check and report on condition of safety signs							JB		
Please list any faults found										
1st RR Axle Brake Pedestal Leaking										
1st RR Sprocket between out										

Leading Hand / Mechanic:

Date:



GRAHAM THOMSON MOTORS



A - Trailer Service Sheet

RO:

521749

Chassis No:

82054

Kilometres:

Date:

4/05/2022

Customer:

JEFTOMSON

Fleet no:

Rego:

85106S

Mechanic to inspect, make adjustment, tighten, correct or add fluids on all operations listed

Consult applicable service information for adjustment specification

Tick = OK A = Adjust R = Repair

Chassis & General

Grease & check All grease points

Check All lights, reflectors & safety signage

Check All brake components

Check & adjust Brakes

Front	L	30	%	R	30	%
Middle	LF	30	%	RF	30	%
Rear	LR	20-30	%	RR	20-30	%

Check All air hoses & fittings

Drain All air tanks

Check Turntable and king pin for movement

Grease & check Landing legs

Inspect All suspension components

Check Chassis - cracks and fatigue

Check Wheel bearings for movement

Check Condition of tyre rims and hubs

Tech

✓ Init

Notes

✓ C	✓ B	All three front caps bags servicing
✓ C		left front side
✓ C		front right hub cap servicing
✓ C		middle left 5-cm tube
✓ C		inner mount 1/8
✓ C		
✓ C		Bit of the tube between the
✓ C		down
✓ C		
✓ C		
✓ C		
✓ C		Both front shocks loose, centre
✓ C		left shocker loose & rear shocker
✓ C		slightly loose
✓ C		front right inner tyre low side -

12.11 02 change

Job Comments

Technician:

Connor Johnstone

Signature:

JEPTOMSON TRAILER SERVICE

Chassis No. Kilometres: 130 8558 Date inspected: 11-03-22

Page 85104 - 5 Friday 70th Mar 22804

ORANGE 424 22158

Mechanic to inspect, make adjustments, tighten, on all operations listed

Consult applicable service information for adjustments and specifications.

Tick = OK A = Adjust R = Recalc

		Technician	
1.	Grease and check condition of all grease points	✓	JP
2.	Check operation and condition of all lights, reflectors and safety signals	✓	JB
3.	Check condition of all brake components	✓	JB
4.	Check and adjust brakes	✓	JB

Brake % Report		Front		A		65		% R		A		65		%	
	Middle		A		55		%		A		65		%		
	Rear		A		65		%		A		65		%		

5.	Check all air hoses & fittings	✓	JB
6.	Drain all air tanks	✓	JB
7.	Check turntable and King Pin for movement	✓	JB
8.	Grease and check landing legs	✓	JB
9.	Inspect all suspension components	✓	JP
10.	Check chassis for cracks and fatigue	✓	JB
11.	Check wheel bearings for movement	✓	JB
12.	Check condition of tyres rims and hubs	✓	JB
13.	Check and report on condition of safety signs	✓	JP

Grease lat. and fruits found

LA FRT AXLE HUB CAP LOOKING

RR R+ AXLE JVB LOGIC

LA MIDDLE MOO GUARD BROKEN

FRY RIA MURDOCK BROOK

Mechanics

10

U-03-22

Check insides of Van

Chassis No: Kilometres: 130485 Date Inspected: 10-1-22

On King H# 22/50

Tick = OK A = Adjust R = Repair

Please list any faults found

LT MIDDLE BRAKE SLACK ADJUSTER IS WORN OUT
LT MIDDLE S-CAM PIPE IS BROKEN

M/F COUPLING WORN OUT
F/F COUPLING WORN OUT

Leading Hand / Mechanic: Saffay Date: 10-01-22

NO WAY TO INSPECT/CHECK INSIDE OF TRAILER
FULL OF BOMBS

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 1,288,014 Date Inspected: 18-11-21Rego: 85106-S

T-21873

P2

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	Tech Init.
2.	Check operation and condition of all lights, reflectors and safety signals	CU
3.	Check condition of all brake components	CU
4.	Check and adjust brakes <u>realign at 1080,258</u>	CU

Brake % Report	Front	L	40 %	R	40 %
	Middle	L	40 %	R	40 %
	Rear	L	40 %	R	40 %

5.	Check all air hoses & fittings	CU
6.	Drain all air tanks	CU
7.	Check turntable and king pin for movement	CU
8.	Grease and check landing legs	CU
9.	Inspect all suspension components	CU
10.	Check chassis for cracks and fatigue	CU
11.	Check wheel bearings for movement	CU
12.	Check condition of tyres rims and hubs	CU
13.	Check and report on condition of safety signs	CU

Please list any faults found

roller track??
oil filter clear
abs air leaks??
pin stuck
derailage

Leading Hand / Mechanic: [Signature] Date: 22-11-21

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 1275485 Date inspected: 14-9-21Rego: 85106-S T-21736E-21736

Mechanic to inspect, make adjustments, tighten, on all operations listed.

Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

							Tech Init.																		
1.	Grease and check condition of all grease points						<u>OK</u>																		
2.	Check operation and condition of all lights, reflectors and safety signals						<u>OK</u>																		
3.	Check condition of all brake components						<u>OK</u>																		
4.	Check and adjust brakes						<u>OK</u>																		
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th>%</th> <th>R</th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L</td> <td><u>70</u></td> <td><u>70</u></td> <td>%</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td><u>70</u></td> <td><u>70</u></td> <td>%</td> </tr> </tbody> </table>							Brake % Report	Front	L	%	R	%		Middle	L	<u>70</u>	<u>70</u>	%		Rear	L	<u>70</u>	<u>70</u>	%	
Brake % Report	Front	L	%	R	%																				
	Middle	L	<u>70</u>	<u>70</u>	%																				
	Rear	L	<u>70</u>	<u>70</u>	%																				
5.	Check all air hoses & fittings						<u>OK</u>																		
6.	Drain all air tanks						<u>OK</u>																		
7.	Check turntable and King Pin for movement						<u>OK</u>																		
8.	Grease and check landing legs						<u>OK</u>																		
9.	Inspect all suspension components						<u>OK</u>																		
10.	Check chassis for cracks and fatigue						<u>OK</u>																		
11.	Check wheel bearings for movement						<u>OK</u>																		
12.	Check condition of tyres rims and hubs						<u>OK</u>																		
13.	Check and report on condition of safety signs						<u>OK</u>																		
Please list any faults found																									
<u>Front right hub seal weeps ✓</u>																									
<u>cross member welds cracked ✓</u>																									
<u>bottom side door seals on right side torn ✓</u>																									
<u>door poles bent - ✓</u>																									
<u>directed door latch on left side won't pull ✓</u>																									
<u>loading door rubber split ✓</u>																									


Leading Hand / Mechanic: [Signature]Date: 14/9/21

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: ~~un/meter~~ Date Inspected: 8-7-21Rego: 85106-S
EH
TH21349 12 61 P58

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

								Tech Init.																							
1.	Grease and check condition of all grease points							OK																							
2.	Check operation and condition of all lights, reflectors and safety signals							OK																							
3.	Check condition of all brake components							OK																							
4.	Check and adjust brakes							OK																							
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th></th> <th>%</th> <th>R</th> <th></th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L</td> <td></td> <td>70</td> <td>%</td> <td>R</td> <td>70 %</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td></td> <td>70</td> <td>%</td> <td>R</td> <td>70 %</td> </tr> </tbody> </table>								Brake % Report	Front	L		%	R		%		Middle	L		70	%	R	70 %		Rear	L		70	%	R	70 %
Brake % Report	Front	L		%	R		%																								
	Middle	L		70	%	R	70 %																								
	Rear	L		70	%	R	70 %																								
5.	Check all air hoses & fittings							OK																							
6.	Drain all air tanks							OK																							
7.	Check mountable and King Pin for movement							OK																							
8.	Grease and check landing legs							OK																							
9.	Inspect all suspension components							OK																							
10.	Check chassis for cracks and fatigue							OK																							
11.	Check wheel bearings for movement							OK																							
12.	Check condition of tyres rims and hubs							OK																							
13.	Check and report on condition of safety signs							OK																							
Please list any faults found																															
Rear light bar bent / cracked																															
chassis cracks																															
door seals / door poles																															
hook cracked																															
floor lifting																															
hammer broken																															

Leading Hand / Mechanic:  Date: 7-7-21

Chassis No: Kilometres: 1226532 Date Inspected: 10/05/21

Chassis No: Kilometres: 12206532 Date Inspected: 10/05/21
 Rego: 85106-S 70792 Hz 21698

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

Please list any faults found

Leading Hand / Mechanic: Date: 11/2/21

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 1214329 Date Inspected: 29-3-21Rego: 8S106-S

E-24943hrs

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

							Tech Init.																							
1.	Grease and check condition of all grease points						✓																							
2.	Check operation and condition of all lights, reflectors and safety signals						✓																							
3.	Check condition of all brake components						✓																							
4.	Check and adjust brakes						✓																							
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th></th> <th>%</th> <th>R</th> <th></th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L</td> <td></td> <td>85</td> <td>%</td> <td>R</td> <td>85</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td></td> <td>85</td> <td>%</td> <td>R</td> <td>85</td> </tr> </tbody> </table>							Brake % Report	Front	L		%	R		%		Middle	L		85	%	R	85		Rear	L		85	%	R	85
Brake % Report	Front	L		%	R		%																							
	Middle	L		85	%	R	85																							
	Rear	L		85	%	R	85																							
5.	Check all air hoses & fittings						✓																							
6.	Drain all air tanks						✓																							
7.	Check turntable and King Pin for movement						✓																							
8.	Grease and check landing legs						✓																							
9.	Inspect all suspension components						✓																							
10.	Check chassis for cracks and fatigue						✓																							
11.	Check wheel bearings for movement						✓																							
12.	Check condition of tyres rims and hubs						✓																							
13.	Check and report on condition of safety signs						✓																							
tyre pressure, check inboard, check fridge.							✓																							
Please list any faults found																														
rear right guard ✓																														
Swazi fittings ✓																														
missing rear left reflector (amber) ✓																														
front bottom right amber light out ✓																														
mid left 5 cant tube ✓																														
front right booster rod ✓																														
w bolt mid right axle ✓																														

Leading Hand / Mechanic:

Date:

30-3-21

Date of Issue: 29/11/18 (R41)

Chassis No.:

Kilometres: 1,175.207

Date Inspected:

Rego:

Total 121,143

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

Leading Hand / Mechanic:

~~Date:~~

Chassis No: Kilometres: 1190759. Date Inspected: 2/11/20

20 728

TOTAL HOURS

26089

ENGINE HOURS

Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

Leading Hand / Mechanic: [Signature] Date: 2/11/20



GRAHAM THOMSON MOTORS



Trailer Service Sheet

RO: 515865

Chassis No: 82054

Kilometres: 1122522

Date: 16/09/2020

Customer: JEFTOMSON

Fleet no: Rego: 851065

Mechanic to inspect, make adjustment, tighten, correct or add fluids on all operations listed

Consult applicable service information for adjustment specification

Tick = OK A = Adjust R = Repair

Chassis & General

Grease & check All grease points

Check All lights, reflectors & safety signage

Check All brake components

Check & adjust Brakes

Front	L	40	%	R	50	%
Middle	LF	50	%	RF	50	%
Rear	LR	50	%	RR	60	%

Check All air hoses & fittings

Drain All air tanks

Check Turntable and king pin for movement

Grease & check Landing legs

Inspect All suspension components

Check Chassis - cracks and fatigue

Check Wheel bearings for movement

Check Condition of tyre rims and hubs

Tech

✓ Init

Notes

✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	
✓ JS	

Job Comments

RHR shocker Loose

Technician:

Josh Stanton

Signature:

Josh Stanton

Chassis No: Kilometres: 1104000 Date Inspected: 27/07/20
 Rego: 85706: S TOTAL HOURS 20,228
 ENG HOURS 19,644

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

Please list any faults found

RH 3RD AXLE INNER WHEEL UP CLOSE WHEEL NUT
 LH 1ST AXLE OUTER WHEEL NEED TO REPLACE (BIG CUT ON WALL)
 RH 2ND AXLE HUB OIL LEAKING ON SEAL
 NEED NEW JOINT KIT (JAW) FOR TURN TABLE TOO LOOSE
 LH/RH 1ST AXLE SCAM BUSHINGS IS WORN

Leading Hand / Mechanic: SOPHIA Date: 22/03/20