

TRAILER SERVICE CHECKLIST



Customer Name Redland Date 28/6/24 Kilometres 436121 Rego 85108-S

☒ Inspect for leaks ☒ Grease

☒ Adjust & check brake systems & Measure brake shoes Service Frequency _____

LHS Brake Shoe Measurement	Front	Middle	Rear
	40%		
RHS Brake Shoe Measurement	Front	Middle	Rear
	40%		

☒ Check turntables for jaw adjustments & visually inspect for cracks

☒ Check King Pin & visually inspect, ensure no cracks or bent (measure every 12 months as per service sticker on front of trailer)

☒ Visually check to ensure landing legs are operating properly

☒ Check Tyres

LHS Front Outer	10	LHS Front Inner	10	RHS Front Outer	10	RHS Front Inner	10
LHS Middle Outer	10	LHS Middle Inner	10	RHS Middle Outer	10	RHS Middle Inner	10
LHS Rear Outer	10	LHS Rear Inner	10	RHS Rear Outer	10	RHS Rear Inner	10

☒ Inspect Muddguards & Muddflaps for holes, cracks or damage that may cause issues

☒ Please ensure all components are fully attached

☒ Inspect suspension: Shock absorbers, rubbers, mounting brackets and or bags for correct ride height &

leaks

☒ Inspect & Repair chassis or sub frames if cracked, distorted, sagging, loose, broken or affected by rust.

☒ Wheel nut tension mm ☒ Wheel bearings Checked

☒ Condition of hoses ☒ Replaced

☐ Check operation and condition of

☒ Lights, lenses & reflectors

☒ Hub caps

☒ Rear "DO NOT OVERTAKE TURNING VEHICLE" sign

☒ Check number plate in good condition

☒ Date of service recorded

Mechanic Name David

List any items found in need of attention

Crack in chassis at rear right

Deck plate cracked in front of turntable

JEFTOMSON TRAILER SERVICE

Chassis No: 423713 Date Inspected: 14-12-23

Rego: 8508-5

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓
2.	Check operation and condition of all lights, reflectors and safety signals	✓
3.	Check condition of all brake components	✓
4.	Check and adjust brakes	✓

Brake % Report					
Front	Middle	Rear	L	R	%
L	L	L	✓	✓	60
					60
					60

5.	Check all air hoses & fittings	✓
6.	Drain all air tanks	✓
7.	Check turntable and King Pin for movement	✓
8.	Grease and check landing legs	✓
9.	Inspect all suspension components	✓
10.	Check chassis for cracks and fatigue	✓
11.	Check wheel bearings for movement	✓
12.	Check condition of tyres rims and hubs	✓
13.	Check and report on condition of safety signs	✓

Please list any faults found
Broken 5th mission American Reflector - Faulty Reflector
Check of Chassis
Check of Air Lines - 1st Air Line / 1st Air Line - 1st Air Line
on 1st Air Line - 1st Air Line - 1st Air Line
1st Air Line - 1st Air Line - 1st Air Line

Leading Hand / Mechanic: [Signature] Date: 14-12-23

JEFTOMSON TRAILER SERVICE

Chassis No: 85708-S
 Kilometres: 415552
 Date Inspected: 1-9-23

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

Tech Init.																	
1. Grease and check condition of all grease points	☒																
2. Check operation and condition of all lights, reflectors and safety signals	☒																
3. Check condition of all brake components	☒																
4. Check and adjust brakes																	
<table border="1"> <tr> <td colspan="4">Brake % Report</td> </tr> <tr> <td>Front</td> <td>L</td> <td>%</td> <td>R</td> </tr> <tr> <td>Middle</td> <td>L</td> <td>%</td> <td>R</td> </tr> <tr> <td>Rear</td> <td>L</td> <td>%</td> <td>R</td> </tr> </table>		Brake % Report				Front	L	%	R	Middle	L	%	R	Rear	L	%	R
Brake % Report																	
Front	L	%	R														
Middle	L	%	R														
Rear	L	%	R														
5. Check all air hoses & fittings	☒																
6. Drain all air tanks	☒																
7. Check turntable and King Pin for movement	☒																
8. Grease and check landing legs	☒																
9. Inspect all suspension components	☒																
10. Check chassis for cracks and fatigue	☒																
11. Check wheel bearings for movement	☒																
12. Check condition of tyres rims and hubs	☒																
13. Check and report on condition of safety signs	☒																
Please list any faults found Didn't unhook to check turntable																	

Leading Hand / Mechanic: David Cox
 Date: 1-9-23

JEFTOMSON TRAILER SERVICE

31-7-23

9136570

Kilometres: Date Inspected:

Chassis No: 85106-5

Rego: Mechanic to inspect, make adjustments, tighten, on all operations listed. Consult applicable service information for adjustments and specification. Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓
2.	Check operation and condition of all lights, reflectors and safety signals	✓
3.	Check condition of all brake components	✓
4.	Check and adjust brakes	✓

Brake % Report			
Front	Middle	Rear	
L	L	L	
%	%	%	
R	R	R	
%	%	%	

5.	Check all air hoses & fittings	✓
6.	Drain all air tanks	✓
7.	Check turntable and King Pin for movement	✓
8.	Grease and check landing legs	✓
9.	Inspect all suspension components	✓
10.	Check chassis for cracks and fatigue	✓
11.	Check wheel bearings for movement	✓
12.	Check condition of tyres rims and hubs	✓
13.	Check and report on condition of safety signs	✓

Please list any faults found
 7 coils front axle is broken - Done
 Set of dampers need to replace - Done
 Pump - Air Valve is leaking - replace Done

Date: 01-8-23

Mechanic: *Jeffrey*

JEFFERSON TRAILER SERVICE

Chassis No. 85108-5
 Kilometres: 399839
 Date Inspected: 2-3-23

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓
2.	Check operation and condition of all lights, reflectors and safety signals	✓
3.	Check condition of all brake components	✓
4.	Check and adjust brakes	✓

Brake % Report					
Front	L	A	95	%	A
	L	A	95	%	A
Middle	L	A	95	%	A
	L	A	95	%	A
Rear	L	A	95	%	A
	L	A	95	%	A

5.	Check all air hoses & fittings	✓
6.	Drain all air tanks	✓
7.	Check turntable and King Pin for movement	✓
8.	Grease and check landing legs	✓
9.	Inspect all suspension components	✓
10.	Check chassis for cracks and fatigue	✓
11.	Check wheel bearings for movement	✓
12.	Check condition of tyres rims and hubs	✓
13.	Check and report on condition of safety signs	✓

Please list any faults found

Trailer Box is loose out

2-3-23
 Date: 2-3-23

Date of Issue: 29/11/15 (RAT)

JEFFERSON TRAILER SERVICE

9-12-22

392956

Date inspected:

Jefferson Transport

Chassis No.

85/05-5

Mechanic to inspect, make adjustments, tighten, on all operating parts. Consult applicable service information for adjustments and specifications. Tick = OK - A = Adjust R = Repair

Grease and check condition of all grease points

Check operation and condition of lights, reflectors and safety signals

Check and adjust brakes

Brake % Report			
Front	Middle	Rear	
85	85	85	%
85	85	85	%
85	85	85	%

1. Check all air hoses & fittings
2. Drain all air tanks
3. Check turntable and king pin for movement
4. Grease and check landing legs
5. Inspect all suspension components
6. Check chassis for cracks and damage
7. Check wheel bearings for movement
8. Check condition of tires (tires and tread)
9. Check and report on condition of safety signs

Please list all faults found

Swivel hitch is loose

See Note

Date: 12-12-22

Jefferson

Jeffomson Transport
Date of Issue: 29/11/18 (R41)

JEFTOMSON TRAILER SERVICE

380029

19-06-22

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓																				
2.	Check operation and condition of all lights, reflectors and safety signals	✓																				
3.	Check condition of all brake components	✓																				
4.	Check and adjust brakes	✓																				
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <th>Front</th> <th>Middle</th> <th>Rear</th> <th></th> </tr> <tr> <td>L A</td> <td>L A</td> <td>L A</td> <td></td> </tr> <tr> <td>R A</td> <td>R A</td> <td>R A</td> <td></td> </tr> <tr> <td>% 90</td> <td>% 90</td> <td>% 90</td> <td>% 90</td> </tr> </table>			Brake % Report				Front	Middle	Rear		L A	L A	L A		R A	R A	R A		% 90	% 90	% 90	% 90
Brake % Report																						
Front	Middle	Rear																				
L A	L A	L A																				
R A	R A	R A																				
% 90	% 90	% 90	% 90																			
5.	Check all air hoses & fittings	✓																				
6.	Drain all air tanks	✓																				
7.	Check turntable and King Pin for movement	✓																				
8.	Grease and check landing legs	✓																				
9.	Inspect all suspension components	✓																				
10.	Check chassis for cracks and fatigue	✓																				
11.	Check wheel bearings for movement	✓																				
12.	Check condition of tyres rims and hubs	✓																				
13.	Check and report on condition of safety signs	✓																				
Please list any faults found 4x Brake Light NOT working - Parts waiting																						

Leading Hand / Mechanic: Sofia
Date: 19/06/22

5107

9x 500000

—punoj syne, h'e isy aspa,:

Brake W Report		Front	Middle	Rear
1.	Grease and check condition of all grease points	1	2	3
2.	Check operation and condition of all lights, reflectors and safety signals			
3.	Check condition of all brake components			
4.	Check and adjust brakes			
5.	Check all air hoses & fittings			
6.	Drain all air tanks			
7.	Check cambrake and King Pin for movement			
8.	Grease and check landing legs			
9.	Inspect all suspension components			
10.	Check chassis for cracks and fatigue			
11.	Check wheel bearings for movement			
12.	Check condition of tyres rims and hubs			
13.	Check and report on condition of safety signs			

Brake W Report		Front	Middle	Rear
1.	Grease and check condition of all grease points	1	2	3
2.	Check operation and condition of all lights, reflectors and safety signals			
3.	Check condition of all brake components			
4.	Check and adjust brakes			
5.	Check all air hoses & fittings			
6.	Drain all air tanks			
7.	Check cambrake and King Pin for movement			
8.	Grease and check landing legs			
9.	Inspect all suspension components			
10.	Check chassis for cracks and fatigue			
11.	Check wheel bearings for movement			
12.	Check condition of tyres rims and hubs			
13.	Check and report on condition of safety signs			

Mechanic to inspect, make adjustments, tighten, on all operations as applicable service information for adjustments and specifications. Consult applicable service information for adjustments and specifications.

5-80158

CHASSIS NO.

36504

Date inspected: 01-03-22

LEFTHAND TRAILER SERVICE

File # 155-20718 (741)

JEFTOMSON TRAILER SERVICE

Chassis No: 3555/515 Kilometres: 17-12-21 Date Inspected: 17-12-21

Rego: 85108-S

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓																
2.	Check operation and condition of all lights, reflectors and safety signals	✓																
3.	Check condition of all brake components	✓																
4.	Check and adjust brakes	✓																
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <td>Front</td> <td>L</td> <td>95 %</td> <td>R</td> </tr> <tr> <td>Middle</td> <td>L</td> <td>95 %</td> <td>R</td> </tr> <tr> <td>Rear</td> <td>L</td> <td>95 %</td> <td>R</td> </tr> </table>			Brake % Report				Front	L	95 %	R	Middle	L	95 %	R	Rear	L	95 %	R
Brake % Report																		
Front	L	95 %	R															
Middle	L	95 %	R															
Rear	L	95 %	R															
5.	Check all air hoses & fittings	✓																
6.	Drain all air tanks	✓																
7.	Check turntable and King Pin for movement	✓																
8.	Grease and check landing legs	✓																
9.	Inspect all suspension components	✓																
10.	Check chassis for cracks and fatigue	✓																
11.	Check wheel bearings for movement	✓																
12.	Check condition of tyres rims and hubs	✓																
13.	Check and report on condition of safety signs	✓																
Please list any faults found																		
Front left booster																		
air bags x6																		
air bags mounts cracks																		

Leading Hand / Mechanic: *[Signature]* Date: 10-12-21

JEFTOMSON TRAILER SERVICE

Chassis No: 398802 Date inspected: 4-10-21

Rego: 85108-S

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓																				
2.	Check operation and condition of all lights, reflectors and safety signals	✓																				
3.	Check condition of all brake components	✓																				
4.	Check and adjust brakes	✓																				
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <th></th> <th>Front</th> <th>Middle</th> <th>Rear</th> </tr> <tr> <td>L</td> <td>50</td> <td>100</td> <td>50</td> </tr> <tr> <td>R</td> <td>50</td> <td>100</td> <td>50</td> </tr> <tr> <td>%</td> <td>50</td> <td>100</td> <td>50</td> </tr> </table>			Brake % Report					Front	Middle	Rear	L	50	100	50	R	50	100	50	%	50	100	50
Brake % Report																						
	Front	Middle	Rear																			
L	50	100	50																			
R	50	100	50																			
%	50	100	50																			
5.	Check all air hoses & fittings	✓																				
6.	Drain all air tanks	✓																				
7.	Check turntable and King Pin for movement	✓																				
8.	Grease and check landing legs	✓																				
9.	Inspect all suspension components	✓																				
10.	Check chassis for cracks and fatigue	✓																				
11.	Check wheel bearings for movement	✓																				
12.	Check condition of tyres rims and hubs	✓																				
13.	Check and report on condition of safety signs	✓																				
Please list any faults found																						

Leading Hand / Mechanic: 5-10-21

JEFTOMSON TRAILER SERVICE

Chassis No.: 85108-S
 Kilometres: 338527
 Date Inspected: 1-7-21

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓																													
2.	Check operation and condition of all lights, reflectors and safety signals	✓																													
3.	Check condition of all brake components	✓																													
4.	Check and adjust brakes	✓																													
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <td>Front</td> <td>L</td> <td>A</td> <td>55</td> </tr> <tr> <td></td> <td>L</td> <td>A</td> <td>50</td> </tr> <tr> <td></td> <td>R</td> <td>A</td> <td>55</td> </tr> <tr> <td>Middle</td> <td>L</td> <td>A</td> <td>55</td> </tr> <tr> <td></td> <td>L</td> <td>A</td> <td>55</td> </tr> <tr> <td></td> <td>R</td> <td>A</td> <td>60</td> </tr> </table>				Brake % Report				Front	L	A	55		L	A	50		R	A	55	Middle	L	A	55		L	A	55		R	A	60
Brake % Report																															
Front	L	A	55																												
	L	A	50																												
	R	A	55																												
Middle	L	A	55																												
	L	A	55																												
	R	A	60																												
5.	Check all air hoses & fittings	✓																													
6.	Drain all air tanks	✓																													
7.	Check turntable and King Pin for movement	✓																													
8.	Grease and check landing legs	✓																													
9.	Inspect all suspension components	✓																													
10.	Check chassis for cracks and fatigue	✓																													
11.	Check wheel bearings for movement	✓																													
12.	Check condition of tyres rims and hubs	✓																													
13.	Check and report on condition of safety signs	✓																													
Please list any faults found Trailer MATE Plus 15 axles out Brakes SHOE IS Low																															

Leading Hand / Mechanic: Joppy

Date: 1-7-21

JEFTOMSON TRAILER SERVICE

338529

Date Inspected: 29/05/21

Chassis No: 85108-5

Rego: 85108-5

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	VB	✓																				
2.	Check operation and condition of all lights, reflectors and safety signals	VB	✓																				
3.	Check condition of all brake components	VB	✓																				
4.	Check and adjust brakes	VB	✓																				
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <th></th> <th>Front</th> <th>Middle</th> <th>Rear</th> </tr> <tr> <td>L</td> <td>55</td> <td>50</td> <td>55</td> </tr> <tr> <td>R</td> <td>55</td> <td>55</td> <td>60</td> </tr> <tr> <td>%</td> <td></td> <td></td> <td></td> </tr> </table>				Brake % Report					Front	Middle	Rear	L	55	50	55	R	55	55	60	%			
Brake % Report																							
	Front	Middle	Rear																				
L	55	50	55																				
R	55	55	60																				
%																							
5.	Check all air hoses & fittings	VB	✓																				
6.	Drain all air tanks	VB	✓																				
7.	Check turntable and King Pin for movement	VB	✓																				
8.	Grease and check landing legs	VB	✓																				
9.	Inspect all suspension components	VB	✓																				
10.	Check chassis for cracks and fatigue	VB	✓																				
11.	Check wheel bearings for movement	VB	✓																				
12.	Check condition of tyres rims and hubs	VB	✓																				
13.	Check and report on condition of safety signs	VB	✓																				
Please list any faults found																							
LA middle booster linkage 24 feet booster linkage All service brake hose clamp linkage All brake pin is worn Pin is worn S21 coupling need to replace in wheel Wear on the not wear																							

Leading Hand / Mechanic: Jeffery

Date: 25/05/21

Date of issue: 29/11/18 (R41)

Jeffomson Transport

JEFTOMSON TRAILER SERVICE

Chassis No: 327524
Kilometres: 4-3-21
Date Inspected: 4-3-21
Rego: 95108-S

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	OK																												
2.	Check operation and condition of all lights, reflectors and safety signals	OK																												
3.	Check condition of all brake components	OK																												
4.	Check and adjust brakes	OK																												
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <td>Front</td> <td>L</td> <td>50</td> <td>%</td> </tr> <tr> <td></td> <td>R</td> <td>50</td> <td>%</td> </tr> <tr> <td>Middle</td> <td>L</td> <td>50</td> <td>%</td> </tr> <tr> <td></td> <td>R</td> <td>50</td> <td>%</td> </tr> <tr> <td>Rear</td> <td>L</td> <td>50</td> <td>%</td> </tr> <tr> <td></td> <td>R</td> <td>50</td> <td>%</td> </tr> </table>			Brake % Report				Front	L	50	%		R	50	%	Middle	L	50	%		R	50	%	Rear	L	50	%		R	50	%
Brake % Report																														
Front	L	50	%																											
	R	50	%																											
Middle	L	50	%																											
	R	50	%																											
Rear	L	50	%																											
	R	50	%																											
5.	Check all air hoses & fittings	OK																												
6.	Drain all air tanks	OK																												
7.	Check turntable and King Pin for movement	OK																												
8.	Grease and check landing legs	OK																												
9.	Inspect all suspension components	OK																												
10.	Check chassis for cracks and fatigue	OK																												
11.	Check wheel bearings for movement	OK																												
12.	Check condition of tyres rims and hubs	OK																												
13.	Check and report on condition of safety signs	OK																												
Please list any faults found REPAIRED L/H FRONT SHOCKER? HUB OIL LEAKS GOOD ADJUSTED TYRE PRESSURES																														

Leading Hand / Mechanic: [Signature]
Date: 4/3/21

JEFFOMSON TRAILER SERVICE

Chassis No: 85108-5
Kilometres: 315,400
Date Inspected: 21/12/20

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

Tech Init.										
1.	Grease and check condition of all grease points									
2.	Check operation and condition of all lights, reflectors and safety signals									
3.	Check condition of all brake components									
4.	Check and adjust brakes									
<table border="1"><tr><td colspan="2">Brake % Report</td></tr><tr><td>Front</td><td>L 50 % R 50 %</td></tr><tr><td>Middle</td><td>L 50 % R 50 %</td></tr><tr><td>Rear</td><td>L 50 % R 50 %</td></tr></table>			Brake % Report		Front	L 50 % R 50 %	Middle	L 50 % R 50 %	Rear	L 50 % R 50 %
Brake % Report										
Front	L 50 % R 50 %									
Middle	L 50 % R 50 %									
Rear	L 50 % R 50 %									
5.	Check all air hoses & fittings									
6.	Drain all air tanks									
7.	Check turntable and King Pin for movement									
8.	Grease and check landing legs									
9.	Inspect all suspension components									
10.	Check chassis for cracks and fatigue									
11.	Check wheel bearings for movement									
12.	Check condition of tyres rims and hubs									
13.	Check and report on condition of safety signs									
Please list any faults found										
HUB OIL LEVELS OK.										
ADJUSTED THE PRESSURES.										

Leading Hand / Mechanic: [Signature]
Date: 21/12/20

JEFTOMSON TRAILER SERVICE

Chassis No: 309,168
 Kilometres: 29/10/20
 Date Inspected: 29/10/20
 Rego: 85108-S

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	OK																								
2.	Check operation and condition of all lights, reflectors and safety signals	OK																								
3.	Check condition of all brake components	OK																								
4.	Check and adjust brakes	OK																								
<table border="1"> <tr> <td colspan="2">Brake % Report</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Front</td> <td>L</td> <td>60</td> <td>%</td> <td>R</td> <td>60</td> </tr> <tr> <td>Middle</td> <td>L</td> <td>60</td> <td>%</td> <td>R</td> <td>60</td> </tr> <tr> <td>Rear</td> <td>L</td> <td>60</td> <td>%</td> <td>R</td> <td>60</td> </tr> </table>			Brake % Report						Front	L	60	%	R	60	Middle	L	60	%	R	60	Rear	L	60	%	R	60
Brake % Report																										
Front	L	60	%	R	60																					
Middle	L	60	%	R	60																					
Rear	L	60	%	R	60																					
5.	Check all air hoses & fittings	OK																								
6.	Drain all air tanks	OK																								
7.	Check turntable and King Pin for movement	OK																								
8.	Grease and check landing legs	OK																								
9.	Inspect all suspension components	OK																								
10.	Check chassis for cracks and fatigue	OK																								
11.	Check wheel bearings for movement	OK																								
12.	Check condition of tyres rims and hubs	OK																								
13.	Check and report on condition of safety signs	OK																								
Please list any faults found REPAIRED L/H FRONT HUB 5MIL ALL HUBS OK LUBES GOOD ADJUSTED L/H MIDDLE GUARD ZIP TIE SALT LINES TO GUARD																										

Leading Hand / Mechanic:

Date:


29/10/20

JEFTOMSON TRAILER SERVICE

Chassis No: 301176KM
 Kilometres: 25/8/20
 Date Inspected: 25/8/20

Rego: 85108-S
 Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	OK																				
2.	Check operation and condition of all lights, reflectors and safety signals	OK																				
3.	Check condition of all brake components	OK																				
4.	Check and adjust brakes	OK																				
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <td>Front</td> <td>L</td> <td>50</td> <td>%</td> </tr> <tr> <td>Middle</td> <td>L</td> <td>50</td> <td>%</td> </tr> <tr> <td>Rear</td> <td>L</td> <td>50</td> <td>%</td> </tr> <tr> <td></td> <td>R</td> <td>50</td> <td>%</td> </tr> </table>			Brake % Report				Front	L	50	%	Middle	L	50	%	Rear	L	50	%		R	50	%
Brake % Report																						
Front	L	50	%																			
Middle	L	50	%																			
Rear	L	50	%																			
	R	50	%																			
5.	Check all air hoses & fittings	OK																				
6.	Drain all air tanks	OK																				
7.	Check turntable and King Pin for movement	OK																				
8.	Grease and check landing legs	OK																				
9.	Inspect all suspension components	OK																				
10.	Check chassis for cracks and fatigue	OK																				
11.	Check wheel bearings for movement	OK																				
12.	Check condition of tyres rims and hubs	OK																				
13.	Check and report on condition of safety signs	OK																				
Please list any faults found REPAIRED - TWO REFLECTOR HUB OIL LEVELS GOOD																						

Leading Hand / Mechanic: 

Date: 25/8/20

JEFTOMSON TRAILER SERVICE

Chassis No.: 294640 Kilometres: 306/20
Date Inspected: 30/6/20

Rego: 85108-S

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

Tech Init.	u								
1. Grease and check condition of all grease points	u								
2. Check operation and condition of all lights, reflectors and safety signals	u								
3. Check condition of all brake components	u								
4. Check and adjust brakes	u								
<table border="1"><tr><td colspan="2">Brake % Report</td></tr><tr><td>Front</td><td>L 40 % R 50 %</td></tr><tr><td>Middle</td><td>L 50 % R 50 %</td></tr><tr><td>Rear</td><td>L 40 % R 40 %</td></tr></table>		Brake % Report		Front	L 40 % R 50 %	Middle	L 50 % R 50 %	Rear	L 40 % R 40 %
Brake % Report									
Front	L 40 % R 50 %								
Middle	L 50 % R 50 %								
Rear	L 40 % R 40 %								

5. Check all air hoses & fittings	u
6. Drain all air tanks	u
7. Check turntable and King Pin for movement	u
8. Grease and check landing legs	u
9. Inspect all suspension components	u
10. Check chassis for cracks and fatigue	u
11. Check wheel bearings for movement	u
12. Check condition of tyres rims and hubs	u
13. Check and report on condition of safety signs	u
Please list any faults found	
Right Brake Drive Light - Replaced	
Rear Shocks fitting replaced	

Leading Hand / Mechanic: [Signature]
Date: 30/6/20