

TRAILER SERVICE CHECKLIST



Customer Name Red land

Date 21/6/24 Kilometres 207802 Rego 92401-S

☒ Inspect for leaks

☒ Grease

☒ Adjust & check brake systems & Measure brake shoes

Service Frequency _____

LHS Brake Shoe Measurement	RHS Brake Shoe Measurement
Front	Front
Middle <u>15%</u>	Middle <u>15%</u>
Rear	Rear

☒ Check turntables for jaw adjustments & visually inspect for cracks

☒ Check King Pin & visually inspect, ensure no cracks or bent (measure every 12 months as per service sticker on front of trailer)

☒ Visually check to ensure landing legs are operating properly

☒ Check Tyres

LHS Front Outer <u>10</u> mm	LHS Front Inner <u>10</u> mm	RHS Front Outer <u>10</u> mm	RHS Front Inner <u>10</u> mm
LHS Middle Outer <u>7</u> mm	LHS Middle Inner <u>7</u> mm	RHS Middle Outer <u>8</u> mm	RHS Middle Inner <u>8</u> mm
LHS Rear Outer <u>10</u> mm	LHS Rear Inner <u>10</u> mm	RHS Rear Outer <u>10</u> mm	RHS Rear Inner <u>10</u> mm

☒ Inspect Mudguards & Mudflaps for holes, cracks or damage that may cause issues

☒ Please ensure all components are fully attached

☒ Inspect suspension: Shock absorbers, rubbers, mounting brackets and or bags for correct ride height & leaks

☒ Inspect & Repair chassis or sub frames if cracked, distorted, sagging, loose, broken or affected by rust.

☐ Wheel nut tension _____ nm ☒ Wheel bearings _____ nm

☒ Condition of hoses ☒ Checked ☒ Replaced

☒ Check operation and condition of

☒ Lights, lenses & reflectors

☒ Weight gauges

☒ Hub caps

☒ Nut covers

☒ Rego Label

☒ Rear "DO NOT OVERTAKE TURNING VEHICLE" sign

☒ Rear Long Vehicle sign

☒ Check number plate in good condition

☒ Date of service recorded

Mechanic Name David

List any items found in need of attention

Right Number Plate light not working.

Left light bag bent, left middle mudguard needs replacing.

Leading Hand / Mechanic: Date: 19.5.24

Chassis No:..... Kilometres: 203 255 7 Date Inspected: 5-12-23

Rego: 92401-S

TOTAL HL # 28967

FRIGER MOTOR EVAPORATOR # 25896
Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.

[illegible]

Leading Hand / Mechanic: [Signature] Date: 5-12-23

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 2002598 Date Inspected: 17-8-23

Rego: 92401-S TOTAL HZ # 28640

F2106G MOTOR ENGINE #2 25570
 Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

										Tech Init.																									
1.	Grease and check condition of all grease points									✓	VB																								
2.	Check operation and condition of all lights, reflectors and safety signals									✓	VB																								
3.	Check condition of all brake components									✓	VB																								
4.	Check and adjust brakes									✓	VB																								
<table border="1" style="width: 100%;"> <thead> <tr> <th colspan="2">Brake % Report</th> <th>Front</th> <th></th> <th>%</th> <th>R</th> <th></th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>✓</td> <td>60</td> <td>%</td> <td>✓</td> <td>60</td> <td>%</td> </tr> <tr> <td></td> <td>Rear</td> <td>✓</td> <td></td> <td>%</td> <td>✓</td> <td></td> <td>%</td> </tr> </tbody> </table>												Brake % Report		Front		%	R		%		Middle	✓	60	%	✓	60	%		Rear	✓		%	✓		%
Brake % Report		Front		%	R		%																												
	Middle	✓	60	%	✓	60	%																												
	Rear	✓		%	✓		%																												
5.	Check all air hoses & fittings									✓	VB																								
6.	Drain all air tanks									✓	VB																								
7.	Check turntable and King Pin for movement									✓	VB																								
8.	Grease and check landing legs									✓	VB																								
9.	Inspect all suspension components									✓	VB																								
10.	Check chassis for cracks and fatigue									✓	VB																								
11.	Check wheel bearings for movement									✓	VB																								
12.	Check condition of tyres rims and hubs									✓	VB																								
13.	Check and report on condition of safety signs									✓	VB																								
Please list any faults found MIDDLE LH SHOCK ABSORBER IS BROKEN - DONE - 3-2-08																																			

~~Leading Hand~~ / Mechanic: JOHN Date: 17-8-23

Date of issue 19/11/13 (R41)

JEFTOMSON TRAILER SERVICE

Kilometres

Date Inspected

92401-5

1995/55 TOTAL M2 #28561

19-7-23

FRIDGE MOTOR M2 #25491

Mechanics to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

Tech Init.

Grease and check condition of all grease points

Check operation and condition of all lights, reflectors and safety signals

Check condition of all brake components

Check and adjust brakes

Brake W. Repair

Front

L

65

%

R

70

%

Middle

L

60

%

R

60

%

Rear

L

65

%

R

65

%

Check all air hoses & fittings

Drain all air tanks

Check turntable and King Pin for movement

Grease and check landing legs

Inspect all suspension components

Check chassis for cracks and fatigue

Check wheel bearings for movement

Check condition of tyres rims and hubs

Check and report on condition of safety signs

Please list any faults found

TURN TABLE HYDRAULIC IS WORN OUT

Working Hours

Signature

Date

19-7-23

Date of issue: 29/11/18 (R41)

JEFFERSON TRAILER SERVICE

Stomach contents

Date inspected:

Page:

92401-S

TOTAL HR # 27448

PRIORE MOTOR ENGINE HRA 24386

PRIDE MOTOR ENGINE TRA 27286
Mechanic to inspect, make adjustments, tighten, on all operations stated.
Consult applicable service information for adjustments and specification.

— Tick = OK — A = Adjust R = Repair

		Technic.
1	Grease and check condition of all grease points	✓ VB
2	Check operation and condition of all lights , reflectors and safety signals	✓ VB
3	Check condition of all brake components	✓ VB
4	Check and adjust brakes	✓ VB

Brake % Report							
	Front	Middle	Rear	%			
	70	70	70	%	A	70	%
	70	70	70	%	A	70	%
	70	70	70	%	A	70	%

- | | | | |
|-----|---|-------------------------------------|-----|
| 5. | Check all air hoses & fittings | ☒ | L B |
| 6. | Drain all air tanks | ☒ | B |
| 7. | Check turntable and King Pin for movement | ☒ | L B |
| 8. | Grease and check landing legs | ☒ | B |
| 9. | Inspect all suspension components | ☒ | B |
| 10. | Check chassis for cracks and fatigue | ☒ | P |
| 11. | Check wheel bearings for movement | ☒ | L B |
| 12. | Check condition of tyres rims and fells | ☒ | B |
| 13. | Check and report on condition of safety signs | | |

Please list all "Gains Found"

Suzi Coupland Reproco

Japan

Date _____

21-12-22

From the Motor Club
125155 Trailer Club

JEFTOMSON TRAILER SERVICE

Chassis No: 92401-S Kilometres: 1903103 Date Inspected: 12-10-22

Rego: 92401-S TOTAL HZ # 27231

FRIDGE MOTOR ENGINE HZ # 24169
Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK - A = Adjust R = Repair

								Tech Init.																														
1.	Grease and check condition of all grease points							✓ JB																														
2.	Check operation and condition of all lights, reflectors and safety signals							✓ JB																														
3.	Check condition of all brake components							✓ JB																														
4.	Check and adjust brakes							✓ JB																														
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th>A</th> <th>70</th> <th>%</th> <th>R</th> <th>A</th> <th>70</th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L</td> <td>A <td>70</td> <td>%</td> <td>R</td> <td>A <td>70</td> <td>%</td> </td></td></tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td>A <td>70</td> <td>%</td> <td>R</td> <td>A <td>70</td> <td>%</td> </td></td></tr> </tbody> </table>									Brake % Report	Front	L	A	70	%	R	A	70	%		Middle	L	A <td>70</td> <td>%</td> <td>R</td> <td>A <td>70</td> <td>%</td> </td>	70	%	R	A <td>70</td> <td>%</td>	70	%		Rear	L	A <td>70</td> <td>%</td> <td>R</td> <td>A <td>70</td> <td>%</td> </td>	70	%	R	A <td>70</td> <td>%</td>	70	%
Brake % Report	Front	L	A	70	%	R	A	70	%																													
	Middle	L	A <td>70</td> <td>%</td> <td>R</td> <td>A <td>70</td> <td>%</td> </td>	70	%	R	A <td>70</td> <td>%</td>	70	%																													
	Rear	L	A <td>70</td> <td>%</td> <td>R</td> <td>A <td>70</td> <td>%</td> </td>	70	%	R	A <td>70</td> <td>%</td>	70	%																													
5.	Check all air hoses & fittings							✓ JB																														
6.	Drain all air tanks							✓ JB																														
7.	Check turntable and King Pin for movement							✓ JB																														
8.	Grease and check landing legs							✓ JB																														
9.	Inspect all suspension components							✓ JB																														
10.	Check chassis for cracks and fatigue							✓ JB																														
11.	Check wheel bearings for movement							✓ JB																														
12.	Check condition of tyres rims and hubs							✓ JB																														
13.	Check and report on condition of safety signs							✓ JB																														

Please list any faults found

BROKEN TAIL LIGHT BRACKET
BROKEN TAIL BAR BRACKET

BEST SQUARING NOISE - 98-150.7
ALTERNATOR POT CHARGING PROPERLY - 91.90 067 019

Leading Hand / Mechanic: JOFFAY Date: 12-10-22

CHECK INSIDE OF TRAILER
CHECK FRIDGE MOTOR

Trailer Service Sheet

Chassis No: 82053 Customer: Jef Tomson Date: 9/06/2022

Kilometres: _____ Fleet no: _____ Rego: 924619

Mechanic to inspect, make adjustment, tighten, correct or add fluids on all operations listed

Consult applicable service information for adjustment specification

Trick = OK A = Adjust R = Repair

1848315 km
26572 hr
23512 EH

Chassis & General

Grease & check	All grease points
Check	All lights, reflectors & safety signage
Check	All brake components
Check & adjust	Brakes

	Front	L	%	R	%
	Middle	LF	%	RF	%
	Rear	LR	%	RR	%

Check	All air hoses & fittings
Drain	All air tanks

Drain

Turntable and king pin for movement

Grease & check Landing legs

inspect All suspension components

Chassis - cracks and fatigue
Check

Check Wheel bearings for movement

Check Condition of tyre rims and hubs

Tech
Unit[illegible]

Job Comments

Two rock lights out on back of body at the top
 Turn table needs adjusting
 Turn table foot breaks w/s

Technician:

Signature:

Trailer Service Sheet

RO: 521533

Chassis No: 80378

Kilometres: 0

Date: 13/04/2022

Customer: **JEFTOMSONS TRANSPORT**

Fleet no: _____ Rego: **92401S**

Mechanic to inspect, make adjustment, tighten, correct or add fluids on all operations listed

Consult applicable service information for adjustment specification

Tick = OK A = Adjust R = Repair

Chassis & General

Grease & check All grease points

Check All lights, reflectors & safety signage

Check All brake components

Check & adjust Brakes

Front	L	%	R	%
Middle	LF	%	RF	%
Rear	LR	%	RR	%

Check **All air hoses & fittings**

Drain _____ **All air tanks**

Check Turntable and king pin for movement

Grease & check Landing legs

Inspect All suspension components

Check Chassis - cracks and fatigue

Check Wheel bearings for movement

Check	Condition of tyre rims and hubs
-------	---------------------------------

Tech

- ✓ Init

Notes

✓ m	
A m	Mather Plate's w/s.
✓ m	LHS light pole snapped
✓ la	
✓ m	
✓ m	
✓ m	
✓ m	
✓ m	
✓ m	
✓ m	
✓ m	
✓ m	
✓ m	
A M	cracks on Front Axle - @ coach end
✓ m	tumble in meadow
✓ m	

Job Comments

Technician:

Signature:

LEFTOMSON TRAILER SERVICE

Chassis No. Kilometres: 1813243 Date inspected: 18-2-22
 Rego: 92401-S T 10030 E 22980

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points				Technician
2.	Check operation and condition of all lights, reflectors and safety signals				OK
3.	Check condition of all brake components				OK
4.	Check and adjust brakes				OK
Brake % Report		Front	L	90% R	90%
		Middle	L	91% R	90%
		Rear	L	90% R	90%
5.	Check all air hoses & fittings				OK
6.	Drain all air tanks				OK
7.	Check turntable and King Pin for movement				OK
8.	Grease and check landing legs				OK
9.	Inspect all suspension components				OK
10.	Check chassis for cracks and fatigue				OK
11.	Check wheel bearings for movement				OK
12.	Check condition of tyres rims and hubs				OK
13.	Check and report on condition of safety signs				OK

Please list any faults found

box latch
 door hardware
 rear bar

Leading Hand / Mechanic: See

Date: 24/2/22

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 1,789,276 Date Inspected: 8-12-21
 Rego: 92401-S 22,727 ne

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points					Tech Init.															
2.	Check operation and condition of all lights, reflectors and safety signals					CL															
3.	Check condition of all brake components					CL															
4.	Check and adjust brakes <u>Adjust after redinment</u>					CL															
<table border="1"> <tr> <td rowspan="3">Brake % Report</td> <td>Front</td> <td>L</td> <td><u>low</u> %</td> <td>R</td> <td><u>low</u> %</td> </tr> <tr> <td>Middle</td> <td>L</td> <td><u>60</u> %</td> <td>R</td> <td><u>60</u> %</td> </tr> <tr> <td>Rear</td> <td>L</td> <td><u>low</u> %</td> <td>R</td> <td><u>low</u> %</td> </tr> </table>						Brake % Report	Front	L	<u>low</u> %	R	<u>low</u> %	Middle	L	<u>60</u> %	R	<u>60</u> %	Rear	L	<u>low</u> %	R	<u>low</u> %
Brake % Report	Front	L	<u>low</u> %	R	<u>low</u> %																
	Middle	L	<u>60</u> %	R	<u>60</u> %																
	Rear	L	<u>low</u> %	R	<u>low</u> %																
5.	Check all air hoses & fittings					CL															
6.	Drain all air tanks					CL															
7.	Check turntable and King Pin for movement					CL															
8.	Grease and check landing legs					CL															
9.	Inspect all suspension components					CL															
10.	Check chassis for cracks and fatigue					CL															
11.	Check wheel bearings for movement					CL															
12.	Check condition of tyres rims and hubs					CL															
13.	Check and report on condition of safety signs					CL															
Please list any faults found																					
<u>doors, door poles, door, outer seals</u>																					
<u>left hand light bar</u>																					
<u>cracks in welds turntable</u>																					
<u>light broken</u>																					
<u>door base hinges</u>																					
<u>brake redinment</u>																					
<u>Van Ram back cracking</u>																					
<u>chassis cracks</u>																					

Leading Hand / Mechanic: [Signature] Date: 10-12-21

Chassis No: Kilometres: 177/00 Date Inspected: 20-10-21
 Rego: 92401-S

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

~~Leading Hand~~ / Mechanic: Sofey Date: 20-10-21

FRINGE MOTOR CHECK
TRAILER VAN CHECK

Chassis No: Kilometres: 174 7036 Date Inspected: 23/12/2011

Rego: 12/01/2013

Kilometres:

Date Inspected: 11/11/2014

BURNING AIR = 22364

Topol hr = 25413

Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

Please list any faults found

Please list any faults found

NOO TO REPAIRS / KEROSENE - DONE
FRIDGE MOTOR DRIPPING FUEL

~~Leading Hand / Mechanic:~~

Date:

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 1,751,287 Date Inspected: 16-6-21
 Rego: 92401-S 25254 TH
22221 EH

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

		Tech Init.																									
1.	Grease and check condition of all grease points	CL																									
2.	Check operation and condition of all lights, reflectors and safety signals	CL																									
3.	Check condition of all brake components	CL																									
4.	Check and adjust brakes	CL																									
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th></th> <th>%</th> <th>R</th> <th></th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L</td> <td></td> <td>65</td> <td>%</td> <td>R</td> <td>65</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td></td> <td>65</td> <td>%</td> <td>R</td> <td>65</td> </tr> </tbody> </table>				Brake % Report	Front	L		%	R		%		Middle	L		65	%	R	65		Rear	L		65	%	R	65
Brake % Report	Front	L		%	R		%																				
	Middle	L		65	%	R	65																				
	Rear	L		65	%	R	65																				
5.	Check all air hoses & fittings	CL																									
6.	Drain all air tanks	CL																									
7.	Check turntable and King Pin for movement	CL																									
8.	Grease and check landing legs	CL																									
9.	Inspect all suspension components	CL																									
10.	Check chassis for cracks and fatigue	CL																									
11.	Check wheel bearings for movement	CL																									
12.	Check condition of tyres rims and hubs	CL																									
13.	Check and report on condition of safety signs	CL																									
Please list any faults found																											
new suavis front/rear topped up engine oil ✓ door seal ✓ door latches																											

Leading Hand / Mechanic: [Signature] Date: 16-6-21

Chassis No: Kilometres: 1734,144Km Date Inspected: 15/4/21

25085 TOTAL HOURS
22052 ENGINE HOURS

Tick = OK A = Adjust R = Repair

Please list any faults found
ADJUSTED TYRE PRESSURES
GREASED/LUBED LOCKING PIN.

FAULTS

DOOR HARDWARE WORN

Date: 15/4/21

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 1697127 Date Inspected: 29-1-21
 Rego: 92401-S 24606 21632

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

								Tech Init.																					
1.	Grease and check condition of all grease points							OK																					
2.	Check operation and condition of all lights, reflectors and safety signals							OK																					
3.	Check condition of all brake components							OK																					
4.	Check and adjust brakes							OK																					
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th>R</th> <th>%</th> <th>R</th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L</td> <td>85</td> <td>%</td> <td>R</td> <td>85</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td>85</td> <td>%</td> <td>R</td> <td>85</td> </tr> </tbody> </table>									Brake % Report	Front	L	R	%	R	%		Middle	L	85	%	R	85		Rear	L	85	%	R	85
Brake % Report	Front	L	R	%	R	%																							
	Middle	L	85	%	R	85																							
	Rear	L	85	%	R	85																							
5.	Check all air hoses & fittings							OK																					
6.	Drain all air tanks							OK																					
7.	Check turntable and King Pin for movement							OK																					
8.	Grease and check landing legs							OK																					
9.	Inspect all suspension components							OK																					
10.	Check chassis for cracks and fatigue							OK																					
11.	Check wheel bearings for movement							OK																					
12.	Check condition of tyres rims and hubs							OK																					
13.	Check and report on condition of safety signs							OK																					
Please list any faults found																													
rear left guard replaced replaced 2 bottom front left & right pump - 11800-2 5 cam tubes loose shim kits Tor-2108-AV x23 cracked cross member x3 leaking middle right brake line / fitting cracked 5 cam weld																													

Leading Hand / Mechanic: [Signature] Date: 29/1/20

Chassis No:

Kilometres:

Date Inspected:

Rego:

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

							Tech Init.																												
1.	Grease and check condition of all grease points						ch																												
2.	Check operation and condition of all lights, reflectors and safety signals						ch																												
3.	Check condition of all brake components						ch																												
4.	Check and adjust brakes						ch																												
<table border="1"> <thead> <tr> <th rowspan="4">Brake % Report</th> <th>Front</th> <th>L</th> <th>85</th> <th>%</th> <th>R</th> <th>85</th> <th>%</th> </tr> </thead> <tbody> <tr> <td>Middle</td> <td>L</td> <td>85</td> <td>%</td> <td>R</td> <td>85</td> <td>%</td> </tr> <tr> <td>Rear</td> <td>L</td> <td>80</td> <td>%</td> <td>R</td> <td>80</td> <td>%</td> </tr> <tr> <td colspan="6"></td> </tr> </tbody> </table>								Brake % Report	Front	L	85	%	R	85	%	Middle	L	85	%	R	85	%	Rear	L	80	%	R	80	%						
Brake % Report	Front	L	85	%	R	85	%																												
	Middle	L	85	%	R	85	%																												
	Rear	L	80	%	R	80	%																												
5.	Check all air hoses & fittings						ch																												
6.	Drain all air tanks						ch																												
7.	Check turntable and King Pin for movement						ch																												
8.	Grease and check landing legs						ch																												
9.	Inspect all suspension components						ch																												
10.	Check chassis for cracks and fatigue						ch																												
11.	Check wheel bearings for movement						ch																												
12.	Check condition of tyres rims and hubs						ch																												
13.	Check and report on condition of safety signs						ch																												
Please list any faults found																																			
cracked cross member x2																																			
loose bolts on box replaced bolts																																			

Leading Hand / Mechanic:


Date:

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 1,645,944 Date Inspected: 26/10/20Rego: 92401-S 23,966 TOTAL HOURS
20,988 ENGINE HOURSMechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

							Tech Init.																								
1.	Grease and check condition of all grease points						DN																								
2.	Check operation and condition of all lights, reflectors and safety signals						CS																								
3.	Check condition of all brake components						DN																								
4.	Check and adjust brakes						DN																								
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th></th> <th>%</th> <th>R</th> <th></th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L</td> <td></td> <td>70</td> <td>%</td> <td>R</td> <td>70</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td></td> <td>70</td> <td>%</td> <td>R</td> <td>70</td> </tr> </tbody> </table>							Brake % Report	Front	L		%	R		%		Middle	L		70	%	R	70		Rear	L		70	%	R	70	
Brake % Report	Front	L		%	R		%																								
	Middle	L		70	%	R	70																								
	Rear	L		70	%	R	70																								
5.	Check all air hoses & fittings						DN																								
6.	Drain all air tanks						DN																								
7.	Check turntable and King Pin for movement						DN																								
8.	Grease and check landing legs						DN																								
9.	Inspect all suspension components						DN																								
10.	Check chassis for cracks and fatigue						DN																								
11.	Check wheel bearings for movement						DN																								
12.	Check condition of tyres rims and hubs						DN																								
13.	Check and report on condition of safety signs						DN																								
Please list any faults found																															
- TIGHTENED LOOSE MUDGUARD BRACKET.																															
- HUB OIL LEVELS GOOD.																															
- LUBED LOCKING PIN.																															
- REPAIRED FRONT R/H SPREADER BAR RAILING.																															
FAULTS																															
- FRONT CROSSMEMBER SMALL CRACK.																															
- REQUIRES DOOR HARDWARE/SEALS.																															

Leading Hand / Mechanic: Date: 26/10/20

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 1624809km Date Inspected: 7/8/20
 Rego: 92401-S 20,624 EN4 HOURS
23,595 TOTAL HOURS

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	Tech Init.																													
2.	Check operation and condition of all lights, reflectors and safety signals	DN																													
3.	Check condition of all brake components	DN																													
4.	Check and adjust brakes	DN																													
<table border="1"> <tr> <td rowspan="4">Brake % Report</td> <td>Front</td> <td>L</td> <td>76</td> <td>%</td> <td>R</td> <td>70</td> <td>%</td> </tr> <tr> <td>Middle</td> <td>L</td> <td>70</td> <td>%</td> <td>R</td> <td>70</td> <td>%</td> </tr> <tr> <td>Rear</td> <td>L</td> <td>70</td> <td>%</td> <td>R</td> <td>70</td> <td>%</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>			Brake % Report	Front	L	76	%	R	70	%	Middle	L	70	%	R	70	%	Rear	L	70	%	R	70	%							
Brake % Report	Front	L		76	%	R	70	%																							
	Middle	L		70	%	R	70	%																							
	Rear	L		70	%	R	70	%																							
5.	Check all air hoses & fittings																														
6.	Drain all air tanks																														
7.	Check turntable and King Pin for movement	DN																													
8.	Grease and check landing legs	DN																													
9.	Inspect all suspension components	DN																													
10.	Check chassis for cracks and fatigue	DN																													
11.	Check wheel bearings for movement	DN																													
12.	Check condition of tyres rims and hubs	DN																													
13.	Check and report on condition of safety signs	DN																													

Please list any faults found

- * HUB OIL LEVELS OK
- * TOPPED UP COOLANT 600ml
- * LUBED LOCKING PIN
- * REMOVED ROLL BACK ~~12V~~ 12V CHARGING UNIT AND REPLACED WITH 12V 40AMP CIRCUIT BREAKER
- * TURNABLE FOOT PUSH SMALL MOVEMENT
- * LOTS OF WATER DRAINED OUT OF AIR TANK

Leading Hand / Mechanic: [Signature] Date: 7/8/20

Chassis No: 'A' MAXICUBE Kilometres: 1,607,585^{km} Date Inspected: 9-6-20.
 Rego: 92401-S 20,375 ENGINE HOURS / 23,345 TOTAL HOURS

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

Leading Hand / Mechanic: [Signature] Date: 1/6/20