

TRAILER SERVICE CHECKLIST



Customer Name Redland

Date 24/8/24

Kilometres Not working

Rego 92402.5

☒ Inspect for leaks

☒ Grease

☒ Adjust & check brake systems & Measure brake shoes

Service Frequency _____

LHS Brake Shoe Measurement	RHS Brake Shoe Measurement
Front <u>9 1/4</u>	Front <u>9 1/4</u>
Middle <u>9 1/4</u>	Middle <u>9 1/4</u>
Rear <u>9 1/4</u>	Rear <u>9 1/4</u>

☒ Check turntables for jaw adjustments & visually inspect for cracks

☒ Check King Pin & visually inspect, ensure no cracks or bent (measure every 12 months as per service sticker on front of trailer)

☒ Visually check to ensure landing legs are operating properly

☐ Check Tyres

LHS Front Outer <u>7</u> mm	LHS Front Inner <u>7</u> mm	RHS Front Outer <u>7</u> mm	RHS Front Inner <u>7</u> mm
LHS Middle Outer <u>10</u> mm	LHS Middle Inner <u>10</u> mm	RHS Middle Outer <u>10</u> mm	RHS Middle Inner <u>10</u> mm
LHS Rear Outer <u>9</u> mm	LHS Rear Inner <u>9</u> mm	RHS Rear Outer <u>8</u> mm	RHS Rear Inner <u>8</u> mm

☒ Inspect Mudguards & Mudflaps for holes, cracks or damage that may cause issues

☒ Please ensure all components are fully attached

☒ Inspect suspension: Shock absorbers, rubbers, mounting brackets and or bags for correct ride height & leaks

☒ Inspect & Repair chassis or sub frames if cracked, distorted, sagging, loose, broken or affected by rust.

☒ Wheel nut tension _____ nm ☒ Wheel bearings _____ nm

☒ Condition of hoses ☒ Checked ☐ Replaced

☒ Check operation and condition of

☒ Lights, lenses & reflectors

☒ Weight gauges

☒ Hub caps

☒ Nut covers

☒ Rego Label

☒ Rear "DO NOT OVERTAKE TURNING VEHICLE" sign

☒ Rear Long Vehicle sign

☒ Check number plate in good condition

☒ Date of service recorded

Mechanic Name David

List any items found in need of attention

Air leak at brake hose.

Need a new mudguard on Right hand middle

Chassis No: Kilometres: 2488790 Date Inspected: 27-12-23
 Rego: 92402 772-112 # 38317

FUDGE MOTORING INC # 32151
Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

Leading Hand / Mechanic: [Signature] Date: 27-2-23

JEFTOMSON TRAILER SERVICE


Chassis No: Kilometres: 2,444,799 Date Inspected: 6/7/23Rego: 92402-S **TOTAL HOURS 37,710**
ENGINE HOURS 33,544

Mechanic to inspect, make adjustments, tighten, on all operations listed.

Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

								Tech Init.																																
1.	Grease and check condition of all grease points							DN																																
2.	Check operation and condition of all lights, reflectors and safety signals							DN																																
3.	Check condition of all brake components							DN																																
4.	Check and adjust brakes							DN																																
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th></th> <th>%</th> <th>R</th> <th></th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td>20</td> <td>%</td> <td></td> <td>40</td> <td>%</td> </tr> <tr> <td></td> <td>Middle</td> <td>L</td> <td>40</td> <td>%</td> <td></td> <td>40</td> <td>%</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td>20</td> <td>%</td> <td></td> <td>20</td> <td>%</td> </tr> </tbody> </table>									Brake % Report	Front	L		%	R		%				20	%		40	%		Middle	L	40	%		40	%		Rear	L	20	%		20	%
Brake % Report	Front	L		%	R		%																																	
			20	%		40	%																																	
	Middle	L	40	%		40	%																																	
	Rear	L	20	%		20	%																																	
5.	Check all air hoses & fittings							DN																																
6.	Drain all air tanks							DN																																
7.	Check turntable and King Pin for movement							DN																																
8.	Grease and check landing legs							DN																																
9.	Inspect all suspension components							DN																																
10.	Check chassis for cracks and fatigue							DN																																
11.	Check wheel bearings for movement							DN																																
12.	Check condition of tyres rims and hubs							DN																																
13.	Check and report on condition of safety signs							DN																																
Please list any faults found																																								
- CHECKED HUB OIL LEVELS																																								
- TOPPED UP FRIDGE MOTOR ENGINE OIL																																								
* FAULTS.																																								
- FRIDGE MOTOR ENGINE MOUNTS WORN																																								
- BRAKES LOW ON 3 WHEELS.																																								

Leading Hand / Mechanic:  Date: 6/7/23

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: **2384679** Date Inspected: **23-2-23**Rego: **92402-S** **TOTAL HZ # 36900****FRIDGE MOTOR ENGINE HZ # 32786**

Mechanic to inspect, make adjustments, tighten, on all operations listed.

Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

		Tech Init.																															
1.	Grease and check condition of all grease points	-	JP																														
2.	Check operation and condition of all lights, reflectors and safety signals	-	JP																														
3.	Check condition of all brake components	-	JP																														
4.	Check and adjust brakes	PAWST -	JP																														
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th>A</th> <th>70</th> <th>%</th> <th>R</th> <th>A</th> <th>70</th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L</td> <td>A</td> <td>70</td> <td>%</td> <td>R</td> <td>A</td> <td>70</td> <td>%</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td>A</td> <td>70</td> <td>%</td> <td>R</td> <td>A</td> <td>70</td> <td>%</td> </tr> </tbody> </table>				Brake % Report	Front	L	A	70	%	R	A	70	%		Middle	L	A	70	%	R	A	70	%		Rear	L	A	70	%	R	A	70	%
Brake % Report	Front	L	A	70	%	R	A	70	%																								
	Middle	L	A	70	%	R	A	70	%																								
	Rear	L	A	70	%	R	A	70	%																								
5.	Check all air hoses & fittings	-	JP																														
6.	Drain all air tanks	-	JP																														
7.	Check turntable and King Pin for movement	-	JP																														
8.	Grease and check landing legs	MAINTENANCE	JP																														
9.	Inspect all suspension components	-	JP																														
10.	Check chassis for cracks and fatigue	-	JP																														
11.	Check wheel bearings for movement	-	JP																														
12.	Check condition of tyres rims and hubs	-	JP																														
13.	Check and report on condition of safety signs	-	JP																														
Please list any faults found																																	
FRIDGE MOTOR OVERDUE																																	
FRIDGE TOP PANEL IS BROKEN																																	
COUPLING NEED TO BE REPAIRED																																	
LH SIDE LIGHT NOT WORKING.																																	
WORN OUT KING PIN																																	
WORN OUT LANDING LEG.																																	
NEED TO RE WELD S-CAM PIPE																																	
S-CAM NEED TO RE-SHAPE																																	
RIG OUT ON LH REAR AXLE TYRE																																	

Leading Hand / Mechanic:

Date:

INSIDE TRAILER CHECK**FRIDGE MOTOR CHECK**

Jefferson Transport

Date of issue: 29/11/18 (R41)

JEFFERSON TRAILER SERVICE

Chassis No: 92402-S Kilometres: 2350557 Date Inspected: 21-12-22

Rego: TONGA MOTOR EXHIBIT NO 32329

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.

— Tick = OK — A = Adjust R = Repair

										Tech Init.																																									
1.	Grease and check condition of all grease points									✓	✓																																								
2.	Check operation and condition of all lights, reflectors and safety signals									✓	✓																																								
3.	Check condition of all brake components									✓	✓																																								
4.	Check and adjust brakes									✓	✓																																								
<table border="1"> <thead> <tr> <th colspan="2">Brake % Report</th> <th>Front</th> <th>L</th> <th>R</th> <th>%</th> <th>Front</th> <th>L</th> <th>R</th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td>A</td> <td>A</td> <td>85</td> <td></td> <td>A</td> <td>A</td> <td>85</td> </tr> <tr> <td></td> <td></td> <td>Middle</td> <td>A</td> <td>A</td> <td>85</td> <td></td> <td>A</td> <td>A</td> <td>85</td> </tr> <tr> <td></td> <td></td> <td>Rear</td> <td>A</td> <td>A</td> <td>85</td> <td></td> <td>A</td> <td>A</td> <td>85</td> </tr> </tbody> </table>												Brake % Report		Front	L	R	%	Front	L	R	%				A	A	85		A	A	85			Middle	A	A	85		A	A	85			Rear	A	A	85		A	A	85
Brake % Report		Front	L	R	%	Front	L	R	%																																										
			A	A	85		A	A	85																																										
		Middle	A	A	85		A	A	85																																										
		Rear	A	A	85		A	A	85																																										
5.	Check all air hoses & fittings									✓	✓																																								
6.	Drain all air tanks									✓	✓																																								
7.	Check turntable and King Pin for movement									✓	✓																																								
8.	Grease and check landing legs									✓	✓																																								
9.	Inspect all suspension components									✓	✓																																								
10.	Check chassis for cracks and fatigue									✓	✓																																								
11.	Check wheel bearings for moisture									✓	✓																																								
12.	Check condition of tyres rims and hubs									✓	✓																																								
13.	Check no report on condition of safety signs									✓	✓																																								

Please list any faults found

W. UNDER SHOCK ABSORBER IS WORN OUT
DOOR LATCH NEED TO BE REPAIRED
DOOR ANGLE PIN LOCK IS BROKEN

Signature: [Signature] Date: 21-12-22

TONGA MOTOR OIL
INSIDE TRAILER OIL

RO: 522192

Date: 9/06/2022

Rego: 924025

Consult applicable service information for adjustment specification

Tick = OK A = Adjust R = Repair

Tech

✓ Init

Notes

Check & adjust Brakes

Front	L	%	R	%
Middle	LF	%	RF	%
Rear	LR	%	RR	%

Check	Condition of tyre rims and hubs
-------	---------------------------------

Job Comments

LHS Rear outer indicator light N/W

Technician:

Signature:

2267,890km

34993-74

30926 EH

RO: 521534

Date: 13/04/2022

Fleet no: Rego: 92402S

Tick = OK A = Adjust R = Repair

Tech

✓ Init

Notes

✓	2
---	---

Row	
-----	--

✓	23
---	----

V	W
---	---

✓	CJ
---	----

✓	✓
✓	✓

✓	CS
✓	CS

✓	(2)
✓	(1)

1	2
3	4

✓	C
---	---

A	5
---	---

۱۵	۱۶	۱۷	۱۸	۱۹	۲۰	۲۱	۲۲	۲۳	۲۴	۲۵	۲۶	۲۷	۲۸	۲۹	۳۰	۳۱	۳۲	۳۳	۳۴	۳۵	۳۶	۳۷	۳۸	۳۹	۴۰	۴۱	۴۲	۴۳	۴۴	۴۵	۴۶	۴۷	۴۸	۴۹	۵۰	۵۱	۵۲	۵۳	۵۴	۵۵	۵۶	۵۷	۵۸	۵۹	۶۰	۶۱	۶۲	۶۳	۶۴	۶۵	۶۶	۶۷	۶۸	۶۹	۷۰	۷۱	۷۲	۷۳	۷۴	۷۵	۷۶	۷۷	۷۸	۷۹	۸۰	۸۱	۸۲	۸۳	۸۴	۸۵	۸۶	۸۷	۸۸	۸۹	۹۰	۹۱	۹۲	۹۳	۹۴	۹۵	۹۶	۹۷	۹۸	۹۹	۱۰۰
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

✓	4
	12

Job Comments

Technician: _____

Signature: _____

JEFFERSON TRAILER SERVICE

Chassis No. N/A Kilometres: 2,213,899 km Date inspected: 27/2/22
 Rego. 92402-S 30,000 hrs

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specifications.
Tick = OK A = Adjust R = Repair

		Technician																												
1.	Grease and check condition of all grease points		CW																											
2.	Check operation and condition of all lights, reflectors and safety signals		CW																											
3.	Check condition of all brake components		CW																											
4.	Check and adjust brakes		CW																											
<table border="1"> <thead> <tr> <th colspan="2">Brake % Report</th> <th colspan="4"></th> </tr> </thead> <tbody> <tr> <td>Front</td> <td>L</td> <td>100</td> <td>%</td> <td>R</td> <td>100</td> <td>%</td> </tr> <tr> <td>Middle</td> <td>L</td> <td>100</td> <td>%</td> <td>R</td> <td>100</td> <td>%</td> </tr> <tr> <td>Rear</td> <td>L</td> <td>100</td> <td>%</td> <td>R</td> <td>100</td> <td>%</td> </tr> </tbody> </table>				Brake % Report						Front	L	100	%	R	100	%	Middle	L	100	%	R	100	%	Rear	L	100	%	R	100	%
Brake % Report																														
Front	L	100	%	R	100	%																								
Middle	L	100	%	R	100	%																								
Rear	L	100	%	R	100	%																								
5.	Check of air hoses & fittings		CW																											
6.	Check air tanks		CW																											
7.	Check counterpin and King Pin for movement		CW																											
8.	Grease and check landing legs		CW																											
9.	Inspect all suspension components		CW																											
10.	Check chassis for cracks and fatigue		CW																											
11.	Check wheel bearings for movement		CW																											
12.	Check condition of tyres rims and hubs		CW																											
13.	Check and report on condition of safety signs		CW																											

Please list any faults found

RELINQ CARRIED OUT

Learning Hand Mechanics:

Date: 8/3/22

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 217577 Date Inspected: 15-12-21
 Rego: 92402-S TOTAL HZ # 33762
 ENGINE HZ # 29711

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

		Tech Init.																															
1.	Grease and check condition of all grease points	✓	JB																														
2.	Check operation and condition of all lights, reflectors and safety signals	✓	JB																														
3.	Check condition of all brake components	✓	JB																														
4.	Check and adjust brakes	✓	JB																														
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th>A</th> <th>60</th> <th>%</th> <th>R</th> <th>A</th> <th>60</th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L <td>A <td>60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td></td></td></td></tr> <tr> <td></td> <td>Rear</td> <td>L <td>A <td>60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td></td></td></td></tr> </tbody> </table>				Brake % Report	Front	L	A	60	%	R	A	60	%		Middle	L <td>A <td>60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td></td></td>	A <td>60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td></td>	60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td>	% <td>R <td>A <td>55 <td>%</td> </td></td></td>	R <td>A <td>55 <td>%</td> </td></td>	A <td>55 <td>%</td> </td>	55 <td>%</td>	%		Rear	L <td>A <td>60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td></td></td>	A <td>60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td></td>	60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td>	% <td>R <td>A <td>55 <td>%</td> </td></td></td>	R <td>A <td>55 <td>%</td> </td></td>	A <td>55 <td>%</td> </td>	55 <td>%</td>	%
Brake % Report	Front	L	A	60	%	R	A	60	%																								
	Middle	L <td>A <td>60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td></td></td>	A <td>60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td></td>	60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td>	% <td>R <td>A <td>55 <td>%</td> </td></td></td>	R <td>A <td>55 <td>%</td> </td></td>	A <td>55 <td>%</td> </td>	55 <td>%</td>	%																								
	Rear	L <td>A <td>60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td></td></td>	A <td>60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td></td>	60 <td>% <td>R <td>A <td>55 <td>%</td> </td></td></td></td>	% <td>R <td>A <td>55 <td>%</td> </td></td></td>	R <td>A <td>55 <td>%</td> </td></td>	A <td>55 <td>%</td> </td>	55 <td>%</td>	%																								
5.	Check all air hoses & fittings	✓	JB																														
6.	Drain all air tanks	✓	JB																														
7.	Check turntable and King Pin for movement	✓	JB																														
8.	Grease and check landing legs	✓	JB																														
9.	Inspect all suspension components	✓	JB																														
10.	Check chassis for cracks and fatigue	✓	JB																														
11.	Check wheel bearings for movement	✓	JB																														
12.	Check condition of tyres rims and hubs	✓	JB																														
13.	Check and report on condition of safety signs	✓	JB																														

Please list any faults found

DOOR LATCH - REPAIR

DOOR HINGE - SECURE

HUB LOCK ON LH/MIDDLE AXLE - DANG
LANDING LEGS FULL OF WATER

BUSTED SIDE MOUNTED LIGHT

NEED TO REPAIR AIR COUPLERS.

Leading Hand / Mechanic:

Date:

15-12-21

JEFTOMSON TRAILER SERVICEChassis No: Kilometres: 2147,272 Date Inspected: 20-10-21Rego: 92402-ST 33,392

Mechanic to inspect, make adjustments, tighten, on all operations listed.

Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

						Tech Init.																					
1.	Grease and check condition of all grease points					OK																					
2.	Check operation and condition of all lights, reflectors and safety signals					OK																					
3.	Check condition of all brake components					OK																					
4.	Check and adjust brakes					OK																					
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th></th> <th>65 %</th> <th>R</th> <th>Low %</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L</td> <td></td> <td>65 % <td>R</td> <td>Low %</td> </td></tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td></td> <td>65 % <td>R</td> <td>Low %</td> </td></tr> </tbody> </table>							Brake % Report	Front	L		65 %	R	Low %		Middle	L		65 % <td>R</td> <td>Low %</td>	R	Low %		Rear	L		65 % <td>R</td> <td>Low %</td>	R	Low %
Brake % Report	Front	L		65 %	R	Low %																					
	Middle	L		65 % <td>R</td> <td>Low %</td>	R	Low %																					
	Rear	L		65 % <td>R</td> <td>Low %</td>	R	Low %																					
5.	Check all air hoses & fittings					OK																					
6.	Drain all air tanks					OK																					
7.	Check turntable and King Pin for movement					OK																					
8.	Grease and check landing legs					OK																					
9.	Inspect all suspension components					OK																					
10.	Check chassis for cracks and fatigue					OK																					
11.	Check wheel bearings for movement					OK																					
12.	Check condition of tyres rims and hubs					OK																					
13.	Check and report on condition of safety signs					OK																					
Please list any faults found																											
<u>Loose quad mount right side middle</u> <u>brakes</u> <u>both front airbags</u> <u>mid left shock loose</u> <u>rear right shock weeping</u> <u>king pin</u>																											

Leading Hand / Mechanic: [Signature]25.10.21

Chassis No: Kilometres: 2,106,128 Date Inspected: 5-8-21

Rego: 92402-S

T-32,769

E-28735

Mechanic to inspect, make adjustments, tighten, on all operations listed. Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

Please list any faults found

Fridge make - Service
~~replace king pin~~

Leading Hand / Mechanic:

Date: 5/0/21

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 2093014 Date Inspected: 17/06/21
92402-S TOTAL M # 32564
ENGINE M # 25531

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

		Tech Init.																						
1.	Grease and check condition of all grease points	✓	JB																					
2.	Check operation and condition of all lights, reflectors and safety signals	✓	JB																					
3.	Check condition of all brake components	✓	JB																					
4.	Check and adjust brakes	✓	JB																					
<table border="1"> <thead> <tr> <th colspan="2">Brake % Report</th> <th>Front</th> <th>L A</th> <th>%</th> <th>R A</th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L A</td> <td>95</td> <td>%</td> <td>R A</td> <td>80</td> </tr> <tr> <td></td> <td>Rear</td> <td>L A</td> <td>95</td> <td>%</td> <td>R A</td> <td>80</td> </tr> </tbody> </table>				Brake % Report		Front	L A	%	R A	%		Middle	L A	95	%	R A	80		Rear	L A	95	%	R A	80
Brake % Report		Front	L A	%	R A	%																		
	Middle	L A	95	%	R A	80																		
	Rear	L A	95	%	R A	80																		
5.	Check all air hoses & fittings	✓	JB																					
6.	Drain all air tanks	✓	JB																					
7.	Check turntable and King Pin for movement	✓	JB																					
8.	Grease and check landing legs <u>NO GREASE POINT</u>	✓	JB																					
9.	Inspect all suspension components	✓	JB																					
10.	Check chassis for cracks and fatigue	✓	JB																					
11.	Check wheel bearings for movement	✓	JB																					
12.	Check condition of tyres rims and hubs	✓	JB																					
13.	Check and report on condition of safety signs	✓	JB																					
Please list any faults found <u>VAN PANEL FRONT/BOTTOM IS BROKEN</u> <u>DOOR LATCH TO REPAIR - DONE</u> <u>R4 FRONT HUB OIL LEAKING - DONE</u> <u>REAR LA BRAKE NOT PROPERLY WORKING - RESET</u> <u>RAIL BRACKET OPEN TO REPT</u>																								

Leading Hand / Mechanic: JOE PERRY Date: 17/06/21

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 2,057 642 Date Inspected: 15/4/21
 Rego: 92402-S TOMM HR 32098
ENGINE HR 28065

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

		Tech Init.																									
1.	Grease and check condition of all grease points	✓ OFF																									
2.	Check operation and condition of all lights, reflectors and safety signals	✓ OFF																									
3.	Check condition of all brake components	✓ OFF																									
4.	Check and adjust brakes	✓ OFF																									
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th>%</th> <th>R</th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td>60</td> <td></td> <td>60</td> </tr> <tr> <td></td> <td>Middle</td> <td>L</td> <td>25</td> <td></td> <td>60</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td>35</td> <td></td> <td>65</td> </tr> </tbody> </table>				Brake % Report	Front	L	%	R	%				60		60		Middle	L	25		60		Rear	L	35		65
Brake % Report	Front	L	%	R	%																						
			60		60																						
	Middle	L	25		60																						
	Rear	L	35		65																						
5.	Check all air hoses & fittings	✓ OFF																									
6.	Drain all air tanks	✓ OFF																									
7.	Check turntable and King Pin for movement	✓ OFF																									
8.	Grease and check landing legs	✓ OFF																									
9.	Inspect all suspension components	✓ OFF																									
10.	Check chassis for cracks and fatigue	✓ OFF																									
11.	Check wheel bearings for movement	CW																									
12.	Check condition of tyres rims and hubs	CW																									
13.	Check and report on condition of safety signs	CW																									
Please list any faults found																											
LH / RA WHEEL BEARINGS TOO LOOSE																											
MIDDLE AND REAR LH BRAKE IS TOO LOW																											

Leading Hand / Mechanic: Soggy Date: 15/4/21

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 2015371 Date Inspected: 8-2-21

Rego: 92402-S

fridge
T316LP E-27609Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

							Tech Init.																																
1.	Grease and check condition of all grease points						CL																																
2.	Check operation and condition of all lights, reflectors and safety signals						CL																																
3.	Check condition of all brake components						CL																																
4.	Check and adjust brakes						CL																																
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th></th> <th>%</th> <th>R</th> <th></th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L</td> <td>70</td> <td>%</td> <td>R</td> <td>80</td> <td>%</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td>60</td> <td>%</td> <td>R</td> <td>75</td> <td>%</td> </tr> <tr> <td></td> <td></td> <td></td> <td>60</td> <td>%</td> <td>R</td> <td>60</td> <td>%</td> </tr> </tbody> </table>							Brake % Report	Front	L		%	R		%		Middle	L	70	%	R	80	%		Rear	L	60	%	R	75	%				60	%	R	60	%	
Brake % Report	Front	L		%	R		%																																
	Middle	L	70	%	R	80	%																																
	Rear	L	60	%	R	75	%																																
			60	%	R	60	%																																
5.	Check all air hoses & fittings						CL																																
6.	Drain all air tanks						CL																																
7.	Check turntable and King Pin for movement						CL																																
8.	Grease and check landing legs						CL																																
9.	Inspect all suspension components						CL																																
10.	Check chassis for cracks and fatigue						CL																																
11.	Check wheel bearings for movement						CL																																
12.	Check condition of tyres rims and hubs						CL																																
13.	Check and report on condition of safety signs						CL																																
Tyre Pressures																																							
Please list any faults found																																							
middle ltr + shock loose																																							
3x Air line leaks																																							
front ltr booster needs to be replaced																																							
top call hubs with oil																																							
top ltr + third from front parker out																																							
fridge motor needs service																																							
Air bags slightly worn																																							
right side front bolster lines rubbed through																																							
fourth right indicator temperamental																																							

Leading Hand / Mechanic:

Date: 9-2-21

Chassis No: Kilometres: 1983523 Date Inspected: 28/12/20
 Rego: 92402-S E 27292
 F 31316

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

Leading Hand / Mechanic: noted Date: 7-1-14

JEFTOMSON TRAILER SERVICE

Kilometres:

Date Inspected:

Rego:

Tick = OK A = Adjust R = Repair

[illegible]

Leading Hand / Mechanic:

Date:

JEFTOMSON TRAILER SERVICE

Chassis No: Kilometres: 1,922,918 Date Inspected: 31/8/20

Rego: 92402-S 26,409 ENG HOURS
30,433 TOTAL HOURS

Mechanic to inspect, make adjustments, tighten, on all operations listed. Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

								Tech Init.																						
1.	Grease and check condition of all grease points							DN																						
2.	Check operation and condition of all lights, reflectors and safety signals							DN																						
3.	Check condition of all brake components							DN																						
4.	Check and adjust brakes							DN																						
<table border="1"> <thead> <tr> <th rowspan="3">Brake % Report</th> <th>Front</th> <th>L</th> <th>50</th> <th>%</th> <th>R</th> <th>50</th> <th>%</th> </tr> </thead> <tbody> <tr> <td>Middle</td> <td>L</td> <td>60</td> <td>%</td> <td>R</td> <td>58</td> <td>%</td> </tr> <tr> <td>Rear</td> <td>L</td> <td>50</td> <td>%</td> <td>R</td> <td>50</td> <td>%</td> </tr> </tbody> </table>									Brake % Report	Front	L	50	%	R	50	%	Middle	L	60	%	R	58	%	Rear	L	50	%	R	50	%
Brake % Report	Front	L	50	%	R	50	%																							
	Middle	L	60	%	R	58	%																							
	Rear	L	50	%	R	50	%																							
5.	Check all air hoses & fittings							DN																						
6.	Drain all air tanks							DN																						
7.	Check turntable and King Pin for movement							DN																						
8.	Grease and check landing legs							DN																						
9.	Inspect all suspension components							DN																						
10.	Check chassis for cracks and fatigue							DN																						
11.	Check wheel bearings for movement							DN																						
12.	Check condition of tyres rims and hubs							DN																						
13.	Check and report on condition of safety signs							DN																						
Please list any faults found REWEARDED THREE S-CAM TUBES. HUB OIL LEVELS GOOD.																														
FAULTS. BOTH WALL LOOSE NEED REPAIR. SKID PLATE CRACKED AT CHASSIS FRIDGE MOTOR 50HRS OFF A SERVICE BELLY TANK RUBBING ON CHASSIS TOP FRIDGE MOTOR PANEL DAMAGED LANDING LEGS BENT																														

Leading Hand / Mechanic: [Signature] Date: 5/10/20

Chassis No: 'B' MAXICUBE Kilometres: 1,879,941/5 Date Inspected: 9-6-20.

Chassis No: 92402-5 Kilometres: 25,858 ENGINE HOURS/29,881 TOTAL HOURS
 Rego: 92402-5

Tick = OK A = Adjust R = Repair

						Tech Init.																								
1.	Grease and check condition of all grease points					WS																								
2.	Check operation and condition of all lights, reflectors and safety signals					WS																								
3.	Check condition of all brake components					WS																								
4.	Check and adjust brakes					WS																								
<table border="1"> <thead> <tr> <th>Brake % Report</th> <th>Front</th> <th>L</th> <th>90</th> <th>%</th> <th>R</th> <th>90</th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td>Middle</td> <td>L</td> <td>90</td> <td>%</td> <td>R</td> <td>90</td> <td>%</td> </tr> <tr> <td></td> <td>Rear</td> <td>L</td> <td>90</td> <td>%</td> <td>R</td> <td>90</td> <td>%</td> </tr> </tbody> </table>							Brake % Report	Front	L	90	%	R	90	%		Middle	L	90	%	R	90	%		Rear	L	90	%	R	90	%
Brake % Report	Front	L	90	%	R	90	%																							
	Middle	L	90	%	R	90	%																							
	Rear	L	90	%	R	90	%																							
5.	Check all air hoses & fittings					WS																								
6.	Drain all air tanks					WS																								
7.	Check turntable and King Pin for movement					WS																								
8.	Grease and check landing legs					WS																								
9.	Inspect all suspension components					WS																								
10.	Check chassis for cracks and fatigue					WS																								
11.	Check wheel bearings for movement					WS																								
12.	Check condition of tyres rims and hubs					WS																								
13.	Check and report on condition of safety signs					WS																								
Please list any faults found -SPREADER BAR RAILING PIECE REPLACED. -INSIDE OF VAN WASHED OUT.																														

Leading Hand / Mechanic:

Date: 9/6/20