

100,000 Kilometre 'C' service

Chassis No.

Kilometre 893,939 Km

Date Inspected 10/11/22

Rego YXP417

KENWORTH K104

Mechanic to inspect, make adjustments, tighten, correct or add fluids on all operations listed.

Consult applicable service information for adjustments and specification.

Tick = OK. A = Adjust R = Repair N/A = Not Applicable

Item	Description	Tick	Technician	Notes
1. Change	Engine Oil	✓	DN	
2. Change	Oil Filter	✓	DN	
3. Change	Fuel Filter	✓	DN	
4. Check	Cooling system, test condition & record	✓	DN	
5. Change	Coolant Filter	N/A		
6. Inspect	Engine for Oil Leaks	✓	DN	SUMP / FRONT COVER
7. Check & or Replace	Air cleaner element	✓	DN	
8. Inspect	All Belts	✓	DN	
9. Inspect	Engine Mount and hoses	✓	DN	
10. Check	Charge air system for leaks and damage	✓	DN	
11. check	Air dryer filter	✓	DN	
12. Grease	Chassis, Turntable & top up auto Greaser	✓	DN	
13. report & Replace	Any nipples not taking grease	✓	DN	
14. Inspect	All wheel joints	✓	DN	
15. Check	Centre bearings	N/A		
16. Adjust	Brakes check for air leaks	✓	DN	
	Steer L 50% R 50%	✓	DN	
	Driver LF 75% R 75%	✓	DN	
	Driver LF 75% R 75%	✓	DN	
17. Drain	Air Tank	✓	DN	
18. Check	Suspension for condition	✓	DN	
19. Visual inspection	Over unit and report	✓	DN	
20. Replace CHECK	Front Hub Oil - remove outer wheel bearing and inspect condition	✓	DN	CHECKED OIL LEVEL
21. Check	King Pin & Ball Joint for wear and condition	✓	DN	
22. Check	Free play in steering and all components	✓	DN	
23. Check	U-bolts on axle	✓	DN	
24. Check	Chassis for rust	✓	DN	
25. Check	Chassis for leaks	✓	DN	
26. Check	Exhaust for leaks	✓	DN	
27. Check	Exhaust for condition	✓	DN	
28. Check	Exhaust for rust	✓	DN	

28. check	Clutch operation and adjustments as required	✓	DN	
29. Check	Codes, reports & clear	✓	DN	
30. Lube	Door Hinges and sticker plates	✓	DN	
31. Check	Wipers, wipers, fan & blades	✓	DN	
32. Check	All lights	✓	DN	
33. Change	Oil & filter	✓	DN	Notes: CHECKED OIL LEVEL
34. Inspect	For leaks	✓	DN	
35. clean	Breather	✓	DN	
36. Change	Oil & report on multipoint	✓	DN	Notes:
37. clean	Breather	✓	DN	
38. Inspect	For leaks	✓	DN	
39. Inspect	For movement in wheel bearing	N/A		
40. Road test	Vehicle and check for leaks	✓	DN	

NOTES

- REPLACED WIPER BLADES
- REPLACED ALL DRIVE SHOCKS WITH KONI ONES
- REPLACED FRONT DAX SHAFT UNIT
- REPLACED FRONT DIFF REAR COVER.

FAULTS

- SCUMPER FRONT COVER ON LOAN
- FUEL LINES TO FUEL TANK WORK
- L/H WINDSCREEN CRACKED

Mastered by [Signature] 10/11/22

[Signature]

JEFTOMSON TRANSPORT 100,000 Km 'C' SERVICE

Chassis No: N/A Kilometres: 2,790,323 Date Inspected: 9/2/22 Rego: 4XP 417

Mechanic to inspect, make adjustments, tighten, correct or add fluids on all operations listed.
Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

FUEL ECONOMY		OFF	2.48	DFE	2.49
ENGINE					
1. Change	Engine oil	✓	MLH		
2. Change	Oil filters	✓	MLH		
3. Change	Fuel filters	✓	MLH		
4. Pressure Test	Cooling system & test coolant condition & record	✓	MLH		
5. Change	Coolant and filter	✓	MLH		
6. Inspect	Engine for oil leaks	✓	MLH		
7. Check &/or replace	Air cleaner element & intake clamps	✓	MLH		
8. Inspect	All belts and adjust as required	✓	MLH		
9. Inspect	Engine mounts and hoses	✓	MLH		
10. Check	Charge air system for leaks and damage	✓	MLH		
11. Check	Air Dryer Filter	✓	CW		
CHASSIS & GENERAL					
12. Grease	Chassis and turntable, top up auto greaser	✓	MLH		
13. Check	Turntable adjustment & condition	✓	MLH		
14. Report & replace	Any nipples not taking grease	✓	MLH		
15. Inspect	All uni joints	✓	MLH		
16. Check	Centre bearing	✓	MLH		
17. Adjust	Brakes - check for air leaks	✓	MLH		
Brakes %	Steer L 70 % R 70 %	✓	MLH		
	Drive LF 80 % RF 80 %	✓	MLH		
	Drive LR 80 % RR 80 %	✓	MLH		
16. Drain	Air tanks	✓	MLH		
19. Check	Suspension for condition	✓	MLH		
20. Visual Inspection	Over unit and report	✓	MLH		
21. Replace	Front hub oil - Remove outer wheel bearing and inspect condition	✓	MLH		
22. Check	King pins & ball joints for wear and movement	✓	MLH		
23. Check	Freeplay in steering and all components	✓	MLH		
24. Check	U bolts for torque	✓	MLH		
25. Inspect	Change powering oil & filter.	✓	CW		
26. Check	Check for steering system leaks.	✓	MLH		
27. Inspect	Batteries - level and terminals	✓	MLH		
28. Check	Tyres for condition	✓	MLH		
29. Check	Cabin & bonnet mounts & suspension	✓	MLH		
30. Check	Clutch operation and adjust as required	✓	MLH		
31. Lube	Codes, report and clear	✓	MLH		
32. Check	Door hinges and striker plates	✓	MLH		
33. Check	Wipers, washers, level and blades	✓	MLH		
	All lights	✓	MLH		
TRANSMISSION					
34. Change	Oil & filter	✓	MLH		
35. Inspect	For leaks	✓	MLH		
36. Clean	Breather	✓	MLH		
DIFFERENTIAL					
37. Change	Oil & report on metal on plugs	✓	MLH		
38. Clean	Breathers	✓	MLH		
39. Inspect	For leaks	✓	MLH		
40. Inspect	For movement in wheel bearings	✓	MLH		
41. Road Test	Vehicle and check for leaks	✓	MLH		
				DRIVERS SIDE FRONT PARK LIGHT GLOBE REPLACED SHOCK BUSHES SHOWING EARLY SIGNS OF WEAR SHOCKS (DRIVED) STARTING TO WEAR SHOCKLE AND BUSHES SHOWING SIGNS OF WEAR FRONT MAIN SUMP OIL LEAK TIGHTENED BELLY RAP REPLACED DRIVERS SIDE WINDOW REGULATOR	
				CHANGE GEARBOX OIL FRONT DIFF OIL LEVEL	

Leading Hand / Mechanic:

Date: 9/2/22

JEFTOMSON TRANSPORT 100,000 Km 'C' SERVICE

Chassis No.:

Kilometres:

Date inspected:

Rego:

Mechanic to inspect, make adjustments, tighten, correct or add fluids on all operations listed.
Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

Tick = OK A = Adjust K = Repair

	OFF		OFF		
FUEL ECONOMY ENGINE					
1. Change	Engine oil	✓	OFF		
2. Change	Oil filters	✓	OFF		
3. Change	Fuel filters	✓	OFF		
4. Pressure Test	Cooling system & test coolant condition & record	✓	OFF		
5. Change	Coolant and filter	✓	OFF		
6. Inspect	Engine for oil leaks	✓	OFF		
7. Check & or replace	Air cleaner element & intake clamps	✓	DN		
8. Inspect	All belts and adjust as required	✓	DN		
9. Inspect	Engine mounts and hoses	✓	OFF		
10. Check	Charge air system for leaks and damage	✓	OFF		
11. Check	Air Dryer Filter	✓	OFF		
CHASSIS & GENERAL					
12. Grease	Chassis and turntable, top up auto greaser	✓	OFF		
13. Check	Turntable adjustment & condition	✓	DN		
14. Report & replace	Any nipples not taking grease	✓	OFF		
15. Inspect	All uni joints	✓	OFF		
16. Check	Centre bearing	✓	OFF		
17. Adjust	Brakes - check for air leaks	✓	OFF		
Brakes %	Steer L 55% R 55%	✓	OFF		
	Drive LF 70% RF 70%	✓	OFF		
	Drive LR 70% RR 70%	✓	OFF		
18. Drain	Air tanks	✓	OFF		
19. Check	Suspension for condition	✓	OFF		
20. Visual inspection	Over unit and report	✓	OFF		
21. Replace	Front hub oil - Remove outer wheel bearing and inspect condition	✓	OFF		
22. Check	King pins & ball joints for wear and movement	✓	OFF		
23. Check	Freeplay in steering and all components	✓	OFF		
24. Check	U bolts for torque	✓	OFF		
25. Inspect	Change powering oil & filter.	✓	OFF		
	Check for steering system leaks.	✓	DN		
26. Check	Batteries - level and terminals	✓	DN		
27. Inspect	Tyres for condition	✓	DN		
28. Check	Cabin & bonnet mounts & suspension	✓	OFF		
29. Check	Clutch operation and adjust as required	✓	OFF		
30. Check	Codes, report and clear	✓	OFF		
31. Lube	Door hinges and striker plates	✓	OFF		
32. Check	Wipers, washers, level and blades	✓	DN		
33. Check	All lights	✓	DN		
TRANSMISSION					
34. Change	Filter	✓	OFF		
35. Inspect	For leaks	✓	OFF		
36. Clean	Breather	✓	OFF		
DIFFERENTIAL					
37. Change	Oil & report on metal on plugs	✓	OFF		
38. Clean	Breathers	✓	OFF		
39. Inspect	For leaks	✓	OFF		
40. Inspect	For movement in wheel bearings	✓	OFF		
41. Road Test	Vehicle and check for leaks	✓	OFF		

7.5 PA / 8.2 PA
20% 6W/60
FRONT COVER WEAR
AND OIL SUMP

2ND DRIVE AXLE
SHOCKERS LEAKING.

BOX DAMAGED
PERFORMING TXR ROTATION

REPLACED BLADES
BUZZER N/W

OIL WEAR

Leading Hand / Mechanic:

Date:

JEFTOMSON TRANSPORT 100,000 Km 'C' SERVICE

Chassis No: Kilometres: 2,590,702 Date Inspected: 22/7/20 Rego: YXP417

Mechanic to inspect, make adjustments, tighten, correct or add fluids on all operations listed.
Consult applicable service information for adjustments and specification.

Tick = OK A = Adjust R = Repair

FUEL ECONOMY		OFE	DFE	
ENGINE		<u>2.37</u>	<u>2.39</u>	
1. Change	Engine oil	✓	DN	
2. Change	Oil filters	✓	DN	
3. Change	Fuel filters	✓	DN	
4. Pressure Test	Cooling system & test coolant condition & record	✓	DN	
5. Change	Coolant and filter	✓	DN	
6. Inspect	Engine for oil leaks	✓	DN	
7. Check & <u>replace</u>	Air cleaner element & intake clamps	✓	DN	
8. Inspect	All belts and adjust as required	✓	DN	
9. Inspect	Engine mounts and hoses	✓	DN	
10. Check	Charge air system for leaks and damage	✓	DN	
11. Check	Air Dryer Filter	✓	DN	
CHASSIS & GENERAL				
12. Grease	Chassis and turntable, top up auto greaser	✓	DN	
13. Check	Turntable adjustment & condition	✓	DN	
14. Report & replace	Any nipples not taking grease	✓	DN	
15. Inspect	All uni joints	✓	DN	
16. Check	Centre bearing	✓	DN	
17. Adjust	Brakes - check for air leaks	✓	DN	
	Steer L <u>70</u> % R <u>70</u> %	✓	DN	
	Drive LF <u>75</u> % RF <u>75</u> %	✓	DN	
	Drive LR <u>75</u> % RR <u>75</u> %	✓	DN	
18. Drain	Air tanks	✓	DN	
19. Check	Suspension for condition	✓	DN	
20. Visual Inspection	Over unit and report	✓	DN	
21. Replace	Front hub oil - Remove outer wheel bearing and inspect condition	✓	DN	
22. Check	King pins & ball joints for wear and movement	✓	DN	
23. Check	Freeplay in steering and all components	✓	DN	
24. Check	U bolts for torque	✓	DN	
25. Inspect	Change powering oil & filter.	✓	DN	
	Check for steering system leaks.	✓	DN	
26. Check	Batteries - level and terminals	✓	DN	
27. Inspect	Tyres for condition	✓	DN	
28. Check	Cabin & bonnet mounts & suspension	✓	DN	
29. Check	Clutch operation and adjust as required	✓	DN	
30. Check	Codes, report and clear	✓	DN	
31. Lube	Door hinges and striker plates	✓	DN	
32. Check	Wipers, washers, level and blades	✓	DN	
33. Check	All lights	✓	DN	
TRANSMISSION				
34. Change	Oil & filter	✓	DN	
35. Inspect	For leaks	✓	DN	
36. Clean	Breather	✓	DN	
DIFFERENTIAL				
37. Change	Oil & report on metal on plugs	✓	DN	
38. Clean	Breathers	✓	DN	
39. Inspect	For leaks	✓	DN	
40. Inspect	For movement in wheel bearings	✓	DN	
41. Road Test	Vehicle and check for leaks	✓	DN	

Handwritten notes on the right side of the form:

- COMPRESSOR/FUEL PUMP WEAR
- TRANSMISSION YOLK SMALL MOVEMENT
- BOTTOM TANK STRAPS WORN
- STEERING ROD WEAR
- ADJUSTED CLUTCH
- REPAIRED BLADES
- REPAIRED REAR PINION SEAL/YOLK

Leading Hand / Mechanic: [Signature]

Date: 24/7/20

REPLACED HEIGHT CONTROL ROSE JOINTS, REPLACED L/H CAB SHOCKER, REPLACED R/H FRONT TANK STRAP, REPLACED WALKWAY BOLTS.