

Leading Hand: David Cox Date: 7/6/24

Tech Init.		Grease and check condition of all grease points		Check operation and condition of all lights, reflectors and safety signals		Check condition of all brake components		Check and adjust brakes																
✓		1.		✓		✓		✓																
✓		2.		✓		✓		✓																
✓		3.		✓		✓		✓																
✓		4.		✓		✓		✓																
Brake % Report: <table border="1"> <thead> <tr> <th>Front</th> <th>Middle</th> <th>Rear</th> </tr> </thead> <tbody> <tr> <td>L</td> <td>L</td> <td>L</td> </tr> <tr> <td>%</td> <td>%</td> <td>%</td> </tr> <tr> <td>R</td> <td>R</td> <td>R</td> </tr> <tr> <td>%</td> <td>%</td> <td>%</td> </tr> </tbody> </table>										Front	Middle	Rear	L	L	L	%	%	%	R	R	R	%	%	%
Front	Middle	Rear																						
L	L	L																						
%	%	%																						
R	R	R																						
%	%	%																						
✓		5.	Check all air hoses & fittings	✓		6.	Drain all air tanks	✓																
✓		7.	Check turntable and King Pin for movement	✓		8.	Grease and check landing legs	✓																
✓		9.	Inspect all suspension components	✓		10.	Check chassis for cracks and fatigue	✓																
✓		11.	Check wheel bearings for movement	✓		12.	Check condition of tires rims and hubs	✓																
✓		13.	Check and report on condition of safety signs	✓		Please list any faults found																		

When you receive a call from a customer, make adjustments, tighten, on all operations listed. Consult applicable service information for adjustments and specification.

83761.5

Chassis No. Kilometres: 284411 Date Inspected: 7/6/24

JEFTOMSON TRAILER SERVICE

Date of issue: 29/11/18 (841)

100501, P.

JEFFERSON TRAILER SERVICE

Chassis No: 258048 Kilometres: 37060 Date Inspected: 8-12-23

Rego: 88761-S

For more info call 33459
 Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

Tech Init.		✓																	
1.	Grease and check condition of all grease points	✓	✓																
2.	Check operation and condition of all lights, reflectors and safety signals	✓	✓																
3.	Check condition of all brake components	✓	✓																
4.	Check and adjust brakes	✓	✓																
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <td>Front</td> <td>L</td> <td>R</td> <td>%</td> </tr> <tr> <td>Middle</td> <td>L</td> <td>R</td> <td>%</td> </tr> <tr> <td>Rear</td> <td>L</td> <td>R</td> <td>%</td> </tr> </table>				Brake % Report				Front	L	R	%	Middle	L	R	%	Rear	L	R	%
Brake % Report																			
Front	L	R	%																
Middle	L	R	%																
Rear	L	R	%																
5.	Check all air hoses & fittings	✓	✓																
6.	Drain all air tanks	✓	✓																
7.	Check turntable and King Pin for movement	✓	✓																
8.	Grease and check landing legs	✓	✓																
9.	Inspect all suspension components	✓	✓																
10.	Check chassis for cracks and fatigue	✓	✓																
11.	Check wheel bearings for movement	✓	✓																
12.	Check condition of tyres rims and hubs	✓	✓																
13.	Check and report on condition of safety signs	✓	✓																
Please list any faults found The coupling is worn out - Don't operate until replaced Van from Police Station is loaded out 14/12/23 Please replace power assembly.																			

Leading Hand / Mechanic: [Signature] Date: 8-12-23

JEFTOMSON TRAILER SERVICE

Chassis No: 83761-5
 Kilometres: 252477
 Date Inspected: 30-10-23
 Rego: 52-400 E
 Motor Service Due 30-10-23

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓	✓
2.	Check operation and condition of all lights, reflectors and safety signals	✓	✓
3.	Check condition of all brake components	✓	✓
4.	Check and adjust brakes	✓	✓

Brake % Report			
Front	Middle	Rear	
L	L	L	
65 %	65 %	65 %	
R	R	R	
65 %	65 %	65 %	

5.	Check all air hoses & fittings	✓	✓
6.	Drain all air tanks	✓	✓
7.	Check turntable and King Pin for movement	✓	✓
8.	Grease and check landing legs	✓	✓
9.	Inspect all suspension components	✓	✓
10.	Check chassis for cracks and fatigue	✓	✓
11.	Check wheel bearings for movement	✓	✓
12.	Check condition of tyres rims and hubs	✓	✓
13.	Check and report on condition of safety signs	✓	✓

Please list any faults found

FRIDGE MOTOR SERVICE DUE

FRIDGE WAS WELL AND TOO SOFT

FRIDGE MOTOR IS WORKING

Leading Hand / Mechanic: [Signature]
 Date: 30-10-23

JEFTOMSON TRAILER SERVICE

Chassis No.: 231768 Kilometres: 25/8/23 Date inspected: 25/8/23

Rego: 83761-8

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓																											
2.	Check operation and condition of all lights, reflectors and safety signals	✓																											
3.	Check condition of all brake components	✓																											
4.	Check and adjust brakes	✓																											
<table border="1"> <tr> <td colspan="2">Brake % Report</td> <td>Front</td> <td>L</td> <td>%</td> <td>50</td> <td>R</td> <td>%</td> <td>50</td> </tr> <tr> <td colspan="2"></td> <td>Middle</td> <td>L</td> <td>%</td> <td></td> <td>R</td> <td>%</td> <td></td> </tr> <tr> <td colspan="2"></td> <td>Rear</td> <td>L</td> <td>%</td> <td></td> <td>R</td> <td>%</td> <td></td> </tr> </table>			Brake % Report		Front	L	%	50	R	%	50			Middle	L	%		R	%				Rear	L	%		R	%	
Brake % Report		Front	L	%	50	R	%	50																					
		Middle	L	%		R	%																						
		Rear	L	%		R	%																						
5.	Check all air hoses & fittings	✓																											
6.	Drain all air tanks	✓																											
7.	Check turntable and King Pin for movement	✓																											
8.	Grease and check landing legs	✓																											
9.	Inspect all suspension components	✓																											
10.	Check chassis for cracks and fatigue	✓																											
11.	Check wheel bearings for movement	✓																											
12.	Check condition of tyres rims and hubs	✓																											
13.	Check and report on condition of safety signs	✓																											
Please list any faults found Top up hub oil in right hand middle hub.																													

Leading Hand / Mechanic: David Cox Date: 25/8/23

JETTOMSON TRAILER SERVICE

Chassis No: 83741-5
 Kilometres: 1460617
 Date Inspected: 13-2-22
 Rego: 34146
 Total m # 35736
 Jettomson Motor # 432177 - 30594
 Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓	WP																				
2.	Check operation and condition of all lights, reflectors and safety signals	✓	WP																				
3.	Check condition of all brake components	✓	WP																				
4.	Check and adjust brakes	✓	WP																				
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <th>Front</th> <th>Middle</th> <th>Rear</th> <th></th> </tr> <tr> <td>L A</td> <td>L A</td> <td>L A</td> <td></td> </tr> <tr> <td>R A</td> <td>R A</td> <td>R A</td> <td></td> </tr> <tr> <td>% 50</td> <td>% 50</td> <td>% 50</td> <td></td> </tr> </table>				Brake % Report				Front	Middle	Rear		L A	L A	L A		R A	R A	R A		% 50	% 50	% 50	
Brake % Report																							
Front	Middle	Rear																					
L A	L A	L A																					
R A	R A	R A																					
% 50	% 50	% 50																					
5.	Check all air hoses & fittings	✓	WP																				
6.	Drain all air tanks	✓	WP																				
7.	Check turntable and King Pin for movement	✓	WP																				
8.	Grease and check landing legs	✓	WP																				
9.	Inspect all suspension components	✓	WP																				
10.	Check chassis for cracks and fatigue	✓	WP																				
11.	Check wheel bearings for movement	✓	WP																				
12.	Check condition of tyres rims and hubs	✓	WP																				
13.	Check and report on condition of safety signs	✓	WP																				
Please list any faults found Three Axle Service Div Properly Tightened Properly Tightened is correct																							

Leading Hand / Mechanic: M11
 Date: 15-2-23

Date of Issue: 29/11/18 (R41)

Jefferson Transport

JEFFERSON TRAILER SERVICE

Chassis No: 83761 Rego: 67612
 Kilometres: 141162 Date Inspected: 01-9-22
 Mechanic to inspect, make adjustments, tighten, on all operations listed
 Consult applicable service information for adjustments and specification
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓																				
2.	Check operation and condition of all lights, reflectors and safety signals	✓																				
3.	Check condition of all brake components	✓																				
4.	Check and adjust brakes	✓																				
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <th>Front</th> <th>Middle</th> <th>Rear</th> <th></th> </tr> <tr> <td>50%</td> <td>50%</td> <td>50%</td> <td></td> </tr> <tr> <td>A</td> <td>A</td> <td>A</td> <td></td> </tr> <tr> <td>%</td> <td>%</td> <td>%</td> <td></td> </tr> </table>			Brake % Report				Front	Middle	Rear		50%	50%	50%		A	A	A		%	%	%	
Brake % Report																						
Front	Middle	Rear																				
50%	50%	50%																				
A	A	A																				
%	%	%																				
5.	Check all air hoses & fittings	✓																				
6.	Drain all air tanks	✓																				
7.	Check turntable and king pin for movement	✓																				
8.	Grease and check landing legs	✓																				
9.	Inspect all suspension components	✓																				
10.	Check chassis for cracks and fatigue	✓																				
11.	Check wheel bearings for movement	✓																				
12.	Check condition of tyres rims and hubs	✓																				
13.	Check and report on condition of safety signs	✓																				
Please list any faults found <u>King Pin is loose out</u>																						

Check inside of trailer for
 loose motor
 leading hand / Mechanic
 Date: 01-9-22

Chassis No.: 83761-5
Kilom: 135253
Date Inspected: 02-06-24
Inspection Total HR # 34604
Subjive HR # 31052

Mechanic to inspect, make adjustments, tighten, on all operations listed. Consult applicable service information for adjustments and specification.

1.	Grease and check condition of all grease points	✓	1	Tech Init.																																																
2.	Check operation and condition of all lights, reflectors and safety signals	✓	1																																																	
3.	Check condition of all brake components	✓	1																																																	
4.	Check and adjust brakes	✓	1																																																	
<table border="1"> <tr> <td colspan="2">Brake % Report</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Front</td> <td>L</td> <td>✓</td> <td>90</td> <td>%</td> <td>R</td> <td>✓</td> <td>90</td> </tr> <tr> <td></td> <td>L</td> <td>✓</td> <td>90</td> <td>%</td> <td>R</td> <td>✓</td> <td>90</td> </tr> <tr> <td>Middle</td> <td>L</td> <td>✓</td> <td>90</td> <td>%</td> <td>R</td> <td>✓</td> <td>90</td> </tr> <tr> <td></td> <td>L</td> <td>✓</td> <td>90</td> <td>%</td> <td>R</td> <td>✓</td> <td>90</td> </tr> <tr> <td>Rear</td> <td>L</td> <td>✓</td> <td>90</td> <td>%</td> <td>R</td> <td>✓</td> <td>90</td> </tr> </table>					Brake % Report								Front	L	✓	90	%	R	✓	90		L	✓	90	%	R	✓	90	Middle	L	✓	90	%	R	✓	90		L	✓	90	%	R	✓	90	Rear	L	✓	90	%	R	✓	90
Brake % Report																																																				
Front	L	✓	90	%	R	✓	90																																													
	L	✓	90	%	R	✓	90																																													
Middle	L	✓	90	%	R	✓	90																																													
	L	✓	90	%	R	✓	90																																													
Rear	L	✓	90	%	R	✓	90																																													
5.	Check all air hoses & fittings	✓	1																																																	
6.	Drain all air tanks	✓	1																																																	
7.	Check turntable and King Pin for movement	✓	1																																																	
8.	Grease and check landing legs	✓	1																																																	
9.	Inspect all suspension components	✓	1																																																	
10.	Check chassis for cracks and fatigue	✓	1																																																	
11.	Check wheel bearings for movement	✓	1																																																	
12.	Check condition of tyres rims and hubs	✓	1																																																	
13.	Check and report on condition of safety signs	✓	1																																																	
Please list any faults found																																																				

Date:

~~Reading Hand / Mechanic:~~

1/15/1922

JEFTOMSON TRAILER SERVICE

Chassis No: 138528
 Kilometres: 39604
 Date Inspected: 27-9-22
 Rego: 83761-5
 Trailer Motor Type: 39604
 Trailer Rego: 31051

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓
2.	Check operation and condition of all lights, reflectors and safety signals	✓
3.	Check condition of all brake components	✓
4.	Check and adjust brakes	✓

Brake % Report			
Front	Middle	Rear	
L A 90	L A 90	L A 90	%
R A 90	R A 90	R A 90	%

5.	Check all air hoses & fittings	✓
6.	Drain all air tanks	✓
7.	Check turntable and King Pin for movement	✓
8.	Grease and check landing legs	✓
9.	Inspect all suspension components	✓
10.	Check chassis for cracks and fatigue	✓
11.	Check wheel bearings for movement	✓
12.	Check condition of tyres rims and hubs	✓
13.	Check and report on condition of safety signs	✓

Please list any faults found
 2 minor issues broken need to replace
 top 14 / 15th clearance light p/w
 put some hole hubs bearings

Leading Hand / Mechanic: [Signature]
 Date: 29-09-22
 Trailer Number: 31051

Date: 7/2/22

Leading Hand / Mechanic: *[Signature]*

Left side indicator
change for fuel box
call left light for
bridge work service

Please list any faults found

13.	Check and report on condition of safety signs	
12.	Check condition of tyres rims and hubs	
11.	Check wheel bearings for movement	
10.	Check chassis for cracks and fatigue	
9.	Inspect all suspension components	
8.	Grease and check landing legs	
7.	Check turntable and king pin for movement	
6.	Drain all air tanks	
5.	Check all air hoses & fittings	
Brake % Report		
Front		L 90% R 90%
Middle		L 90% R 90%
Rear		L 90% R 90%
4.	Check and adjust brakes	
3.	Check condition of all brake components	
2.	Check operation and condition of all lights, reflectors and safety signals	
1.	Grease and check condition of all grease points	

Mechanic to inspect, make adjustments, tighten, on all operations listed
Consult applicable service information for adjustments and specification
Tick = OK A = Adjust R = Repair

Chassis No: *n/a* Rego: 83761-5
Kilometres: 134,146
Date inspected: 07-02-22

JEFTOMSON TRAILER SERVICE

Date of issue: 29/11/18 (R41)

JEFTOMSON TRAILER SERVICE

Chassis No: 133020
 Kilometres: 30369
 Date Inspected: 3-12-21
 Rego: 88761-5
 Make: HZ # 30369
 Model: HZ # 33920

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	✓																								
2.	Check operation and condition of all lights, reflectors and safety signals	✓																								
3.	Check condition of all brake components	✓																								
4.	Check and adjust brakes	✓																								
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <th></th> <th>Front</th> <th>Middle</th> <th>Rear</th> </tr> <tr> <td>L</td> <td>90</td> <td>90</td> <td>90</td> </tr> <tr> <td>A</td> <td></td> <td></td> <td></td> </tr> <tr> <td>R</td> <td>90</td> <td>90</td> <td>90</td> </tr> <tr> <td>%</td> <td></td> <td></td> <td></td> </tr> </table>			Brake % Report					Front	Middle	Rear	L	90	90	90	A				R	90	90	90	%			
Brake % Report																										
	Front	Middle	Rear																							
L	90	90	90																							
A																										
R	90	90	90																							
%																										
5.	Check all air hoses & fittings	✓																								
6.	Drain all air tanks	✓																								
7.	Check turntable and King Pin for movement	✓																								
8.	Grease and check landing legs	✓																								
9.	Inspect all suspension components	✓																								
10.	Check chassis for cracks and fatigue	✓																								
11.	Check wheel bearings for movement	✓																								
12.	Check condition of tyres rims and hubs	✓																								
13.	Check and report on condition of safety signs	✓																								

Please list any faults found

Good work done to replace w/h
 pull bolt need to tight
 V/h lower wall is good

Leading Hand / Mechanic: J. J. J.
 Date: 03-12-21

JEFTOMSON TRAILER SERVICE

Chassis No: B3761.5 Rego: E-30,184
 Kilometres: 1,211,027 Date Inspected: 18-10-21
 T-30,735

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

Tech Init.																					
1.	Grease and check condition of all grease points																				
2.	Check operation and condition of all lights, reflectors and safety signals																				
3.	Check condition of all brake components																				
4.	Check and adjust brakes																				
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <td>Front</td> <td>L</td> <td>25%</td> <td>R</td> </tr> <tr> <td>Middle</td> <td>L</td> <td>20%</td> <td>R</td> </tr> <tr> <td>Rear</td> <td>L</td> <td>30%</td> <td>R</td> </tr> <tr> <td></td> <td></td> <td></td> <td>15%</td> </tr> </table>		Brake % Report				Front	L	25%	R	Middle	L	20%	R	Rear	L	30%	R				15%
Brake % Report																					
Front	L	25%	R																		
Middle	L	20%	R																		
Rear	L	30%	R																		
			15%																		
5.	Check all air hoses & fittings																				
6.	Drain all air tanks																				
7.	Check turntable and King Pin for movement																				
8.	Grease and check landing legs																				
9.	Inspect all suspension components																				
10.	Check chassis for cracks and fatigue																				
11.	Check wheel bearings for movement																				
12.	Check condition of tyres rims and hubs																				
13.	Check and report on condition of safety signs																				
Please list any faults found																					
breaking trailer plug broken rear left pin mid left guard middle rear hub seals bushes turntable bushes king pin with pump ball																					

Leading Hand / Mechanic: [Signature] Date: 25-10-21

JEFTOMSON TRAILER SERVICE

Chassis No: N/A Rego: 83761-S
 Kilometres: 128840 Date Inspected: 2-8-21
 Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	CL																				
2.	Check operation and condition of all lights, reflectors and safety signals	CL																				
3.	Check condition of all brake components	CL																				
4.	Check and adjust brakes	CL																				
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <th></th> <th>Front</th> <th>Middle</th> <th>Rear</th> </tr> <tr> <td>L</td> <td>70</td> <td>60</td> <td>70</td> </tr> <tr> <td>R</td> <td>70</td> <td>60</td> <td>60</td> </tr> <tr> <td>%</td> <td></td> <td></td> <td></td> </tr> </table>			Brake % Report					Front	Middle	Rear	L	70	60	70	R	70	60	60	%			
Brake % Report																						
	Front	Middle	Rear																			
L	70	60	70																			
R	70	60	60																			
%																						
5.	Check all air hoses & fittings	CL																				
6.	Drain all air tanks	CL																				
7.	Check turntable and King Pin for movement	MA																				
8.	Grease and check landing legs	CL																				
9.	Inspect all suspension components	CL																				
10.	Check chassis for cracks and fatigue	CL																				
11.	Check wheel bearings for movement	CL																				
12.	Check condition of tyres rims and hubs	CL																				
13.	Check and report on condition of safety signs	CL																				
Please list any faults found																						
front over with leak - REPLACED FITTING front over with leak - REPLACED FITTING front over with leak - REPLACED FITTING																						

Leading Hand / Mechanic: [Signature] Date: 21/8/2021

JEFTOMSON TRAILER SERVICE

Chassis No: 83761-5
 Kilometres: 126788
 Date Inspected: 2-6-21
 Rego: F29604

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	CL																				
2.	Check operation and condition of all lights, reflectors and safety signals	CL																				
3.	Check condition of all brake components	CL																				
4.	Check and adjust brakes	CL																				
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <th></th> <th>Front</th> <th>Middle</th> <th>Rear</th> </tr> <tr> <td>L</td> <td>75</td> <td>75</td> <td>75</td> </tr> <tr> <td>R</td> <td>75</td> <td>75</td> <td>75</td> </tr> <tr> <td>%</td> <td></td> <td></td> <td></td> </tr> </table>			Brake % Report					Front	Middle	Rear	L	75	75	75	R	75	75	75	%			
Brake % Report																						
	Front	Middle	Rear																			
L	75	75	75																			
R	75	75	75																			
%																						
5.	Check all air hoses & fittings	CL																				
6.	Drain all air tanks	CL																				
7.	Check turntable and King Pin for movement	CL																				
8.	Grease and check landing legs	CL																				
9.	Inspect all suspension components	CL																				
10.	Check chassis for cracks and fatigue	CL																				
11.	Check wheel bearings for movement	CL																				
12.	Check condition of tyres rims and hubs	CL																				
13.	Check and report on condition of safety signs	CL																				
Please list any faults found middle air high seals weep door latch under carriage door left loosey right middle left shock loose bridge motor service king pin - left next service out of comping																						

Leading Hand / Mechanic:

Date:

10-6-21

JEFTOMSON TRAILER SERVICE

Date of Issue: 29/11/18 (R41)

Jeftomson Transport

Chassis No: 93761-S
Kilometres: 129777
Date Inspected: 12-4-24
Rego: T-32920
E-29381

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	CL																											
2.	Check operation and condition of all lights, reflectors and safety signals	CL																											
3.	Check condition of all brake components	CL																											
4.	Check and adjust brakes	CL																											
<table border="1"> <tr> <td colspan="2">Brake % Report</td> <td>Front</td> <td>L</td> <td>70</td> <td>%</td> <td>R</td> <td>70</td> <td>%</td> </tr> <tr> <td colspan="2"></td> <td>Middle</td> <td>L</td> <td>70</td> <td>%</td> <td>R</td> <td>70</td> <td>%</td> </tr> <tr> <td colspan="2"></td> <td>Rear</td> <td>L</td> <td>70</td> <td>%</td> <td>R</td> <td>70</td> <td>%</td> </tr> </table>			Brake % Report		Front	L	70	%	R	70	%			Middle	L	70	%	R	70	%			Rear	L	70	%	R	70	%
Brake % Report		Front	L	70	%	R	70	%																					
		Middle	L	70	%	R	70	%																					
		Rear	L	70	%	R	70	%																					
5.	Check all air hoses & fittings	CL																											
6.	Drain all air tanks	CL																											
7.	Check turntable and King Pin for movement	CL																											
8.	Grease and check landing legs	CL																											
9.	Inspect all suspension components	CL																											
10.	Check chassis for cracks and fatigue	CL																											
11.	Check wheel bearings for movement	CL																											
12.	Check condition of tyres rims and hubs	CL																											
13.	Check and report on condition of safety signs	CL																											
Please list any faults found tyre pressure slight chassis cracks, loose lines, leaking pressure relief valve, air tank drain top, slight wheel bearing noise, M-LH middle axle has seal weeping, page pole railing, fillet glass will bend																													

Leading Hand / Mechanic: *[Signature]*
Date: 16-4-24

JEFTOMSON TRAILER SERVICE

Chassis No.: 83761-5
 Kilometres: 1235750
 Date Inspected: 19-2-21
 Rego: E29268 T32913

Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	CL																				
2.	Check operation and condition of all lights, reflectors and safety signals	CL																				
3.	Check condition of all brake components	CL																				
4.	Check and adjust brakes	CL																				
<table border="1"> <tr> <th colspan="4">Brake % Report</th> </tr> <tr> <th></th> <th>Front</th> <th>Middle</th> <th>Rear</th> </tr> <tr> <td>L</td> <td>80</td> <td>80</td> <td>80</td> </tr> <tr> <td>R</td> <td>80</td> <td>80</td> <td>80</td> </tr> <tr> <td>%</td> <td>80</td> <td>80</td> <td>80</td> </tr> </table>			Brake % Report					Front	Middle	Rear	L	80	80	80	R	80	80	80	%	80	80	80
Brake % Report																						
	Front	Middle	Rear																			
L	80	80	80																			
R	80	80	80																			
%	80	80	80																			
5.	Check all air hoses & fittings	CL																				
6.	Drain all air tanks	CL																				
7.	Check turntable and King Pin for movement	CL																				
8.	Grease and check landing legs	CL																				
9.	Inspect all suspension components	CL																				
10.	Check chassis for cracks and fatigue	CL																				
11.	Check wheel bearings for movement	CL																				
12.	Check condition of tyres and hubs	CL																				
13.	Check and report on condition of safety signs	CL																				
Please list any faults found higher central valve belt loose / middle right spoke loose / single cracks in cross member / both rear left & right wheel bearings - usual as front right																						

Leading Hand / Mechanic:

Date:

1-3-21


JEFTOMSON TRAILER SERVICE

Chassis No: 83761-5
 Kilometres: 1,220,103km
 Date Inspected: 22/12/20
 29 098 EULING HOURS
 32 644 TOTAL HOURS
 Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	OK															
2.	Check operation and condition of all lights, reflectors and safety signals	OK															
3.	Check condition of all brake components	OK															
4.	Check and adjust brakes	OK															
<table border="1"> <tr> <th colspan="3">Brake % Report</th></tr> <tr> <td>Front</td><td>L</td><td>50 %</td></tr> <tr> <td>Middle</td><td>L</td><td>50 %</td></tr> <tr> <td>Rear</td><td>L</td><td>50 %</td></tr> <tr> <td></td><td>R</td><td>50 %</td></tr> </table>			Brake % Report			Front	L	50 %	Middle	L	50 %	Rear	L	50 %		R	50 %
Brake % Report																	
Front	L	50 %															
Middle	L	50 %															
Rear	L	50 %															
	R	50 %															

5.	Check all air hoses & fittings	OK
6.	Drain all air tanks	OK
7.	Check turntable and King Pin for movement	OK
8.	Grease and check landing legs	OK
9.	Inspect all suspension components	OK
10.	Check chassis for cracks and fatigue	OK
11.	Check wheel bearings for movement	OK
12.	Check condition of tyres rims and hubs	OK
13.	Check and report on condition of safety signs	OK

Please list any faults found		
(Replaced one top clearance light (Replaced trailer plug for van lights. Adjusted tyre pressures Replaced spare wheel with rolling/narrowed THREE END WHEELS Greased and lubed landing legs. HUB OIL LEVELS GOOD FAULTS.		

Leading Hand / Mechanic: 
 Date: 22/12/20

JEFTOMISON TRAILER SERVICE

Date of Issue: 29/11/18 (R41)

14/10/20

Date Inspected:

Kilometres: 1192099

732305

E28768

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

Chassis No: 83761-5		Rego: 732305	
1.	Grease and check condition of all grease points		
2.	Check operation and condition of all lights, reflectors and safety signals		
3.	Check condition of all brake components		
4.	Check and adjust brakes		
Brake % Report			
Front	60 % R	60 % R	60 % R
Middle	50 % R	50 % R	50 % R
Rear	60 % R	60 % R	60 % R
5.	Check all air hoses & fittings		
6.	Drain all air tanks		
7.	Check turntable and King Pin for movement		
8.	Grease and check landing legs		
9.	Inspect all suspension components		
10.	Check chassis for cracks and fatigue		
11.	Check wheel bearings for movement		
12.	Check condition of tyres rims and hubs		
13.	Check and report on condition of safety signs		
Please list any faults found			
Shock absorber - replace next service - 8clm			
Turntable drop rather mount cracked			
Both door seals getting worn			
Floor rail end cap missing for left			
Open door latch broken right side - replaced			
check rear right bearing			

Leading Hand / Mechanic:

Date: 15-10-20

Date of Issue: 29/11/18 (R41)

JEFTOMSON TRAILER SERVICE

Chassis No: 83761-5
 Kilometres: 1177039
 Date Inspected: 17/08/20
 Rego: 17/08/20
 Mechanic to inspect, make adjustments, tighten, on all operations listed.
 Consult applicable service information for adjustments and specification.
 Tick = OK A = Adjust R = Repair

1.	Grease and check condition of all grease points	OK								
2.	Check operation and condition of all lights, reflectors and safety signals	OK								
3.	Check condition of all brake components	OK								
4.	Check and adjust brakes	OK								
<table border="1"> <tr> <td colspan="2">Brake % Report</td> </tr> <tr> <td>Front</td> <td>L A 70</td> </tr> <tr> <td>Middle</td> <td>L A 70</td> </tr> <tr> <td>Rear</td> <td>L A 70</td> </tr> </table>			Brake % Report		Front	L A 70	Middle	L A 70	Rear	L A 70
Brake % Report										
Front	L A 70									
Middle	L A 70									
Rear	L A 70									
5.	Check all air hoses & fittings	OK								
6.	Drain all air tanks	OK								
7.	Check turntable and King Pin for movement	OK								
8.	Grease and check landing legs	OK								
9.	Inspect all suspension components	OK								
10.	Check chassis for cracks and fatigue	OK								
11.	Check wheel bearings for movement	OK								
12.	Check condition of tyres rims and hubs	OK								
13.	Check and report on condition of safety signs	OK								

Please list any faults found

EXCESSIVE PLAY @ 4 PINN WITH NUB
 EXCESSIVE PLAY @ 12 PINN WITH NUB.
 CRACK IN 12 PINN WITH NUB.
 MAKE AND TIGHTEN THOSE CONNECTIONS IS WORK

Leading Hand / Mechanic: JEFFREY

Date: 17/08/20

Date of Issue: 29/11/18 (R41)

Jefferson Transport

JEFFERSON TRAILER SERVICE

Chassis No: **'A' MAXI 85** Kilometres: **1/58,000** Date Inspected: **3-6-20**
Rego: **83761-S**
28,264 EU6 HRS / 31,801 TOTAL HOURS

Mechanic to inspect, make adjustments, tighten, on all operations listed.
Consult applicable service information for adjustments and specification.
Tick = OK A = Adjust R = Repair

Tech Init.	CW	1. Grease and check condition of all grease points					
CW	CW	2. Check operation and condition of all lights, reflectors and safety signals					
CW	CW	3. Check condition of all brake components					
CW	CW	4. Check and adjust brakes					
		Brake % Report					
		Front					
		Middle					
		Rear					
		L	80	%	R	80	%
		L	80	%	R	80	%
		L	80	%	R	80	%

5. Check all air hoses & fittings	WS
6. Drain all air tanks	WS
7. Check turntable and King Pin for movement	CW
8. Grease and check landing legs	WS
9. Inspect all suspension components	CW
10. Check chassis for cracks and fatigue	CW
11. Check wheel bearings for movement	WS
12. Check condition of tyres rims and hubs	CW
13. Check and report on condition of safety signs	CW

Please list any faults found
~~4 RIMS TURNABLE P90 SEATTLE 67000~~
~~- TURNABLE P905 REPAIRED~~

Leading Hand / Mechanic:  Date: **3/6/20**