

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**


Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			
10.5. Roll-Coupling Hitch			✓				

NOTES:

Certification

The Vehicle for which this Record of Inspection is Issued has **PASSED** (Certificate #8563304) the Inspection and I certify it has been Inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2026/01/14	Technician Number A1779	Facility Number 10952	Signature 
---	-----------------------------------	---------------------------------	---

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day) 2026/01/14
Customer Signature

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:

Section 5 - Instruments and Auxillary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Utilized Body Elements			✓	8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle			✓	8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment			✓					

NOTES:

SHOCKS #2RH & #3LH AND RH LEAKING CHANGED AT INSPECTION TIME
MINOR CRACKS IN AVEL SEATS AND REAR CROSSMEMBER REPAIRED AT INSPECTION TIME

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓	
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓	
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓	
3H.9. Air-Boosted Trailer Brake System			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓			
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components			✓	
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓			
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)	✓			
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓			
3A.15. Drum Brake System Components	✓							

NOTES:

31 LH CLEVIS NUT LOOSE TIGHTENED BY TECH
#2 AND #3 AUTOSLACK PINS WORN BADLY CHANGED AT INSPECTION

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓	
4.4. Kingpin	✓							



COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered																																																																																																																																																																																										
Trailer										kg																																																																																																																																																																																										
Vehicle Information																																																																																																																																																																																																				
VIN		2	K	9	L	B	3	5	2	9	F	L	0	7	2	0	2	1																																																																																																																																																																																		
Unit Number			Year			Make			Model			Odometer																																																																																																																																																																																								
530			2015			Gerry's			lowbed																																																																																																																																																																																											
Registered Owner's Name															Plate Number																																																																																																																																																																																					
GATROT OILFIELD SERVICES															4WT607																																																																																																																																																																																					
Address												Postal Code				Phone Number																																																																																																																																																																																				
BOX 979												T0H1W0				(780) 617-0117																																																																																																																																																																																				
Drum Brakes: B-Wheel-on Full Inspection											Disc Brakes:																																																																																																																																																																																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2"></th> <th colspan="3">LEFT</th> <th colspan="3">FRONT</th> <th colspan="3">RIGHT</th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td>100 psi</td> <td>100 psi</td> <td>419.35</td> <td>mm</td> <td>Drums/Rotors</td> <td>419.59</td> <td>mm</td> <td>100 psi</td> <td>100 psi</td> </tr> <tr> <td>15 mm</td> <td>14 mm</td> <td>18</td> <td>mm</td> <td>Linings/Pads</td> <td>18</td> <td>mm</td> <td>11 mm</td> <td>9 mm</td> </tr> <tr> <td></td> <td></td> <td>30</td> <td>mm</td> <td>Push Rod Travel</td> <td>30</td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>100 psi</td> <td>100 psi</td> <td>419.58</td> <td>mm</td> <td>Drums/Rotors</td> <td>419.63</td> <td>mm</td> <td>100 psi</td> <td>100 psi</td> </tr> <tr> <td>4 mm</td> <td>9 mm</td> <td>15</td> <td>mm</td> <td>Linings/Pads</td> <td>16</td> <td>mm</td> <td>14 mm</td> <td>14 mm</td> </tr> <tr> <td></td> <td></td> <td>30</td> <td>mm</td> <td>Push Rod Travel</td> <td>30</td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>100 psi</td> <td>100 psi</td> <td>419.45</td> <td>mm</td> <td>Drums/Rotors</td> <td>419.45</td> <td>mm</td> <td>100 psi</td> <td>100 psi</td> </tr> <tr> <td>6 mm</td> <td>7 mm</td> <td>19</td> <td>mm</td> <td>Linings/Pads</td> <td>17</td> <td>mm</td> <td>10 mm</td> <td>10 mm</td> </tr> <tr> <td></td> <td></td> <td>30</td> <td>mm</td> <td>Push Rod Travel</td> <td>30</td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td></td> <td>mm</td> <td>Drums/Rotors</td> <td></td> <td>mm</td> <td>psi</td> <td>psi</td> </tr> <tr> <td>mm</td> <td>mm</td> <td></td> <td>mm</td> <td>Linings/Pads</td> <td></td> <td>mm</td> <td>mm</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td></td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td></td> <td>mm</td> <td>Drums/Rotors</td> <td></td> <td>mm</td> <td>psi</td> <td>psi</td> </tr> <tr> <td>mm</td> <td>mm</td> <td></td> <td>mm</td> <td>Linings/Pads</td> <td></td> <td>mm</td> <td>mm</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td></td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td></td> <td>mm</td> <td>Drums/Rotors</td> <td></td> <td>mm</td> <td>psi</td> <td>psi</td> </tr> <tr> <td>mm</td> <td>mm</td> <td></td> <td>mm</td> <td>Linings/Pads</td> <td></td> <td>mm</td> <td>mm</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td></td> <td>mm</td> <td></td> <td></td> </tr> </tbody> </table>																								LEFT			FRONT			RIGHT					100 psi	100 psi	419.35	mm	Drums/Rotors	419.59	mm	100 psi	100 psi	15 mm	14 mm	18	mm	Linings/Pads	18	mm	11 mm	9 mm			30	mm	Push Rod Travel	30	mm			100 psi	100 psi	419.58	mm	Drums/Rotors	419.63	mm	100 psi	100 psi	4 mm	9 mm	15	mm	Linings/Pads	16	mm	14 mm	14 mm			30	mm	Push Rod Travel	30	mm			100 psi	100 psi	419.45	mm	Drums/Rotors	419.45	mm	100 psi	100 psi	6 mm	7 mm	19	mm	Linings/Pads	17	mm	10 mm	10 mm			30	mm	Push Rod Travel	30	mm			psi	psi		mm	Drums/Rotors		mm	psi	psi	mm	mm		mm	Linings/Pads		mm	mm	mm				mm	Push Rod Travel		mm			psi	psi		mm	Drums/Rotors		mm	psi	psi	mm	mm		mm	Linings/Pads		mm	mm	mm				mm	Push Rod Travel		mm			psi	psi		mm	Drums/Rotors		mm	psi	psi	mm	mm		mm	Linings/Pads		mm	mm	mm				mm	Push Rod Travel		mm		
		LEFT			FRONT			RIGHT																																																																																																																																																																																												
100 psi	100 psi	419.35	mm	Drums/Rotors	419.59	mm	100 psi	100 psi																																																																																																																																																																																												
15 mm	14 mm	18	mm	Linings/Pads	18	mm	11 mm	9 mm																																																																																																																																																																																												
		30	mm	Push Rod Travel	30	mm																																																																																																																																																																																														
100 psi	100 psi	419.58	mm	Drums/Rotors	419.63	mm	100 psi	100 psi																																																																																																																																																																																												
4 mm	9 mm	15	mm	Linings/Pads	16	mm	14 mm	14 mm																																																																																																																																																																																												
		30	mm	Push Rod Travel	30	mm																																																																																																																																																																																														
100 psi	100 psi	419.45	mm	Drums/Rotors	419.45	mm	100 psi	100 psi																																																																																																																																																																																												
6 mm	7 mm	19	mm	Linings/Pads	17	mm	10 mm	10 mm																																																																																																																																																																																												
		30	mm	Push Rod Travel	30	mm																																																																																																																																																																																														
psi	psi		mm	Drums/Rotors		mm	psi	psi																																																																																																																																																																																												
mm	mm		mm	Linings/Pads		mm	mm	mm																																																																																																																																																																																												
			mm	Push Rod Travel		mm																																																																																																																																																																																														
psi	psi		mm	Drums/Rotors		mm	psi	psi																																																																																																																																																																																												
mm	mm		mm	Linings/Pads		mm	mm	mm																																																																																																																																																																																												
			mm	Push Rod Travel		mm																																																																																																																																																																																														
psi	psi		mm	Drums/Rotors		mm	psi	psi																																																																																																																																																																																												
mm	mm		mm	Linings/Pads		mm	mm	mm																																																																																																																																																																																												
			mm	Push Rod Travel		mm																																																																																																																																																																																														
Park Brake Lining Left NA mm Right NA mm Trans NA mm Wheel Torque Checked <input checked="" type="checkbox"/> Inner NA ft lbs Outer 450 ft lbs																																																																																																																																																																																																				



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

K13-7

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	GATROT OILFIELD SERVICES		
Address:	BOX 979		
City:	GRIMSHAW	Province:	AB
Postal Code:	T0H1W0		
Telephone Number:	(780) 617-0117		
Vehicle Identification Number:	2K9LB3529FL072021		
Make:	Gerry's	Model:	lowbed
Year:	2015	Unit Number:	530
Odometer:	KM	Licence Plate Number:	4WT607
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	618864 Alberta Ltd.	Facility Number:	10952
Inspection Technician Name:	Darren Kuester	Technician Number:	A1779
Inspection Technician Signature:			
Inspection Date:	2026/01/14		