



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Commercial Bus	Seating Capacity:	14
GVW:	kg	Brake Type:	Hydraulic
Owner Name:	GRANDE PRAIRIE AIRPORT COMMISSION		
Address:	ROOM 220 10610 AIRPORT DR		
City:	GRANDE PRAIRIE	Province:	AB
		Postal Code:	T8V7Z5
Telephone Number:	(587) 298-5335		
Vehicle Identification Number:	1FDWE45F43HB83775		
Make:	Ford	Model:	Cutaway
Year:	2003	Unit Number:	57-0702
Odometer:	249851 KM	Licence Plate Number:	OBM562
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Bear Creek Maintenance Ltd.	Facility Number:	16457
Inspection Technician Name:	Marvin Kinch	Technician Number:	B2644
Inspection Technician Signature:			
Inspection Date:	2026/05/20		



COMMERCIAL VEHICLE RECORD OF INSPECTION SCHOOL BUS, COMMERCIAL BUS, MOTOR COACH

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Commercial Bus										kg									
Vehicle Information																			
VIN	1	F	D	W	E	4	5	F	4	3	H	B	8	3	7	7	5		
Unit Number			Year			Make			Model			Odometer							
57-0702			2003			Ford			Cutaway			249,851							
Registered Owner's Name															Plate Number				
GRANDE PRAIRIE AIRPORT COMMISION															0BM562				
Address										Postal Code					Phone Number				
ROOM 220 10610 AIRPORT DR										T8V7Z5					(587) 298-5335				

Drum Brakes:	Disc Brakes: D-Full Inspection Wheel Removed
--------------	--

		LEFT	FRONT	RIGHT											
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">70 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">11 mm</div>		<table style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;">28.77 mm</td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;">28.71 mm</td></tr> <tr><td style="text-align: center;">8 mm</td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;">8 mm</td></tr> <tr><td style="text-align: center;">N/A mm</td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;">N/A mm</td></tr> </table>	28.77 mm	Drums/Rotors	28.71 mm	8 mm	Linings/Pads	8 mm	N/A mm	Push Rod Travel	N/A mm		<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">70 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">13 mm</div>		
28.77 mm	Drums/Rotors	28.71 mm													
8 mm	Linings/Pads	8 mm													
N/A mm	Push Rod Travel	N/A mm													
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">70 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">10 mm</div>		<table style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;">42.19 mm</td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;">42.12 mm</td></tr> <tr><td style="text-align: center;">12 mm</td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;">12 mm</td></tr> <tr><td style="text-align: center;">N/A mm</td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;">N/A mm</td></tr> </table>	42.19 mm	Drums/Rotors	42.12 mm	12 mm	Linings/Pads	12 mm	N/A mm	Push Rod Travel	N/A mm		<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">70 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">10 mm</div>		<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">70 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">10 mm</div>
42.19 mm	Drums/Rotors	42.12 mm													
12 mm	Linings/Pads	12 mm													
N/A mm	Push Rod Travel	N/A mm													
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ mm</div>		<table style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;">_ mm</td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;">_ mm</td></tr> <tr><td style="text-align: center;">_ mm</td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;">_ mm</td></tr> <tr><td style="text-align: center;">_ mm</td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;">_ mm</td></tr> </table>	_ mm	Drums/Rotors	_ mm	_ mm	Linings/Pads	_ mm	_ mm	Push Rod Travel	_ mm		<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ mm</div>		<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ mm</div>
_ mm	Drums/Rotors	_ mm													
_ mm	Linings/Pads	_ mm													
_ mm	Push Rod Travel	_ mm													
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ mm</div>		<table style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;">_ mm</td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;">_ mm</td></tr> <tr><td style="text-align: center;">_ mm</td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;">_ mm</td></tr> <tr><td style="text-align: center;">_ mm</td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;">_ mm</td></tr> </table>	_ mm	Drums/Rotors	_ mm	_ mm	Linings/Pads	_ mm	_ mm	Push Rod Travel	_ mm		<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ mm</div>		<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ mm</div>
_ mm	Drums/Rotors	_ mm													
_ mm	Linings/Pads	_ mm													
_ mm	Push Rod Travel	_ mm													
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ mm</div>		<table style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;">_ mm</td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;">_ mm</td></tr> <tr><td style="text-align: center;">_ mm</td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;">_ mm</td></tr> <tr><td style="text-align: center;">_ mm</td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;">_ mm</td></tr> </table>	_ mm	Drums/Rotors	_ mm	_ mm	Linings/Pads	_ mm	_ mm	Push Rod Travel	_ mm		<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ mm</div>		<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; text-align: center;">_ mm</div>
_ mm	Drums/Rotors	_ mm													
_ mm	Linings/Pads	_ mm													
_ mm	Push Rod Travel	_ mm													

Park Brake Lining Left N/A mm Right N/A mm Trans 4 mm
 Wheel Torque Checked Inner N/A ft lbs Outer 140 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION SCHOOL BUS, COMMERCIAL BUS, MOTOR COACH

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch & Clutch Pedal			✓	1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG,CNG Or LNG) *SEE APPENDIX A*			✓	
1.7. Engine Shut Down	✓							

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension			✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components	✓			3H.13. Disc Brake System Components	✓			
3H.2. Brake Pedal/Actuator	✓			3H.14. Mechanical Parking Brake	✓			
3H.3. Vacuum-Assisted (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System	✓			3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)	✓			
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps	✓			3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor			✓	3A.13. Air System Components			✓	
3A.2. Air Supply System			✓	3A.14. Brake Chamber			✓	
3A.4. Air Tank			✓	3A.15. Drum Brake System Components			✓	
3A.5. Air Tank Check Valves			✓	3A.16. S-Cam Drum Brake System			✓	
3A.6. Brake Pedal/Actuator			✓	3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve			✓	3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls			✓	3A.19. Anti-Lock Brake System (ABS)			✓	
3A.9. Proportioning, Inversion or Modulation Valve			✓	3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System			✓	3A.23. Brake Performance			✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION SCHOOL BUS, COMMERCIAL BUS, MOTOR COACH

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application (Bus)			✓				

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage	✓			4.4. Kingpin			✓
4.2. Power Steering System (Hydraulic & Electric)	✓			4.5. Self-Steer & Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)			✓				

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.11. Auxiliary Controls & Devices			✓
5.4. Instruments & Gauges on a Bus	✓			5.13. On-board Auxiliary Equipment on a Bus	✓		
5.5. Speedometer	✓			5.14. First Aid Kit on a Bus	✓		
5.6. Odometer	✓			5.15. Accessibility Features & Equipment on a Bus			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.5. Headlamp Aiming	✓		
6.2. Reflex Reflector	✓			6.6. Interior Lamps on a Bus	✓		
6.3. Retro-Reflective Marking	✓			6.7. School Bus Additional Lamps			✓
6.4. Instrument Panel Lamp	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓			7.4. Alternator Output on a School Bus			✓

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.19. Seat	✓		
8.4. Cab & Passenger-Vehicle Body	✓			8.20. Seat Belt/Occupant Restraint	✓		
8.6. Frame, Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle			✓	8.26. Floor Pan/Baggage Floor/Step well on a Bus	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.27. Interior Body & Fixtures on a Bus	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION SCHOOL BUS, COMMERCIAL BUS, MOTOR COACH

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.12. Bumper	✓			8.28. Service & Exit door on a Bus	✓		
8.13. Windshield	✓			8.29. Emergency Exit (Door, Window, & Roof Hatch)	✓		
8.14. Side Windows	✓			8.30. Passenger Compartment Window on a Bus (Except Emergency Exit Window)	✓		
8.15. Rear Window	✓			8.31. School Bus Exterior Mirror (Except Standard Left & Right Side Mirror)			✓
8.16. Interior Sun Visor	✓			8.32. Passenger Seat on a Bus	✓		
8.17. Exterior Windshield Sun Visor			✓	8.33. School Bus Body Exterior			✓
8.18. Rear-View Mirror	✓			8.34. Auxiliary Compartment on a Bus	✓		

NOTES:

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.4. Ball Type Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.5. Roll-Coupling Hitch			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.6. Automated Coupling Device			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8694578)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2026/05/19	Technician Number B2644	Facility Number 16457	Signature
---	-----------------------------------	---------------------------------	---------------

Customer Acknowledgment

<p>I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.</p>	<p style="text-align: center;">Date (Year/Month/Day) 2026/05/20</p> <p style="text-align: center;">Customer Signature</p>
--	--