STATIC PLANT RISK ASSESSMENT

WILLIAM ADAMS- CLAYTON

Clients Name: OUTSIDE IDEAS		RA No: **44721017**
Machine Make & Model: **CATERPILLAR 279D**		Date of assessment: **11 OCTOBER 2017**
Serial No: **RCX00563**		Equipment Type: TRACKED SKID STEER LOADER
Asset/Rego No: **83690**		Engine Hours/ Km's 5.7
Quick Hitch (if Fitted):**N/A**		
Capacity Limits: **NOT FITTED**		
Certification of operator required: **Yes= SKID STEER**		

Is the plant designed to perform the task as outlined in the scope? Yes ☒ No ☐ _____

Has the plant been modified from the original condition? Yes ☐ No ☒ _____

All identified action items closed out/addressed? Yes ☒ No ☐ _____

Is the plant safe to operate? Yes ☒ No ☐ _____

WARNING: The seatbelt on this machine may be out of date. Please check operator's manual for correct guidance, and replace seatbelt if necessary. (3 year limit on most machines)

STEP 1: Likelihood of Occurrence	STEP 2: Severity of Result
1. Expected To Occur (once per week)	A Fatality
2. Common (once per month)	B Permanent Disability
3. Sometimes (once per year)	C Lost Time Injury (LTI)
4. Rarely (once in < 20 years)	D Medical Treatment / Damage
5. Highly Unlikely (once in > 20 years)	E First Aid Injury

STEP 3:	A	B	C	D	E
1	H	H	H	M	M
2	H	H	M	M	L
3	H	M	M	L	L
4	M	M	L	L	L
5	M	L	L	L	L

STEP 4: Hazard Risk Assessment
H = High Risk (INTOLERABLE, significant and urgent actions required- Immediate Action).
M = Medium Risk (ALARP, reduce risk to As Low As Reasonably Practicable).
L = Low Risk (TOLERABLE, monitor and manage risk).

RAYKAR Training Pty. Ltd. PO Box 206. NAR NAR GOON. 3812. Victoria.
Fax: 03 5942-5576. E-mail: rwoll55@yahoo.com. ACN: 146 951 359
RAY WOLL 0414 497 580

Brent Woll

RAYKAR Training Pty. Ltd. 0414 497 580

Report Acceptance

General Notes

The Owner/Operator of the above Plant/Equipment should perform an inspection at regular intervals, that all procedures and control methods are maintained to an acceptable level where the level of risk to any person in increased. In particular when any alteration or modification is made to the Plant/Equipment, a review of both Control Methods and Documentation should be made.

A Plant Risk Assessment should be performed at regular intervals with a minimum of **once per year**.

Confidentiality

Information obtained from **WILLIAM ADAMS-CLAYTON** in the course of producing this report will be treated as confidential. It will not be used for any purpose other than for the production of this report.

Disclaimer

This report has been prepared by RAYKAR Training Pty. Ltd. for the purpose of determining compliance to occupational health and safety legislation and standards.
The contents of this report are intended only for use by **WILLIAM ADAM-CLAYTON.** Whilst every effort has been made by RAYKAR Training Pty. Ltd. to ensure the accuracy of this report. RAYKAR Training Pty. Ltd. will not be held responsible, and extends no warranties as to the suitability of such information or for the consequence of its use.
Likewise, RAYKAR Training Pty. Ltd. will not be held responsible for actions taken by third parties as a result of information contained in this report.

Ray Woll
Assessor

ALL HAZARDS IDENTIFIED IN THIS DOCUMENT MUST BE RECTIFIED WITHIN 21 DAYS OF DATE LISTED ON THE FRONT OF THIS FORM IF FAULTS NOT RECTIFIED IN 21 DAYS THIS DOCUMENT BECOMES NULL AND VOID

RAYKAR Training Pty. Ltd. 0414 497 580

STATIC PLANT RISK ASSESSMENT

WILLIAM ADAMS- CLAYTON

Hazard Type	Control Methods in Place	Yes / No	NA	Comments / Recommended Improvements	Projected Risk Score	Reasonably Practicable Yes /No
ENTANGLEMENT Can anyone's, hair, clothing, gloves, necktie, jewellery, cleaning brushes, rags or other materials become entangled with moving parts of the plant, or materials in motion?	Manufacturers Warning Decals Readable	Y		**All decals in operators cab**	**M**	
	Guards installed	Y				
	Warning Decals for Personal (i.e .loose clothing etc)	Y				
	Engine covers fitted	Y				
CRUSHING Can a person be crushed due to:						
♦ Uncontrolled or unexpected movement of the plant or its load?	Neutral start switch fitted		n/a		**M**	
	Reversing/travel alarm	Y				
	Crush zone warning decal	Y				
	Amber Flashing Beacon	Y				
	Pedals-Non slip surface	Y				
	Controls have appropriate knobs	Y				
	Reversing Light/camera	Y				
	Rear view mirror	Y				
	Control pod safety switch operational		N/A			
	Rear Swing Warning Decal or Swing Lights fitted		N/A			
	Machine may suddenly reverse warning decal fitted	Y				
♦ Lack of capacity for the plant to be slowed, stopped or immobilised?	Service brake operational		n/a		**M**	
	Parking brake operational	Y				
	Battery Isolator fitted	Y				
	Emergency stops (if fitted)		N/A			
♦ The plant tipping or rolling over?	Rops decal fitted to rops	Y		**TO ISO STANDARDS**	**M**	
	Rops approved structure	Y				
	Fops approved structure	Y				
	Tops/Cops approved structure		N/A			
	Manufacturers designed cab	Y				
	Emergency Exit Identified	Y				
	Emergency Exit vandal cover removed prior to operating. **Warning Decal Fitted**		N/A			

RAYKAR Training Pty. Ltd. 0414 497 580

STATIC PLANT RISK ASSESSMENT

WILLIAM ADAMS- CLAYTON

Hazard Type	Control Methods in Place	Yes / No	NA	Comments / Recommended Improvements	Projected Risk Score	Reasonably Practicable Yes /No
♦ Being thrown off or under the plant?	Seat belt fitted	Y			L	
	Door fitted	Y				
	Seat belt must be worn, warning decal fitted	Y				
	Operator Cabin fully enclosed	Y				
	Operator Area open		N/A			
CUT/STAB/PUNCTURE Can anyone be cut, stabbed or punctured due to: ♦ Coming into contact with sharp or flying objects?	Guarding No visible signs of sharp objects	Y			L	
♦ Coming into contact with moving parts of the plant during testing, inspection, operation, maintenance, cleaning or repair of the plant?	• Safe work procedures in place • Trained persons only • Tag out procedures in place	N		To be implemented by owner/hirer	L	
♦ The plant, parts of the plant or work pieces disintegrating?	**As above**	N		To be implemented by owner/hirer	L	
♦ Work pieces being ejected?	**As above**	N		To be implemented by owner/hirer	L	
♦ The mobility of the plant?	**As above**	N		To be implemented by owner/hirer	L	
♦ Uncontrolled or unexpected movement of the plant?	**As above**	N		To be implemented by owner/hirer	L	
SHEARING Can anyone's body parts be sheared between any two parts of the plant, or between a part of he plant and a work piece or structure?	• Safe work procedures in place • Traffic management in place • Supervision in place	N N		To be implemented by owner/hirer To be implemented by owner/hirer	L	
FRICTION Can anyone be burnt due to contact with moving parts or surfaces of the plant, or material handled by the plant?	**As above**	N		To be implemented by owner/hirer	L	
STRIKING Can anyone be struck by moving objects due to: ♦ Uncontrolled or unexpected movement of the plant?	• Safe work procedures in place • Traffic management in place Supervision in place	N		To be implemented by owner/hirer	M	
♦ The plant, parts of the plant or work pieces disintegrating?	**As above**	N		To be implemented by owner/hirer	L	

RAYKAR Training Pty. Ltd. 0414 497 580

STATIC PLANT RISK ASSESSMENT

WILLIAM ADAMS- CLAYTON

Hazard Type	Control Methods in Place	Yes / No	NA	Comments / Recommended Improvements	Projected Risk Score	Reasonably Practicable Yes /No
♦ Work pieces being ejected?	Guarding	Y			M	
	Keep clear warning decals	Y				
	Keeper pins correct type	Y				
♦ Mobility of the plant?	Glass safe operational condition	Y			M	
	Reversing / travel alarm	Y				
	Amber flashing beacon	Y				
	Reversing decal fitted	Y				
	Brake lights		n/a			
	Warning horn	Y				
	Indicators/Hazard Lights		n/a			
	Head/Tail Lights		n/a			
	Front and/or Rear work lights	Y				
High Pressure fluid Can anyone come into contact with fluid under pressure due to plant failure or misuse	Leakage	Y			L	
	All pipe clamps fitted	Y				
	High pressure warning decals	Y				
	No return valve fitted (Craning/lifting valves fitted)		N/A			
ELECTRICAL Can anyone be injured by electrical shock or burn due to: ♦ The plant contacting live electrical conductors?	Electrical wire / overhead wires / obstructions decals fitted	Y		**Addressed by JSA. (no go zone)**	L	
♦ Damaged or poorly maintained electrical leads and cables?		Y			L	
♦ Damaged electrical switches?		Y			L	
♦ Lack of isolation procedures?		Y			L	
EXPLOSION Can anyone be injured by explosion of gasses, vapours, liquids, dusts or other substances, triggered by the operation of the plant or by material handled by the plant?			n/a			
SLIP/TRIP/FALL Can anyone using the plant, or in the vicinity of the plant, slip, trip or fall due to: ♦ Uneven or slippery work surfaces?	Non slip surface	Y			L	

RAYKAR Training Pty. Ltd. 0414 497 580

STATIC PLANT RISK ASSESSMENT

WILLIAM ADAMS- CLAYTON

Hazard Type	Control Methods in Place	Yes / No	NA	Comments / Recommended Improvements	Projected Risk Score	Reasonably Practicable Yes /No
♦ Poor housekeeping, eg. Debris in the vicinity of the plant, spillage not cleaned up?			n/a			
♦ 3 points of contact warning decal fitted	Decal fitted	Y			L	
♦ Lack of a proper work platform?	Proper work platform	Y			L	
♦ Lack of proper stairs or ladders?	Proper stairs or ladders	Y			L	
♦ Lack of guardrails or suitable edge protection?	Guardrails or suitable edge protection		N/A		L	
♦ Unprotected holes, penetrations or gaps?		Y			L	
♦ Poor floor or walking surfaces, such as the lack of a slip resistant surface?	Non slip surface	Y			L	
♦ Steep walking surfaces?	Proper stairs or ladders	Y				
ERGONOMIC Can anyone be injured due to: ♦ Poorly designed seating?	Seat in safe usable condition	Y				
♦ Constrained body effort	Operational control levers & pedals in operator reach	Y			L	
	Seat adjustment controls operational	Y				
♦ Operators controls	Operators controls identified	Y			L	
	All labels are readable	Y				
SUFFOCATION Can anyone be suffocated due to lack of oxygen or atmospheric contamination, refer to the Confined Spaces Regulations?	Engine fumes not excessive at high idle	Y			L	
	Door/window seals maintained	Y				
TEMPERTURE / FIRE Can anyone come into contact with objects at high temperature?	High mounted exhaust not easily accessible	Y			L	
	Hot surface warning decal	Y				
	Fire protection supplied	Y				
	Fire suppression system (if fitted)		n/a			
THERMAL COMFORT Can anyone suffer ill health due to extreme temperature or change of weather?	Ventilation	Y			L	
	Air conditioning	Y				
NOISE Can anyone suffer ill health or hearing loss due to exposure to high noise levels?	High noise levels	Y		To be implemented by owner/hirer	L	
	Hearing protection supplied	N				
	Hearing protection warning decal	Y				

RAYKAR Training Pty. Ltd. 0414 497 580

STATIC PLANT RISK ASSESSMENT

WILLIAM ADAMS- CLAYTON

Hazard Type	Control Methods in Place	Yes / No	NA	Comments / Recommended Improvements	Projected Risk Score	Reasonably Practicable Yes /No
	CAB TYPE:			**ENCLOSED CABIN**		
DOCUMENTATION	Operator's Manual	**N**		To be implemented by owner/hirer Must Be In Cab At All Times	**L**	
	Attachment instructions	**N**		To be implemented by owner/hirer Must Be In Cab At All Times		
	Plant daily checklist in place	**N**		To be implemented by owner/hirer Must Be In Cab At All Times		
	Maintenance records up to date	**N**		To be implemented by owner/hirer Must Be In Cab At All Times		

RAYKAR Training Pty. Ltd. PO Box 206. NAR NAR GOON. 3812. Victoria.
Fax: 03 5942-5576. E-mail: rwoll55@yahoo.com. ACN: 146 951 359
RAY WOLL 0414 497 580

RAYKAR Training Pty. Ltd. 0414 497 580