

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

The undersigned, Mr. TIK LOU, Legal Person,
Hereby certifies that the following complete vehicle:

- 0.1. Make (trade name of the manufacturer): XEV, X, XEV YOYO
 0.2. Type: Y01 (CV * Type): N.A.
 0.2.1. Variant: A0 (CV * Variant): N.A.
 0.2.2. Version: I (CV * Version): N.A.
 0.2.3. Commercial name (if available): XEV, X, XEV YOYO
 (CV * Commercial name (if available)): N.A.
 0.3. Category, subcategory and sub-subcategory of vehicle: L7e-CP
 (CV * Category, subcategory and sub-subcategory of vehicle): N.A.
 0.4. Company name and address of manufacturer:
 XEV S.R.L.
 CORSO GIACOMO MATTEOTTI 42, TORINO (TO) CAP 10121, ITALY
 0.4.2. Name and address of manufacturer's authorised representative (if any):
 Not applicable

- 0.5.1. Location of the manufacturer's statutory plate(s): R, x 70, y 345, z 762
 0.5.2. Method of attachment of the manufacturer's statutory plate(s): By laser printing sticker
 0.6. Location of the vehicle identification number: R, x 841, y 250, z 117
 1. Vehicle identification number: ☆ZP6Y02A01NA003172☆
 conforms in all respects to the type described in EU type-approval e9*168/2013*11721*00 (type-approval number including extension number) (CV* type-approval number including extension number) issued on 17/09/2021 (date of issue) (CV* date of issue) and can be permanently registered in Member States having right/left ⁽¹⁾-hand traffic and using metric/imperial ⁽¹⁾ units for the speedometer.

TORINO, ITALY

 (place)
 LOU

 (signature)

21, 01, 2022

 (date)

General construction characteristics

- 1.3. Number of axles: 2 and wheels: 4
 1.3.1. Axles with twinned wheels: N.A.
 1.3.2. Powered axles: R
 6.2.4. Advanced braking system: ABS/CBS/ Both, ABS and CBS/None/None
- Main dimensions
 2.2.1. Length: 2530 mm
 2.2.2. Width: 1500 mm
 2.2.3. Height: 1560 mm
 2.2.4. Wheelbase: 1680 mm
 2.2.4.1. Wheelbase sidecar: N.A.
 2.2.5. Track width: 1320 mm
 2.2.5.1. Track width front: 1320 mm
 2.2.5.2. Track width rear: N.A.
 2.2.5.3. Track width sidecar: N.A.
 2.2.10.6. Ground clearance between the axles: N.A.
 2.2.15. Wheelbase to ground clearance ratio: N.A.
 2.2.17. Seat height: N.A.

Masses

- 2.1.1. Mass in running order: 449 kg
 2.1.2. Actual mass: 664 kg
 2.1.3. Technically permissible maximum laden mass: 774 kg
 2.1.3.1. Technically permissible maximum mass on front axle: 342 kg
 2.1.3.2. Technically permissible maximum mass on rear axle: 432 kg
 2.1.3.3. Technically permissible maximum mass on sidecar axle: N.A.
 2.1.7. Technically permissible maximum towable mass: N.A.
 2.1.7.1. Braked: N.A.
 2.1.7.2. Technically permissible maximum laden mass of the combination: N.A.
 Technically permissible maximum mass at the coupling point: N.A.

Powertrain

- 3.1.1.1. Manufacturer: N.A.
 3.1.1.2. Engine code (as marked on the engine or other means of identification): N.A.
 3.2.1.2. Working principle of the combustion engine: internal-combustion engine (ICE)/positive-ignition/compression-ignition/external-combustion engine (ECE)/turbine/compressed air: N.A.
 3.2.1.4.1. Number of cylinders: N.A.
 3.2.1.4.2. Arrangement of cylinders: I/V/O/S N.A.
 3.2.1.5. Engine capacity: N.A.
 1.9. Maximum net power: N.A.
 (CV*: N.A.)
 1.10. Ratio maximum net power/mass of the vehicle in running order: N.A.
 (CV*: N.A.)

MN-26

3.2.3.1.	Fuel type:	N.A.		
3.2.3.2.	Vehicle fuel combination:	mono-fuel/bi-fuel/flex-fuel		
3.2.3.2.1.	Maximum amount of bio-fuel acceptable in fuel:	N.A.		
3.1.2.1.	Manufacturer:	Hefei Yoyao Technology Co., LTD		
3.1.2.2.	Electric motor code (as marked on the engine or other means of identification):	TZ155CA05DYYGA/DA202007M8A00223		
3.3.3.4.	15/30 minutes power:	7.5 kW		
3.1.3.1.	Manufacturer:	N.A.		
3.1.3.2.	Application code (as marked on the engine or other means of identification):	N.A.		
3.3.1.	Electric vehicle configuration: pure electric/hybrid-electric/electric/manpower-electric			
3.3.5.2.	Category of hybrid electric vehicle: off-vehicle-charging/not-off-vehicle-charging			
3.9.2.	Maximum assistance factor:	N.A.		
Maximum speed				
1.8.	Maximum speed of vehicle:	70 km/h (CV*: N.A.)		
3.9.3.	Maximum vehicle speed for which the electric motor gives assistance:	N.A.		
Drive-train and control				
3.5.3.9.	Transmission (type):	O		
3.5.4.	Gear ratios:	7.961		
3.5.4.1.	Final drive ratio:	7.961		
3.5.4.2.	Overall gear ratio in highest gear:	N.A.		
Installation of tyres				
6.18.1.1.	Tyre size designation:			
	Axle 1:	155/65R14 (75T)	Axle 2:	155/65R14 (75T)
	Minimum Load capacity index:			
	Axle 1:	47	Axle 2:	55
	Minimum speed category symbol:			
	Axle 1:	F	Axle 2:	F
	Recommended pressure:			
	Axle 1:	220 kPa	Axle 2:	230 kPa
	Rim size:			
	Axle 1:	14x5J	Axle 2:	14x5J
	Sidecar wheel:	N.A.		
Bodywork				
6.20.2.1.	Door configuration and number of doors:		1L, 1R	
6.16.1.	Number of seating positions:		2	
6.16.1.1.	Location and arrangement:		1L, 1R, 1L	
Coupling devices				
7.2.8.	Type-approval number of coupling-device:		N.A.	
Environmental performance				
4.0.1.	Environmental step:	Euro 5 (3/4/5/5+)		
4.0.6.	Sound level measured according to:	N.A.		
4.0.6.1.	Stationary:	N.A. (CV*: N.A.)	at engine speed: N.A. (CV*: N.A.)	
4.0.6.2.	Drive-by:	N.A. (CV*: N.A.)		
4.0.6.3.	Limit value for L _{urban} :	N.A. (CV*: N.A.)		
3.2.15.	Exhaust emissions measured according to:	N.A.		
3.2.15.1.	Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:			
	CO:	... N.A. (CV*: N.A.)		
	THC:	... N.A. (CV*: N.A.)		
	NMHC:	... N.A. (CV*: N.A.)		
	NOx:	... N.A. (CV*: N.A.)		
	HC+NOx:	... N.A. (CV*: N.A.)		
	PM:	... N.A. (CV*: N.A.)		
3.2.15.2.	Type II test: tailpipe emissions at (increased) idle and free acceleration:			
	HC: --- ppm at normal idling speed and: --- ppm at high idle speed (CV*: N.A.)			
	CO: --- % vol at normal idling speed and: --- % vol at high idle speed (CV*: N.A.)			
3.2.15.3.	Smoke corrected absorption coefficient:	N.A. (CV*: N.A.)		
Energy efficiency				
4.0.2.	Fuel consumption:	N.A. (CV*: N.A.)		
4.0.3.	CO ₂ emissions:	N.A. (CV*: N.A.)		
4.0.4.	Energy consumption:	74 Wh/km (CV*: N.A.)		
4.0.5.	Electric range:	160 km (CV*: N.A.)		
Conversion of the performance of the vehicle:				
8.1.	Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A2 and (L3e/L4e)-A3 and vice versa:	yes/no		
Additional information:				
9.1.	Remarks:	N.A.		
9.2.	Exemptions:	N.A.		



Bestätigung der Fahrzeug-Identifizierungs-Nummer (FIN)

(1) Fz.-Ident-Nr.: ZP6Y02A01NA003172	(5) Fz.-Art: M1AF	Fz.z.Pers.bef.b. 8 S	Bericht-Nr.: X167497227
(2) Amtl. Kennz.: D OHNE	Aufbau-Art: Mehrzweckfahrzeug	ZGM: 774	Expresscode: Ig2aTqs1
(3) Prüfdatum: 14.05.2022	Hersteller: 0900	SONST.KFZ.HERSTELLER	Kennnummer: I0402001
(3) Prüfort: Regensburg	Fz.-Typ: 000000	Y01	U-Stelle: 15810AI
(4) Laufleist. abgel.: km	Erstzul.: abgemeldet	letzte HU:	Auftrag: CFleet

Sehr geehrte Kundin, sehr geehrter Kunde,

Die in den Fahrzeugdokumenten angegebene FIN wurde mit der am Fahrzeug eingeschlagenen FIN verglichen. Beide stimmen überein.

(9) Ihr Prüfsingenieur
Dipl.-Ing. (FH) Christian Dänzer

I0402001



(10) Entgelt für Fahrzeuguntersuchung (keine Rechnung/Quittung)

Entgelt Fahrzeuguntersuchung:	0,00 EUR
Sonstige Serviceleistung:	20,00 EUR
Endsumme	20,00 EUR

Die Untersuchung wurde im Namen und auf Rechnung der KÜS durchgeführt.
UST-Id Nr.: DE162499068