

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓	
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓	
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt		✓
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System	✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System		✓
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)		✓
1.7. Engine/Shut Down	✓			* SEE APPENDIX A*		

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓	
2.4. Spring & Spring Attachment	✓					

NOTES:

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components		✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake		✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake		✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake		✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System		✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance		✓
3H.12. Drum Brake System Components			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓	
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓	
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓	
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓	
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)	✓	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components		✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)		✓
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System		✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.11. Parking Brake & Emergency Application	✓					

NOTES:

AIR BUILD UP TIME 55 SEC
LOW AIR WARNING 70 PSI
CUTOFF 130 PSI
CUTIN 100 PSI

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓	
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓	
4.3. Steering Operation (Active Steer Axle)	✓					

NOTES:

KINGPINS HORIZONTAL VERTICAL
LH 0.010 LH 0.005
RH 0.013 RH 0.005

Section 5 - Instruments and Auxiliary Equipment						
Component	P	F	NA	Component	P	F NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓	
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓	
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓	
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓	
5.7. Windshield Wiper/Washer	✓					

NOTES:

Section 6 - Lamps						
Component	P	F	NA	Component	P	F NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓	
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓	
6.3. Retro-Reflective Marking	✓					

NOTES:

Section 7 - Electrical System						
Component	P	F	NA	Component	P	F NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓	
7.2. Battery	✓					

NOTES:

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓	
8.2. Tilt Cab	✓			8.13. Windshield	✓	
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓	
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓	
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓	
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body				
Component	P	F	NA	Component
8.7. Utilized Body Elements	✓			8.18. Rear-View Mirror
8.8. Cab or Cargo Door	✓			8.19. Seat
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment

NOTES:

Section 9 - Tires and Wheels				
Component	P	F	NA	Component
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Dismountable Rim System
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)
9.6. Wheel Bearing	✓			


NOTES:

Section 10 - Couplers and Hitches				
Component	P	F	NA	Component
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch
10.2. Secondary Attachment (Safety Chain or Cable)	✓			10.6. Automated Coupling Device
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8684323) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/06/24	01736	14737	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)
2026/06/24

Customer Signature



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck		Gross Vehicle Weight registered 63500 kg																																																																																																																			
Vehicle Information																																																																																																																					
VIN 1 M 1 A A 1 4 Y X X W 1 1 2 8 9 8																																																																																																																					
Unit Number 20	Year 1999	Make Mack	Model 600																																																																																																																		
Registered Owner's Name DEBOCK FARMS L.T.D.		Odometer 488,834																																																																																																																			
Address BOX 1380		Postal Code T0H 3N0	Plate Number 87P514																																																																																																																		
Phone Number (780) 512-1420																																																																																																																					
Drum Brakes: A-Full Inspection with Drum Removed																																																																																																																					
Disc Brakes:																																																																																																																					
<table border="1"><thead><tr><th colspan="2">LEFT</th><th colspan="2">FRONT</th><th colspan="2">RIGHT</th></tr></thead><tbody><tr><td>100 psi</td><td>13/32 in</td><td>16.580 in</td><td>Drums/Rotors</td><td>16.548 in</td><td>100 psi</td></tr><tr><td></td><td></td><td>0.68 in</td><td>Linings/Pads</td><td>0.70 in</td><td>14/32 in</td></tr><tr><td></td><td></td><td>1 1/2 in</td><td>Push Rod Travel</td><td>1 1/2 in</td><td></td></tr><tr><td>100 psi</td><td>14/32 in</td><td>16.550 in</td><td>Drums/Rotors</td><td>16.544 in</td><td>100 psi</td></tr><tr><td></td><td></td><td>0.84 in</td><td>Linings/Pads</td><td>0.78 in</td><td>12/32 in</td></tr><tr><td></td><td></td><td>1 1/2 in</td><td>Push Rod Travel</td><td>1 1/2 in</td><td>18/32 in</td></tr><tr><td>100 psi</td><td>22/32 in</td><td>16.550 in</td><td>Drums/Rotors</td><td>16.548 in</td><td>100 psi</td></tr><tr><td></td><td></td><td>0.76 in</td><td>Linings/Pads</td><td>0.78 in</td><td>22/32 in</td></tr><tr><td></td><td></td><td>1 1/2 in</td><td>Push Rod Travel</td><td>1 1/2 in</td><td>22/32 in</td></tr><tr><td>psi</td><td>in</td><td>in</td><td>Drums/Rotors</td><td>in</td><td>psi</td></tr><tr><td></td><td></td><td>in</td><td>Linings/Pads</td><td>in</td><td>in</td></tr><tr><td></td><td></td><td>in</td><td>Push Rod Travel</td><td>in</td><td></td></tr><tr><td>psi</td><td>in</td><td>in</td><td>Drums/Rotors</td><td>in</td><td>psi</td></tr><tr><td></td><td></td><td>in</td><td>Linings/Pads</td><td>in</td><td>in</td></tr><tr><td></td><td></td><td>in</td><td>Push Rod Travel</td><td>in</td><td></td></tr><tr><td>psi</td><td>in</td><td>in</td><td>Drums/Rotors</td><td>in</td><td>psi</td></tr><tr><td></td><td></td><td>in</td><td>Linings/Pads</td><td>in</td><td>in</td></tr><tr><td></td><td></td><td>in</td><td>Push Rod Travel</td><td>in</td><td></td></tr></tbody></table>				LEFT		FRONT		RIGHT		100 psi	13/32 in	16.580 in	Drums/Rotors	16.548 in	100 psi			0.68 in	Linings/Pads	0.70 in	14/32 in			1 1/2 in	Push Rod Travel	1 1/2 in		100 psi	14/32 in	16.550 in	Drums/Rotors	16.544 in	100 psi			0.84 in	Linings/Pads	0.78 in	12/32 in			1 1/2 in	Push Rod Travel	1 1/2 in	18/32 in	100 psi	22/32 in	16.550 in	Drums/Rotors	16.548 in	100 psi			0.76 in	Linings/Pads	0.78 in	22/32 in			1 1/2 in	Push Rod Travel	1 1/2 in	22/32 in	psi	in	in	Drums/Rotors	in	psi			in	Linings/Pads	in	in			in	Push Rod Travel	in		psi	in	in	Drums/Rotors	in	psi			in	Linings/Pads	in	in			in	Push Rod Travel	in		psi	in	in	Drums/Rotors	in	psi			in	Linings/Pads	in	in			in	Push Rod Travel	in	
LEFT		FRONT		RIGHT																																																																																																																	
100 psi	13/32 in	16.580 in	Drums/Rotors	16.548 in	100 psi																																																																																																																
		0.68 in	Linings/Pads	0.70 in	14/32 in																																																																																																																
		1 1/2 in	Push Rod Travel	1 1/2 in																																																																																																																	
100 psi	14/32 in	16.550 in	Drums/Rotors	16.544 in	100 psi																																																																																																																
		0.84 in	Linings/Pads	0.78 in	12/32 in																																																																																																																
		1 1/2 in	Push Rod Travel	1 1/2 in	18/32 in																																																																																																																
100 psi	22/32 in	16.550 in	Drums/Rotors	16.548 in	100 psi																																																																																																																
		0.76 in	Linings/Pads	0.78 in	22/32 in																																																																																																																
		1 1/2 in	Push Rod Travel	1 1/2 in	22/32 in																																																																																																																
psi	in	in	Drums/Rotors	in	psi																																																																																																																
		in	Linings/Pads	in	in																																																																																																																
		in	Push Rod Travel	in																																																																																																																	
psi	in	in	Drums/Rotors	in	psi																																																																																																																
		in	Linings/Pads	in	in																																																																																																																
		in	Push Rod Travel	in																																																																																																																	
psi	in	in	Drums/Rotors	in	psi																																																																																																																
		in	Linings/Pads	in	in																																																																																																																
		in	Push Rod Travel	in																																																																																																																	
Park Brake Lining Left NA in Right NA in Trans NA in																																																																																																																					
Wheel Torque Checked ☒ Inner NA ft lbs Outer 500 ft lbs																																																																																																																					



Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	DEBOCK FARMS L.T.D.		
Address:	BOX 1380		
City:	VALLEYVIEW	Province:	AB
		Postal Code:	T0H 3N0
Telephone Number:	(780) 512-1420		
Vehicle Identification Number:	1M1AA14YXXW112898		
Make:	Mack	Model:	600
Year:	1999	Unit Number:	20
Odometer:	488834 KM	Licence Plate Number:	87P514
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
1414959 Alberta Ltd	14737
Inspection Technician Name:	Technician Number:
Gerald Montpeller	B1736
Inspection Technician Signature:	
Inspection Date:	2026/05/24