149-1



GENIE LIFT MAINTENANCE

GL-1

updated: MAR. 6/25

PLEASE ENSURE THAT THE OIL IS CHECKED DAILY & THAT ALL FILTERS ARE VISUALLY CHECKED

EVERY 100 HRS OF OPERATION AND CHANGED EVERY 500 HRS OF OPERATION.

PLEASE ENSURE THAT ANYTHING ENTERED UNDER THE "OTHER" COLUMN IS LISTED / EXPLAINED. ie: oil, fuses, power cords, bulbs & any other notes added in the "NOTES" at the bottom of form.

UNIT#	DATE	UNIT	FUEL	AIR	OIL	HYDRAULIC	ELEMENT	HYDRAULIC	LAST OIL	NEXT OIL
	CHECKED	HOURS	FILTER	FILTER	FILTER	FILTERS (2)	FILTER	OIL	CHANGE	CHANGE
GL-1	MAR.6 2025	5455	5143	5143	5143	5320	5320	Good	5143	5643
2012	GENIE Z45	5 / 25J	BF587-D	RS4595	B228	60857	CBP/888917	Chevron Rykon	5W40	
S/N 2	Z452512A-4	3783	Baldwin	Baldwin	Baldwin	Total Source	Total Source	or Premium MV	Synthetic	
WIRING	GLOW	-BLOCK	3 V	AIR	BATTERY	FIRE EXT. #	SAFETY	SAFETY GEAR	TIRE	CHECKED
HARNESS	PLUGS	HEATER	BELT	KILL	CONDITION	Date CERT.	HARNESS	(In SeaCan)	CONDITION	BY:
Good	Good	-Broken	cV	/	4	SN#C-1 7-73 P Date CERT.	11	Harness Lanyard	/	Rox
	~	,	Belt# 1179565 Deutz	Coor	G000	Oct. 124	Sha Cardi	Bags (2)	Cour	
COMMENT	S / NOTES	: United	Rentals #10	184564			IMPOI	RTANT SAFETY CH	HECKS!	PASS / F
Model # D	2011L031 /	Engine Blo	ock # 04281	393R			UNIT DAMAG	E: List in notes if a	ny!	
								e engaging prope		
BASKE	Cyun	IDEN K	am PERI	UDICHY	Mar Fux	CRONNG	Are Hydraulic	s functioning right	?	VP
1 Gods	TO THE	LEFT Bus	Hanks !		Is Articulating	√ ,				
			SING WE				Visually check	Man Basket!		
							Check chains	& blocks with u	nit!	

BATTERY CONDITION PROCEDURE:

START UNIT & REPORT IF BATTERY IS GOOD/WEAK & IF FLUID IS AT GOOD/POOR LEVEL

RUNNING LIGHTS TEST PROCEDURE: VISUALLY TEST ALL LIGHTS TO ENSURE THEY ARE WORKING
"CHECKED BY" REQUIRES PRINTED NAME AND EITHER SIGNATURE OR INITIALS BY THAT PERSON



GL-1

Jan 27,2025

updated: 1-Mar-2.

PLEASE ENSURE THAT THE OIL IS CHECKED DAILY & THAT ALL FILTERS ARE VISUALLY CHECKED EVERY 100 HRS OF OPERATION AND CHANGED EVERY 500 HRS OF OPERATION.

PLEASE ENSURE THAT ANYTHING ENTERED UNDER THE "OTHER" COLUMN IS LISTED / EXPLAINED. ie: oil, fuses, power cords, bulbs & any other notes added in the "NOTES" at the bottom of form.

UNIT #	DATE CHECKED	UNIT HOURS	FUEL FILTER	AIR FILTER	OIL FILTER	HYDRAULIC FILTERS (2)	ELEMENT FILTER	HYDRAULIC OIL	LAST OIL CHANGE	NEXT OIL CHANGE
GL-1	Jan 27, 2025	5444	5143	Cood	5143	5320		5320	51 5 3	5644
2012 GENIE Z45 / 25J		i / 25J	BF587-D	RS4595	B228	60857	CBP/888917	Chevron Rykon	5W40	
S/N	Z452512A-4	3783	Baldwin	Baldwin	Baldwin	Total Source	Total Source	or Premium MV	Synthetic	
WIRING HARNESS	GLOW PLUGS	BLOCK HEATER	V BELT	AIR KILL	BATTERY CONDITION	TIRE CONDITION			FIRE EXT. #	CHECKED BY:
	1	/	Good	/	/	/	HARNESS LANYARD	<i>y</i>	04995579 New: May/22	Dekin
Good	Good	<i>©</i> 009	1179565 Deutz	ტლბ	Corg	GOOD	BAGS (2) POWER CORD	1	Ext. Oct 25	
COMMEN	S / NOTES	S:	United Ren	tals # 10184	564		IMPOI	RTANT SAFETY CI	HECKS!	PASS / F
IV	lodel # D20	011L031	Engine Blo	ck Serial # (04281393R		UNIT DAMAG	E: List in notes if a	ny!	
Unit look	good t	pags are	m see- co	an not on	n the unit	·	Is 4 wheel driv	e engaging prope	rly?	P
		. /		oil change			Are Hydraulic	s functioning right	?	P
11111	11-400 110	(,,,,,			Is Articulating	P				
							Visually check			P
							Check chains	& blocks with u	nit!	


BATTERY CONDITION PROCEDURE:

START UNIT & REPORT IF BATTERY IS GOOD/WEAK & IF FLUID IS AT GOOD/POOR LEVEL

RUNNING LIGHTS TEST PROCEDURE: VISUALLY TEST ALL LIGHTS TO ENSURE THEY ARE WORKING
"CHECKED BY" REQUIRES PRINTED NAME AND EITHER SIGNATURE OR INITIALS BY THAT PERSON



GL-1



PLEASE ENSURE THAT THE OIL IS CHECKED DAILY & THAT ALL FILTERS. ARE VISUALLY CHECKED. EVERY 100 HRS OF OPERATION AND CHANGED EVERY 500 HRS OF OPERATION.

PLEASE ENSURE THAT ANYTHING ENTERED UNDER THE "OTHER" COLUMN IS LISTED / EXPLAINED. ie: oil, fuses, power cords, bulbs & any other notes added in the "NOTES" at the bottom of form.

internal											
UNIT#	DATE	UNIT	FUEL	AIR	OIL	HYDRAULIC	EL MENT	HYDRAULIC	LAST OIL	NEXT OIL	
	CHECKED	HOURS	FILTER	FILTER	FILTER	FILTERS (2)	FILTER	OIL	CHANGE	CHANGE	
GL-1	Oct 9/24	5425 Hrs.	5143	Good	5143	5320	Good 🦑	Good	5143	5643	
2012	GENIE Z45	/ 25J	BF587-D	RS4595	B228	60857	CBP/888917	Chevron Rykon	5W40		
S/N	Z452512A-4	3783	Baldwin	Baldwin	Baldwin	Total Source	Total Source	or Premium MV	Synthetic		
WIRING	GLOW	BLOCK	٧	AIR	BATTERY	TIRE	SAFE	TY GEAR WATER) FIRE EXT. #	CHECKED	
HARNESS	PLUGS	HEATER	BELT	KILL	CONDITION	CONDITION	Check if with	Check if with unit. Note cond.		BY:	
/	/	//	/ ,	/	& Bergokht	/	HARNESS		04995579	DEKIN	
	1		Good			,	LANYARD	V.	New: May 122	Rick	
Good	Good	Good	1179565	Good	Good	Good	BAGS (2)		Octio	17,07	
			Deutz	556	1-20	•	POWER CORD		2024		
COMMENT	S / NOTES	5 :	United Ren	tals # 10184	564		IMPOR	RTANT SAFETY CH	HECKS!	PASS / F	
IV	lodel # D20	11L031	Engine Blo	ck Serial # (04281393R		UNIT DAMAG	E: List in notes if a	ny!		
NOT	TNSPE	CTION	(MAGN	AFLUX)	Oct. 9/	2 4.	Is 4 wheel driv	e engaging prope	rly?	P	
(ARPINI	- 1		SERVICE	. , ,			Are Hydraulics	s functioning right	?	ρ	
(We ha	we Hom				vd) Ready	whenever	Is Articulating	Arm moving freel	y?	P	
(Needs			1 1	ix of pan		8	Visually check		1	P	
(change	air with	1 1 1 2		V			Check chains	& blocks with un	nit!	P	

BATTERY CONDITION PROCEDURE:

START UNIT & REPORT IF BATTERY IS GOOD/WEAK & IF FLUID IS AT GOOD/POOR LEVEL

RUNNING LIGHTS TEST PROCEDURE: VISUALLY TEST ALL LIGHTS TO ENSURE THEY ARE WORKING
"CHECKED BY" REQUIRES PRINTED NAME AND EITHER SIGNATURE OR INITIALS BY THAT PERSON * INSPIRED ARE HYDRAULIC HOSKS FOR

SHOULD YOU EXPERIENCE ANY DIFFICULTIES PLEASE CALL RICK AT (403) 863-3287 CARRELS, FOR



GL-1

updated: June 2023

PLEASE ENSURE THAT THE OIL IS CHECKED DAILY & THAT ALL FILTERS ARE VISUALLY CHECKED EVERY 100 HRS OF OPERATION AND CHANGED EVERY 500 HRS OF OPERATION.

PLEASE ENSURE THAT ANYTHING ENTERED UNDER THE "OTHER" COLUMN IS LISTED / EXPLAINED. ie: oil, fuses, power cords, bulbs & any other notes added in the "NOTES" at the bottom of form.

UNIT#	DATE CHECKED	UNIT HOURS	FUEL FILTER	AIR FILTER	OIL FILTER	HYDRAULIC FILTERS (2)	ELEMENT FILTER	HYDRAULIC OIL	LAST OIL CHANGE	NEXT OIL CHANGE
GL-1	Sept. 12	5319.4	5143	(-1)	5143	5320	5320	5320	5143	5643
	2023	371	310	G000 ~	2112	Change Date	Change Date	Change Date	5/13	2012
2012 GENIE Z45 / 25J		BF587-D	RS4595	B228	Sept. 12/23	Sept. 12/23	Sept. 12/23	5W40		
S/N	Z452512A-4	3783	Baldwin	Baldwin	Baldwin	60857	CBP/888917	Premium MV	Synthetic	
									l	
WIRING	GLOW	BLOCK	V	AIR	BATTERY	TIRE		TY GEAR	FIRE EXT. #	CHECKED
HARNESS	PLUGS	HEATER	BELT	KILL	CONDITION	CONDITION	Check if with	unit. Note cond.	Date CERT.	BY:
C I	6.1	Good	Grood	^ \	Good	C -1	HARNESS		04995579	Dekin
Good	doog	4/200	01000	Good	que	Gpod	LANYARD		New: May/22	Jenn
./	V		1179565	V	V	~	BAGS (2)			Rick
V		~	Deutz				POWER CORD			NICK
COMMENT	S / NOTES	S:	United Ren	tals # 10184	564		IMPOR	RTANT SAFETY C	HECKS!	PASS / F
MODEL: D201	1L031 Engine	Block S/N: 04	281393R NDT	INSPECTION D	UE: March 28, 2	024	UNIT DAMAGI	E: List in notes if a	ny!	V
Hydraulia	c Fitters	Got che	anged (all	3 of then	n) at 53%	70 hrs	Is 4 wheel driv	/		
							Are Hydraulics	functioning right	?	/
Is Articulating Arm moving freely?										
							Visually check	Man Basket!		V
			10.				Check chains	& blocks with u	nit!	/

BATTERY CONDITION PROCEDURE:

START UNIT & REPORT IF BATTERY IS GOOD/WEAK & IF FLUID IS AT GOOD/POOR LEVEL

RUNNING LIGHTS TEST PROCEDURE:

VISUALLY TEST ALL LIGHTS TO ENSURE THEY ARE WORKING

"CHECKED BY" REQUIRES PRINTED NAME AND EITHER SIGNATURE OR INITIALS BY THAT PERSON



GL-1

updated:

Mar 14/23

PLEASE ENSURE THAT THE OIL IS CHECKED DAILY & THAT ALL FILTERS ARE VISUALLY CHECKED

EVERY 100 HRS OF OPERATION AND CHANGED EVERY 500 HRS OF OPERATION.

PLEASE ENSURE THAT ANYTHING ENTERED UNDER THE "OTHER" COLUMN IS LISTED / EXPLAINED. ie: oil, fuses, power cords, bulbs & any other notes added in the "NOTES" at the bottom of form.

						change de	<i>t</i>	changed (a).		
UNIT#	DATE CHECKED	UNIT HOURS	FUEL FILTER	AIR FILTER	OIL FILTER	HYDRAULIC FILTERS (2)	ELEMENT FILTER	HYDRAULIC OIL	LAST OIL CHANGE	NEXT OIL CHANGE
GL-1	06.04,23	5266	5143	GOOD	5143	GOOD	(con	Good	5143	5643
2012	GENIE Z45	/ 25J	BF587-D	RS4595	B228	60857	CBP/888917	Chevron Rykon	5W40	
S/N	Z452512A-4	3783	Baldwin	Baldwin	Baldwin	Total Source	Total Source	or Premium MV	Synthetic	
WIRING HARNESS	GLOW PLUGS	BLOCK HEATER	"V" BELT	AIR \	BATTERY CONDITION	TIRE		ETY GEAR	FIRE EXT. #	CHECKED BY:
Cass	Good	Good	01179565 Deutz	GOOD	GUOD	GCOP	HARNESS LANYARD BAGS POWER CORD	V V	04995579 New: May/22	Delah Bansor
COMMEN	TS / NOTES	S:	Engine Ser	ial#			IMPO	RTANT SAFETY CI	HECKS!	PASS / F
	15p. June 2		9 DEW	7				E: List in notes if a		P
				x * * *		······································		s functioning right		P
	4 1	1			,		Is Articulating	Arm moving freel	y?	P
		(4)					Visually check	Man Basket!		A
							Check chains	& blocks with u	nit!	P

BATTERY CONDITION PROCEDURE:

START UNIT & REPORT IF BATTERY IS GOOD/WEAK & IF FLUID IS AT GOOD/POOR LEVEL

RUNNING LIGHTS TEST PROCEDURE:

VISUALLY TEST ALL LIGHTS TO ENSURE THEY ARE WORKING

"CHECKED BY" REQUIRES PRINTED NAME AND EITHER SIGNATURE OR INITIALS BY THAT PERSON



GL-1

updated:

1-Mar-23

PLEASE ENSURE THAT THE OIL IS CHECKED DAILY & THAT ALL FILTERS ARE VISUALLY CHECKED

EVERY 100 HRS OF OPERATION AND CHANGED EVERY 500 HRS OF OPERATION.

PLEASE ENSURE THAT ANYTHING ENTERED UNDER THE "OTHER" COLUMN IS LISTED / EXPLAINED. ie: oil, fuses, power cords, bulbs & any other notes added in the "NOTES" at the bottom of form.

UNIT#	DATE CHECKED	UNIT	FUEL FILTER	AIR FILTER	OIL FILTER	HYDRAULIC FILTERS (2)	ELEMENT FILTER	HYDRAULIC OIL	LAST OIL CHANGE	NEXT OIL CHANGE
GL-1	MAY 23 2023:	530b	NO LEAKS.	V	1	y ch	anged@	20°C LINE	5143	5643
2012	GENIE Z45	/ 25J	BF587-D	RS4595	B228	60857	CBP/888917	Chevron Rykon	5W40	
S/N 2	Z452512A-4	3783	Baldwin	Baldwin	Baldwin	Total Source	Total Source	or Premium MV	Synthetic	
									l	
WIRING	GLOW	BLOCK	FAN V	AIR	BATTERY	TIRE	SAFE	TY GEAR	FIRE EXT. #	CHECKED
HARNESS	PLUGS	HEATER	BELT	KILL	CONDITION	CONDITION	Check if with	unit. Note cond.	Date CERT.	BY:
		j	NEW	Takes 13 seconds to Regat	/		HARNESS LANYARD		04995579 New: May/22	Rick
		N/A.	NEW 06/04/23 1179565	70 107	,	~	BAGS (2)		110111111111111111111111111111111111111	Benson
			Deutz				POWER CORD			
COMMENT	S / NOTES	S:	United Ren	tals # 10184	564		IMPO	RTANT SAFETY C	HECKS!	PASS / F
M	lodel # D20	11L031	Engine Blo	ck Serial # (04281393R		UNIT DAMAG	ny!	P	
							Is 4 wheel driv	e engaging prope	rly?	P
							Are Hydraulics	s functioning right	?	P
							Is Articulating	Arm moving freel	ly?	P
	***************************************						Visually check	Man Basket!		P
	22						Check chains	& blocks with u	nit!	

BATTERY CONDITION PROCEDURE:

START UNIT & REPORT IF BATTERY IS GOOD/WEAK & IF FLUID IS AT GOOD/POOR LEVEL

RUNNING LIGHTS TEST PROCEDURE: VISUALLY TEST ALL LIGHTS TO ENSURE THEY ARE WORKING
"CHECKED BY" REQUIRES PRINTED NAME AND EITHER SIGNATURE OR INITIALS BY THAT PERSON



GL-1

updated:

Jan 5/23

PLEASE ENSURE THAT THE OIL IS CHECKED DAILY & THAT ALL FILTERS ARE VISUALLY CHECKED EVERY 100 HRS OF OPERATION AND CHANGED EVERY 500 HRS OF OPERATION.

PLEASE ENSURE THAT ANYTHING ENTERED UNDER THE "OTHER" COLUMN IS LISTED / EXPLAINED. ie: oil, fuses, power cords, bulbs & any other notes added in the "NOTES" at the bottom of form.

										NEVE OIL
UNIT #	DATE	UNIT	FUEL	AIR	OIL	HYDRAULIC	ELEMENT	HYDRAULIC	LAST OIL	NEXT OIL
	CHECKED	HOURS	FILTER	FILTER	FILTER	FILTERS (2)	FILTER	OIL	CHANGE	CHANGE
GL-1	Mov. 13 20 273	5216	5143	5135	5143	/		/	5143	5643
2012	GENIE Z45	/ 25J	BF587-D	RS4595	B228	60857	CBP/888917	Chevron Rykon	5W40	500h
S/N	Z452512A-4	3783	Baldwin	Baldwin	Baldwin	Total Source	Total Source	or Premium MV	Synthetic	left
WIRING	GLOW	BLOCK	RADIATOR	AIR	BULBS	FIRE EXT. #	SAFETY	BATTERY	TIRE	CHECKED
HARNESS	PLUGS	HEATER	FLUID LEVEL	KILL	REPLACED	Date CERT.	HARNESS	COND.	CONDITION	BY:
NA	V		M/A.	Govs	#	04995579 New: May/22	✓	<i></i>	V .	Delen Benson
COMMENT	S / NOTES	3 :	Engine Ser	ial#			IMPOI	RTANT SAFETY C	HECKS!	PASS / F
2 DE	uses or	& Busice	ET 84)	Seems	ON Bore	<i>/</i> .	UNIT DAMAG	E: List in notes if a	ny!	Р
			,				Is 4 wheel driv	e engaging prope	rly?	P
NOTE: Un	it holds 65l	_ Diesel Fu	ıel, 8-9L Oil,	and 90L Hy	draulic Flui	d	Are Hydraulic	s functioning right	?	P
Engine Ho	ours @ pur	chase 24/0	08/21: 3749	// Deutz V E	Belt #01179	565	Is Articulating	y?	P	
Tire size:	355-55D 62	5 NHS (foa	ım filled)	(35"H x 25 1	/4" RIM X 13	' Wide)	Visually check	Man Basket!		P
Tire chains	custom ma	de thru Co	ntinental Cha	in & Rigging	(Red Deer)		Check chains	& blocks with u	nit!	P

BATTERY CONDITION PROCEDURE:

START UNIT & REPORT IF BATTERY IS GOOD/WEAK & IF FLUID IS AT GOOD/POOR LEVEL

RUNNING LIGHTS TEST PROCEDURE: VISUALLY TEST ALL LIGHTS TO ENSURE THEY ARE WORKING
"CHECKED BY" REQUIRES PRINTED NAME AND EITHER SIGNATURE OR INITIALS BY THAT PERSON



PLEASE ENSURE THAT THE OIL IS CHECKED DAILY & THAT ALL FILTERS ARE VISUALLY CHECKED EVERY 100 HRS OF OPERATION AND CHANGED EVERY 500 HRS OF OPERATION.

PLEASE ENSURE THAT ANYTHING ENTERED UNDER THE "OTHER" COLUMN IS LISTED / EXPLAINED. ie: oil, fuses, power cords, bulbs & any other notes added in the "NOTES" at the bottom of form.

UNIT#	DATE	UNIT	FUEL	AIR	OIL	LAST OIL	NEXT OIL	RADIATOR	HYDRAULIC	WIRING
	CHECKED	HOURS	FILTER	FILTER	FILTER	CHANGE	CHANGE	FLD. LVL	OIL	HARNESS
GL-1	APRIL		CHANGED	CHANGED	CHANGED			AIR	0.0	./
	26/22	4740	4740	4740	4740	4740	5240	CADLEN	GOOD.	
2012	2012 GENIÉ Z45 / 25J			RS4595	B228	5W40 Syn	7		Chevron Rykon	2
S/N 2	S/N Z452512A-43783			52.27 UT	13.13 UT	\$155.99 CT			or Premium MV	
						CALATA A				
GLOW	BLOCK	DIESEL FUE	EL CONDITION.	AIR	BULBS	EXT.#	TIRE	BATTERY	BODY	CHECKED
PLUGS	HEATER	INJECTOR	CONDITIONER	KILL	REPLACED	Date CERT.	CONDITION	COND.	COND.	BY:
		Mar	CHRISTA		N/A.	Pakes Comose	Foam Filled Good	Good	SPOT PAINT.	RICK
						G000.	/	V	THIN	
COMMENT	S / NOTES	:	** All filter nu	mbers are BA	LDWIN.,	# NEW!	IMPOR	TANT SAFET	Y CHECKS!	PASS / F
Tink	CAMIN	5 IN	Good Ce	ND1 710	N.	747777 71.	TIPE CON Is 4 wheel dr		properly	PASS
Change	ed 2 Hy	draulic	Filters &	Element	Filter.	Vienna de	Are Hydrauli	cs functionir	ng right	P
Engine Ho	urs when p	ourchased	24/08/21: 37	'49			Is Articulatin	g Arm movir	ng freely	P
Tire size: 3	355-55D 62	5 NHS (foa	m filled)	(35"H x 25 1/4	4" RIM X 13" V	Vide)	Visually chec	et	P	
Tire chains	custom ma	de thru Ada	ms Industrial	/ Continental	Chain & Riggi	ing	Check chains	& blocks wi	th unit!	P.
RUNNING LIG	NDITION PRO	OCEDURE:	VISUALLY TEST	ALL LIGHTS TO E	ERY IS GOOD/W ENSURE THEY A	RE WORKING		POOR LEVEL 254 GEAN		

"CHECKED BY" REQUIRES PRINTED NAME AND EITHER SIGNATURE OR INITIALS BY THAT PERSON