





y's Light Oilfield Hauling Ltd.

PO Box #214, 2120 Sparrow Drive  
 Nisku, AB T9E 8A2  
 Ph/Fax: 780-955-9399 Email: info@jonnys.ca



20150520 - 0033

# GARAGE REPAIR ORDER

5281

PART NO. AND DESCRIPTION	PRICE	Date: 11/24/25		Unit #: 54
		Year:	Odometer: 1099832	Hours:
		VIN #:	Make:	
		Lic. #:	Model:	
		Work Performed by:		
HRS.		WORK PERFORMED		COST
		- Fountain Tire did a flat repair #3 A LHS <del>inner</del> outer tire		<i>[Signature]</i>
		Retorque Tag put in the truck <i>[Signature]</i>		
<p><b>Not responsible for loss or damage to cars or articles left in cars in case of fire, theft or any other cause beyond our control.</b></p> <p>I hereby authorize the above repair work to be done along with the necessary material, and hereby grant you and/or your employees permission to operate the car or truck herein described on streets, highways, or elsewhere for the purpose of testing and/or inspecting. An express mechanic's lien is hereby acknowledged on the above car or truck to secure the amount of repairs thereto.</p>				Total Parts Total Labour Shop Supply Misc. Subtotal GST 855519435RT0001 TOTAL
_____ Authorized by				

CUSTOMER NAME <i>Jonny's</i>	MONTH <i>11</i>	DAY <i>24</i>	YEAR <i>2025</i>	WORK ORDER No. <b>0031518</b>
	MAKE/MODEL/YEAR <i>Kenworth 2012</i>			REFER TO INVOICE No. <b>F701</b>
ADDRESS	VIN #			MILEAGE
ADDRESS DIRECTIONS <i>1XKDP4TX7DR963173</i>	LIC # <i>U-09018/54</i>			UNIT # <i>U-09018</i>

OFFICE PHONE	CELL PHONE	DRIVER'S NAME	DRIVER'S CONTACT #
SERVICE TRUCK OPERATOR <i>Arno</i>	KMS OUT	KMS IN	TOTAL KMS
			START TIME
			FINISH TIME
			TOTAL TIME

TYPE OF TIRE  COMMERCIAL TRUCK  OTR  FARM  INDUSTRIAL

WORK PERFORMED					PARTS AND ACCESSORIES			
ROAD SERVICE					DESCRIPTION	QTY.	COST	TOTAL
FLAT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	TR 545D Aluminum Stem	1		
VALVE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6mm Stem Plug	1		
MOUNT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	CT-10 radial repair	1		
DISMOUNT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
ROTATE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				

REMARKS  
*air to 1*  
*flat repair / 110 PSI*  
*torgued @ 500 ft Lbs*

WORKING ALONE <input type="checkbox"/>	Contact's Name	Phone Number
SAFETY - HAZARD ASSESSMENT	TYPE OF HAZARD EXAMPLES ON INSIDE COVER	METHODS USED TO CONTROL THE HAZARD EXAMPLES ON INSIDE COVER

ASK YOURSELF: 1. ARE CONTROLS FOR HAZARDS COMPLETED AND BY WHOM? 2. DO I/WE UNDERSTAND STEPS REQUIRED TO DO TASK? 3. DO I/WE HAVE THE NECESSARY TOOLS TO COMPLETE THE JOB SAFELY? 4. DO I/WE HAVE THE NECESSARY TRAINING/EXPERIENCE?

SUPERVISOR REVIEW

PRINTED SUPERVISOR'S NAME	SUPERVISOR'S SIGNATURE	DATE
---------------------------	------------------------	------

I hereby authorize: (1) the repairs and materials on the above estimate; (2) Fountain Tire's employee to operate my vehicle for the purpose of testing or inspection; and (3) Fountain Tire to conduct a registry search to verify the VIN on my vehicle if required for collection purposes on unpaid invoices related to my vehicle.

**MUST CHECK/RETORQUE WHEEL NUTS WITHIN 100 KILOMETRES**

CUSTOMER'S SIGNATURE <i>John</i>	CUSTOMER'S PRINTED NAME <i>John</i>
-------------------------------------	--

Jonny's Light Oilfield Hauling Ltd.

PO Box #214, 2120 Sparrow Drive  
 Nisku, AB T9E 8A2  
 Ph/Fax: 780-955-9399 Email: info@jonnys.ca



20150520 - 0033

# GARAGE REPAIR ORDER

5236

QTY	PART NO. AND DESCRIPTION	PRICE	Date:	Unit #:
			oct 16 / 25	54
			Year:	Odometer: 1098 815
			VIN #:	Make:
			Lic. #:	Model:
			Work Performed by: Tyler W + Greg H	
HRS.	WORK PERFORMED	COST		
	New hardware 2A Both, 1A PS Shock Bolts ✓			
	3A L Brake pot + Brake drum ✓			
	3A Both Sets Shoes ✓			
	PS Rad tie Rod ✓			
	2A LHS Dust Shield ✓			
	Fixed cracked fender			
	Snug up Clamps ps motor ✓			
	Check diff + tranny fluid ✓			
	Check Fifth wheel ✓			
	Set Brakes ✓			
	Lube ✓			
	Torque wheels + attach tag			
			<p>Not responsible for loss or damage to cars or articles left in cars in case of fire, theft or any other cause beyond our control.</p> <p>I hereby authorize the above repair work to be done along with the necessary material, and hereby grant you and/or your employees permission to operate the car or truck herein described on streets, highways, or elsewhere for the purpose of testing and/or inspecting. An express mechanic's lien is hereby acknowledged on the above car or truck to secure the amount of repairs thereto.</p>	
			<p>Total Parts</p>	
			<p>Total Labour</p>	
			<p>Shop Supply</p>	
			<p>Misc.</p>	
			<p>Subtotal</p>	
			<p>GST 855519435RT0001</p>	
			<p>TOTAL</p>	
			<p>Authorized by _____</p>	



Jonny's Light Oilfield Hauling Ltd.

PO Box #214, 2120 Sparrow Drive  
 Nisku, AB T9E 8A2  
 Ph/Fax: 780-955-9399 Email: info@jonnys.ca



20150520 - 0033

# GARAGE REPAIR ORDER

5050

QTY	PART NO. AND DESCRIPTION	PRICE	Date:	Unit #:	Hours:
	Both Front shocks Need replacing ✓		Aug 01 / 25	54	25388 HRS.
			Year:	Odometer: 1 092 025	62 hrs Left
			VIN #:	Make:	Before
			Lic. #:	Model:	Service
	Driver seat is not in straight		Work Performed by: TYLER T.		
			HRS.	WORK PERFORMED	COST
				REPLACED BOTH STEER AXLE SHOCKS. (HAD 2 IN STOCK)	
	Abs lights on truck.			CHECKED DRIVERS SEAT - APPEARS TO BE IN A STRAIGHT FORWARD POSITION	
			<p>Not responsible for loss or damage to cars or articles left in cars in case of fire, theft or any other cause beyond our control.</p> <p>I hereby authorize the above repair work to be done along with the necessary material, and hereby grant you and/or your employees permission to operate the car or truck herein described on streets, highways, or elsewhere for the purpose of testing and/or inspecting. An express mechanic's lien is hereby acknowledged on the above car or truck to secure the amount of repairs thereto.</p>		Total Parts Total Labour Shop Supply Misc. Subtotal GST 855519435RT0001 TOTAL
			_____ Authorized by		





Jonny's Light Oilfield Hauling Ltd.

PO Box #214, 2120 Sparrow Drive  
Nisku, AB T9E 8A2  
Ph/Fax: 780-955-9399 Email: info@jonnys.ca



# GARAGE REPAIR ORDER

4979

Mike McIntosh / 20150520 - 0033

QTY	PART NO. AND DESCRIPTION	PRICE	Date:	Unit #:
	massive oil loss		Year:	Odometer: 51194
			VIN #:	Hours: 21067
			Lic. #:	Make:
			Work Performed by: TYLER T.	Model:
HRS.	WORK PERFORMED	COST		
	2 Different Leaks from Hydraulic tank.			
	loose bolt on boom sec section one bolt missing and the other is loose these are for holding Wear Pads.			
	COMPLETE SERVICE - OIL ONLY			
	TOPPED UP ALL FLUID LEVELS			
	REPLACED BROKEN BOLT D.S. ENT OUTRIGGER	21067		
	TIGHTENED THE D.S. MIRROR BRACKET	250		
<p>Not responsible for loss or damage to cars or articles left in cars in case of fire, theft or any other cause beyond our control.</p> <p>I hereby authorize the above repair work to be done along with the necessary material, and hereby grant you and/or your employees permission to operate the car or truck herein described on streets, highways, or elsewhere for the purpose of testing and/or inspecting. An express mechanic's lien is hereby acknowledged on the above car or truck to secure the amount of repairs thereto.</p>			<p>Total Parts</p> <p>Total Labour → 21317 HRS.</p>	
<p>REPLACED THE BACK-UP LIGHT ON THE P.S. MIRROR.</p>			<p>Shop Supply</p> <p>Misc.</p>	
<p>Authorized by _____</p>			<p>Subtotal</p> <p>GST 855519435RT0001</p> <p>TOTAL</p>	

Coolant Keep Dropping

Blow by sparks Down the right Side.

full in Hinton (Oil) check by third party mechanic

No oil on Return to base

No warns No Alarms

R backup light broken of housing cracked ✓

left mirror arms lose ✓























54

# Stony Inspection Services Inc.

21-52211 Range Rd 275  
Spruce Grove AB T7X 3V1

PH: 780-963-6820 office@stonyinspection.ca

# Invoice

Date	Invoice #
2024-05-14	39060

Invoice To
JONNYS LIGHT OILFIELD HAULING LTD BOX 214, 2120 SPARROW DRIVE NISKU AB T9E 8A2 ATTENTION: ACCOUNTS PAYABLE

Terms	P.O. No.
Net 30	

Description	Qty	Rate	Amount
Inspection and certification of Hiab 211-5 CLX unit # 75 Report # 53034	1	350.00	350.00
Inspection and certification of Fassi F24-0B.24 unit # 54 Report # 53035	1	350.00	350.00
Inspection and certification of Manitex 4596T picker unit # 89 Report # 53036	1	500.00	500.00
Inspection and certification of Enlyn Process spreader bar unit # SB-4 Report # 53037	1	200.00	200.00
Inspection and certification of SWL spreader bar unit # SB-2 Report # 53051	1	200.00	200.00
Inspection and certification of Jonnys Oilfield spreader bar unit # SB-1 Report # 53038	1	200.00	200.00
GST On Sales		5.00%	90.00

Subtotal	\$1,800.00
Sales Tax Total	\$90.00
Payments/Credits	\$0.00
<b>Balance Due</b>	<b>\$1,890.00</b>

*Thank you for your business.*





Jonny's Light Oilfield Hauling Ltd.

PO Box #214, 2120 Sparrow Drive  
 Nisku, AB T9E 8A2  
 Ph/Fax: 780-955-9399 Email: info@jonnys.ca



20150520 - 0033

# GARAGE REPAIR ORDER

3596

QTY	PART NO. AND DESCRIPTION	PRICE	Date: Feb 12, 2024		Unit #: 54
	Hydraulic leak on pump, driver side fender		Year:	Odometer: 1036977	Hours: 24123
			VIN #:	Make: KENWORTH	
			Lic. #: Dimitry	Model: T-800	
			Work Performed by:		
			HRS.	WORK PERFORMED	COST
				COMPLETE SERVICE (INC FUEL)	
				WAS NOT GIVEN ENOUGH TIME TO REPAIR THE HYDRAULIC LEAK.	
				24123	
				250	
				SER DUE - 24373 HRS.	
			<p>Not responsible for loss or damage to cars or articles left in cars in case of fire, theft or any other cause beyond our control.</p> <p>I hereby authorize the above repair work to be done along with the necessary material, and hereby grant you and/or your employees permission to operate the car or truck herein described on streets, highways, or elsewhere for the purpose of testing and/or inspecting. An express mechanic's lien is hereby acknowledged on the above car or truck to secure the amount of repairs thereto.</p>		
			<p>Authorized by _____</p>		
			Total Parts		
			Total Labour		
			Shop Supply		
			Misc.		
			Subtotal		
			GST 855519435RT0001		
			TOTAL		



## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b>										<b>Gross Vehicle Weight registered</b>											
Truck										54300 kg											
<b>Vehicle Information</b>																					
VIN	1	X	K	D	P	4	T	X	7	D	R	9	6	3	1	7	3				
<b>Unit Number</b>				<b>Year</b>				<b>Make</b>				<b>Model</b>				<b>Odometer</b>					
54				2013				Kenworth				Construct				1,019,011					
<b>Registered Owner's Name</b>																<b>Plate Number</b>					
Jonny's Light Oilfield Hauling																U09018					
<b>Address</b>												<b>Postal Code</b>				<b>Phone Number</b>					
Box 214, 2420 Sparrow Drive												T9E8A2				(780) 913-9959					

**Drum Brakes:** A-Full Inspection with Drum Removed

**Disc Brakes:**

		<u>LEFT</u>	<u>FRONT</u>	<u>RIGHT</u>		
105 psi	14/32 in	16.578 in	Drums/Rotors	16.583 in	105 psi	13/32 in
		0.629 in	Linings/Pads	0.682 in		
		1.10 in	Push Rod Travel	1.10 in		
110 psi	32/32 in	16.543 in	Drums/Rotors	16.536 in	110 psi	32/32 in
110 psi	32/32 in	0.703 in	Linings/Pads	0.676 in	110 psi	32/32 in
		1.20 in	Push Rod Travel	1.20 in		
110 psi	32/32 in	16.541 in	Drums/Rotors	16.538 in	110 psi	32/32 in
110 psi	32/32 in	0.715 in	Linings/Pads	0.772 in	110 psi	32/32 in
		1.20 in	Push Rod Travel	1.20 in		
110 psi	32/32 in	16.568 in	Drums/Rotors	16.548 in	110 psi	32/32 in
110 psi	32/32 in	0.648 in	Linings/Pads	0.628 in	110 psi	32/32 in
		1.20 in	Push Rod Travel	1.20 in		
_ psi	_ in	_ in	Drums/Rotors	_ in	_ psi	_ in
			Linings/Pads	_ in		
			Push Rod Travel	_ in		
_ psi	_ in	_ in	Drums/Rotors	_ in	_ psi	_ in
			Linings/Pads	_ in		
			Push Rod Travel	_ in		

Park Brake Lining Left N/A in Right N/A in Trans N/A in

Wheel Torque Checked  Inner N/A ft lbs Outer 500 ft lbs

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

**NOTES:**

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

**NOTES:**

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

**NOTES:**

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

**NOTES:**

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓			
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓			

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

### Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

**NOTES:**

### Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

**NOTES:**

### Section 5 - Instruments and Auxilliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxilliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxilliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxilliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

**NOTES:**

### Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

**NOTES:**

### Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

**NOTES:**

### Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓		

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))	✓			8.24. Aerodynamic Device & Attachment	✓		


**NOTES:**

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

**NOTES:**

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

**NOTES:**

Certification			
<p>The Vehicle for which this Record of Inspection is issued has <b>PASSED (Certificate #7828958)</b> the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.</p>			
Date of Inspection	Technician Number	Facility Number	Signature
2023/10/16	B0188	16612	
Customer Acknowledgment			
<p>I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.</p>			Date (Year/Month/Day)
			2023/10/16
			Customer Signature