



01573 [CAT CS64B SMOOTH DRUM PACKER]
Equipment History From May 8, 2020 to August 19, 2026

R04-2
SEP

VO: 198750 - (1000) SERVICE - VIBRATORY COMPACTOR				Open
Item: 219740 - (1000) SERVICE - VIBRATORY COMPACTOR STANDARD PROGRAM				
VO: 197577 - Low tire pressure (2813 HR)				Closed
Item: 218388 - Low tire pressure				
8/22/2025	2	MOGG, ERIC	Check cause of low tire pressure. Check for leaks and none found. Schrader valves are old and wore out. Will need to replace. Adjust tire pressure for now and holding.	
VO: 197009 - Fuel leak (2813 HR)				Closed
Item: 217812 - Fuel leak				
8/11/2025	4	DUNFORD, WYATT	Look into fuel leak, find loose fuel filter drain screw. Get to seal up, still a drip here or there get some replacement parts coming	
VO: 196594 - Hydraulic oil leak (2978 HR)				Closed
Item: 217316 - Hydraulic oil leak				
8/6/2025	2	DUNFORD, WYATT	Look into leak. Order parts to repair. HMU leaks out top seal when hot	
VO: 195454 - Mob inspection (2806 HR)				Closed
Item: 216048 - Mob inspection				
250721-1573-				
7/21/2025	3	MOGG, ERIC	Complete mob inspection.	
VO: 194268 - DEMOB (2804 HR)				Closed
Notes: PCY -> YUKON				
Item: 214768 - DEMOB				
250704-1573-				
VO: 194152 - Detail (2800 HR)				Closed
Item: 214652 - Detail				
7/3/2025	6	ANDAL, JHON BHORRIS	Cleaned cab	
VO: 194002 - Delete unit (2804 HR)				Closed
Item: 214503 - Delete unit				
250703-1573-				
7/4/2025	6	FOSTER, COLIN	Fill coolant test run unit. Drained coolant and get bla k fixed. Refilled coolant and took to wash bay. Cleaned shop. Brought unit in and drained coolant got 2nd blank fixed. Refilled tested unit and installed hood. Chexk over unit and demobe	
7/3/2025	6	FOSTER, COLIN	Pulled egr cooler and started to put unit back together	
7/3/2025	6	TOPHAM, JULIAN	Remove filters. Re weld pipe Blind weld all lines	
7/2/2025	12	FOSTER, COLIN	Hook up and delete ecms. Strip hood and started stripping def system and egr	
VO: 167077 - (250) SERVICE - VIBRATORY COMPACTOR STANDARD				Closed
Item: 185267 - (250) SERVICE - VIBRATORY COMPACTOR STANDARD PROGRAM				
250905-1573-				
9/5/2025	2	DUNFORD, WYATT	Perform service	



01573 [CAT CS64B SMOOTH DRUM PACKER]
Equipment History From May 8, 2020 to August 19, 2026

VO: 167012 - Emissions (2800 HR)				Closed
Item: 185198 - Emissions				
9/25/2024	5	MOCKE, BRUCE	Get escorted out to units replaced DEF injector cleared codes and performed the regeneration	
9/16/2024	4	LITTLE, JAMES (MIKE)	Warm up unit run test passed all test , check service letters as problem been the same for about 2 years ordered up dated egr and injector as they are suppose to be repairs for the problem	
8/25/2024	4	MOCKE, BRUCE	Continue troubleshoot ordered receptacle pin, and DEF filter. Performed a recovery burn to get it out of the derate for now.	
8/24/2024	2	MOCKE, BRUCE	Travel to unit and take over for emissions codes Ran out of time need to continue troubleshooting	
8/23/2024	3	MOCKE, BRUCE	Travel to unit , emissions codes, codes for inefficient After treatment system. Pulled both nox sensors and cleaned placed in recovery mode Performed a regeneration burn code cleared run test issue is gone	
8/16/2024	2.5	ULRIKSEN, CONRAD	Travel to unit. Check over and run emissions tests.	
8/7/2024	2	TYSHYNSKI, KYLE	Travel, connected computer and checked sensors all reading correct and in spec, after treatment function test for NOx sensors and codes disappeared and wouldn't reappear	
8/6/2024	5	TYSHYNSKI, KYLE	Travel, manual regen, after treatment verification tests- passed tests sent back to work	
7/16/2024	4	LITTLE, JAMES (MIKE)	Run test remove egr and check and clean check def filter , ordered new , check for loose connections	
7/15/2024	3	LITTLE, JAMES (MIKE)	Run test to troubleshoot codes unit passes all test	
7/14/2024	2	MOCKE, SEAN	Got sent to derate but operator just didn't know how to get into high idle. Showed operator and foreman	
7/13/2024	3	MOCKE, SEAN	Do service and run all scr test passed and preform manual regen and codes and derate cleared	
VO: 162759 - (500) VIBRATORY COMPACTOR STANDARD				Closed
Item: 154994 - (500) VIBRATORY COMPACTOR STANDARD PROGRAM				
240713-1573-				
7/13/2024	4	MICHAUD, DANIEL	500h service	
7/13/2024	4	FISHER, BRADY	500 hour service	
7/10/2024	1	HOSPERS, FOLKERT	Check over unit had a tag good to use	
VO: 148472 - Cold (2523 HR)				Closed
Item: 167126 - Cold				
11/21/2023	1	HOSPERS, FOLKERT	Tarp the packer	
VO: 148357 - Derate (2510 HR)				Closed
Item: 167008 - Derate				
11/20/2023	5	MOCKE, BRUCE	Ryan quit failing because unit was not building enough. Temperature went back and collected heat trailer set up and began a regeneration recovery. recovery burn was successful. All codes cleared. Stop busy it. I'm busy stop UV patient.	



01573 [CAT CS64B SMOOTH DRUM PACKER]
Equipment History From May 8, 2020 to August 19, 2026

11/19/2023	2	PARENTEAU, LAYNE	Had laptop brought down, ran a regen and returned to ops	
11/19/2023	2.5	MOCKE, BRUCE	Performed regeneration burn codes cleared	
VO: 136418 - (250) VIBRATORY COMPACTOR STANDARD				Closed
Item: 99857 - (250) VIBRATORY COMPACTOR STANDARD PROGRAM				
230709-1573-				
VO: 136292 - Engine derate (2432 HR)				Closed
Item: 154867 - Engine derate				
7/8/2023	4	LITTLE, JAMES (MIKE)	Drive to unit force regen on unit perform test codes gone	
VO: 133092 - Emissions codes (2248 HR)				Closed
Item: 151688 - Emissions codes				
6/24/2023	2.5	NOHR, CORY	Run an aftertreatment regen test and functionality test codes cleared sent to work	
6/12/2023	5	PURVES, WILLIAM	Travel to location, hook up ET, numerous codes for after treatment. Perform functionality test, ok, perform regen system test, ok, perform dosing system verification test, ok, perform regen recovery procedure, ok. Suspect operators are shutting off master switch without purging system. Installed tag on master key & noted on frame rail to wait 5 min before shutdown	
6/6/2023	4	MOORE, JOHN B	Diagnose and repair emissions fault as required. Off site from 11:30 till approximately 3:30.	
VO: 121205 - Unit stuck in de rate for scr codes (2146 HR)				Closed
Item: 139803 - Unit stuck in de rate for scr codes				
3/9/2023	1	DUNFORD, JESSE	Change def unjector	
2/28/2023	3	DOUGLAS, ROBERT	Inspect DEF tank and found it was full and not frozen hook up ET than found level 3 codes for Aftertreatment SCR Operator Inducement Severity : High. Notify chase/Curtis getting finning mechanic unit has 2100 hrs. Op's stated it was filled with def twice and must have a hole in the tank?	
2/27/2023	2	WARREN, KEITH	Plugged in computer and fixed problem unit was run out of DEF	
VO: 121045 - Boost (2201 HR)				Closed
Item: 139647 - Boost				
4/19/2023	2.5	SHIELS, BENJAMIN	Check for leaks . Tightened hose clamps	
3/1/2023	3	ELDRIDGE, KENNETH	Looked unit over for broken wires boosted unit got it ready for finning to hook up there computer. To check the codes	
2/26/2023	2	STUEBING, JEFF	No start. Boost unit. Inspect unit. Units a go	
2/26/2023	2	DUNFORD, JESSE	Battery dead boosted unit	
VO: 82763 - (1000) VIBRATORY COMPACTOR STANDARD				Closed
Item: 80351 - (1000) VIBRATORY COMPACTOR STANDARD PROGRAM				
2022-03-				
VO: 82322 - Get unit running (2146 HR)				Closed
Item: 99399 - Get unit running				
3/25/2022	1	STUEBING, JEFF	Visually inspect unit. No damage. Check fluids. Fluids good. Start unit and test functions Unit operates properly at this time. Prep for de mob	



01573 [CAT CS64B SMOOTH DRUM PACKER]
Equipment History From May 8, 2020 to August 19, 2026

3/25/2022	2	VAN ZWYNDREGT, ANDREW	Check all fluids and filters, check for leaks, start machine, run up to temp, test machine functions	
VO: 66149 - Emissions codes (2030 HR)				Closed
Notes: null				
Item: 83429 - Inspection				
11/14/2021	0.5	TOMS, CAMERON	Check over machine.	
Item: 82314 - Emissions codes				
11/23/2021	2	TOMASZEWSKI, DALE	Diagnose emissions codes and tarp unit in	
11/23/2021	5	POUDRIER, JOE	Diag codes, do system checks and Regen unit.	
11/21/2021	2	MITCHELL, JORDAN	Emissions codes on machine, every single operator enducment codes and SCR conversion low. Forced regen on machine and codes went away.	
11/2/2021	5	TOMASZEWSKI, DALE	Diagnose and repair aftertreatment codes	
VO: 64223 - (250) PACKER STANDARD PROGRAM (1783 HR)				Closed
Item: 61200 - (250) PACKER STANDARD PROGRAM				
2021-10-				
VO: 62349 - Def (1630 HR)				Closed
Item: 78441 - Def				
9/22/2021	1	MITZIMBERG, JACOB	Bring def fluid out to pond 17 for finning	
VO: 62040 - No power (1627 HR)				Closed
Item: 78124 - No power				
9/21/2021	3	MITCHELL, JORDAN	Machine had codes for SCR conversion, hooked up to machine with laptop, performed all the diagnostic tests available and performed manual regen. Codes went away on machine. Checked areas around the SCR and DOC, no leaks. It happens again will clean DEF nozzle	
9/21/2021	2	TOMASZEWSKI, DALE	Diagnose and repair emissions codes	
9/19/2021	1	KLARHOLZ, SHANE	Drove to machine Complaint of no power Found active codes for SCR did not have computer on me had to go get from yard	
VO: 55695 - Check codes (1580 HR)				Closed
Item: 71498 - Check codes				
9/5/2021	1	POUDRIER, JOE	Diag for codes. Need factory password b	
8/30/2021	3	HUDSON, TREY	Burn unit still has issues	
7/25/2021	3	ALLIBAN, MATTHEW	Ace conversation low code, replaced def, performed functionality test and passed and code inactive	
7/23/2021	3	ALLIBAN, MATTHEW	Check codes, high spot load, regen unit	
7/6/2021	3	DOBOS, MICHAEL	Checked codes. Troubleshoot electrical Ordered coolant temp sensor	
VO: 54772 - Emissions codes (1529 HR)				Closed
Item: 70519 - Emissions codes				
6/24/2021	2	FEDORUK, MIKE	After treatment codes did system functionality test and did after treatment recovery burn.	
6/24/2021	2	TOMASZEWSKI, DALE	Diagnose emissions codes	



01573 [CAT CS64B SMOOTH DRUM PACKER]
Equipment History From May 8, 2020 to August 19, 2026

VO: 49426 - Emissions codes and pitch sensor codes (1509 HR)				Closed
Item: 64848 - Emissions codes and pitch sensor codes				
5/16/2021	2	GOLOS, SHAWN	perform aftertreatment functionality test so it could be lowbedded	
5/1/2021	4	GOLOS, SHAWN	check and troubleshoot emissions and pitch sensor codes	
VO: 49361 - codes, wont idle up (1508 HR)				Closed
Item: 64779 - codes, wont idle up				
4/30/2021	4	GOLOS, SHAWN	check codes and idle issue, do verification check, cleared codes, checked def and harness	
VO: 36612 - B Service (1497 HR)				Closed
Item: 49495 - B Service				
201101 - 1573 - B				