



80087700008362748

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety ActPART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:		
GVW:	kg	Brake Type:	Air	
Owner Name:	J & G HAULING SERVICES			
Address:	10274 85A STREET			
City:	GRANDE PRAIRIE	Province:	AB	Postal Code:
Telephone Number:	(780) 538-4135			
Vehicle Identification Number:	2LDPF323871046034			
Make:	Iode king		Model:	pf1100 lead
Year:	2007		Unit Number:	SL-001
Odometer:	KM	Licence Plate Number:	6BG846	Province:

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Anarchy Mechanical Ltd	19121
Inspection Technician Name:	Technician Number:
Randolph Campbell	B9833
Inspection Technician Signature:	
Inspection Date:	2025/07/28



**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle	Gross Vehicle Weight registered																																						
Trailer	kg																																						
Vehicle Information																																							
VIN	2	L	D	P	F	3	2	3	8	7	1	0	4	6	0	3	4																						
Unit Number	Year			Make			Model			Odometer																													
SL-001	2007			Iode king			pf1100 lead																																
Registered Owner's Name													Plate Number																										
J & G HAULING SERVICES													6BG846																										
Address													Postal Code																										
10274 85A STRRET													T8X0K2																										
Phone Number													(780) 538-4135																										
Drum Brakes: C-Limited Inspection							Disc Brakes:																																
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">83 psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">80 psi</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">11 mm</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">10 mm</div> </div> </div>				<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th colspan="2">LEFT</th> <th colspan="2">FRONT</th> <th colspan="2">RIGHT</th> </tr> </thead> <tbody> <tr> <td>NA</td> <td>mm</td> <td>Drums/Rotors</td> <td>NA</td> <td>mm</td> <td></td> </tr> <tr> <td>17</td> <td>mm</td> <td>Linings/Pads</td> <td>17</td> <td>mm</td> <td></td> </tr> <tr> <td>38</td> <td>mm</td> <td>Push Rod Travel</td> <td>38</td> <td>mm</td> <td></td> </tr> </tbody> </table>				LEFT		FRONT		RIGHT		NA	mm	Drums/Rotors	NA	mm		17	mm	Linings/Pads	17	mm		38	mm	Push Rod Travel	38	mm		<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">83 psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">83 psi</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">9 mm</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">12 mm</div> </div> </div>							
LEFT		FRONT		RIGHT																																			
NA	mm	Drums/Rotors	NA	mm																																			
17	mm	Linings/Pads	17	mm																																			
38	mm	Push Rod Travel	38	mm																																			
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">90 psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">90 psi</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">7 mm</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">7 mm</div> </div> </div>				<table border="1" style="width: 100%; text-align: center;"> <tbody> <tr> <td>NA</td> <td>mm</td> <td>Drums/Rotors</td> <td>NA</td> <td>mm</td> <td></td> </tr> <tr> <td>18</td> <td>mm</td> <td>Linings/Pads</td> <td>18</td> <td>mm</td> <td></td> </tr> <tr> <td>38</td> <td>mm</td> <td>Push Rod Travel</td> <td>44</td> <td>mm</td> <td></td> </tr> </tbody> </table>				NA	mm	Drums/Rotors	NA	mm		18	mm	Linings/Pads	18	mm		38	mm	Push Rod Travel	44	mm		<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">90 psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">80 psi</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">7 mm</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">7 mm</div> </div> </div>													
NA	mm	Drums/Rotors	NA	mm																																			
18	mm	Linings/Pads	18	mm																																			
38	mm	Push Rod Travel	44	mm																																			
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">95 psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">90 psi</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">14 mm</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">8 mm</div> </div> </div>				<table border="1" style="width: 100%; text-align: center;"> <tbody> <tr> <td>NA</td> <td>mm</td> <td>Drums/Rotors</td> <td>NA</td> <td>mm</td> <td></td> </tr> <tr> <td>17</td> <td>mm</td> <td>Linings/Pads</td> <td>17</td> <td>mm</td> <td></td> </tr> <tr> <td>44</td> <td>mm</td> <td>Push Rod Travel</td> <td>57</td> <td>mm</td> <td></td> </tr> </tbody> </table>				NA	mm	Drums/Rotors	NA	mm		17	mm	Linings/Pads	17	mm		44	mm	Push Rod Travel	57	mm		<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">100 psi</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">11 mm</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">11 mm</div> </div> </div>													
NA	mm	Drums/Rotors	NA	mm																																			
17	mm	Linings/Pads	17	mm																																			
44	mm	Push Rod Travel	57	mm																																			
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> </div>				<table border="1" style="width: 100%; text-align: center;"> <tbody> <tr> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td></td> </tr> <tr> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td></td> </tr> <tr> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> </tr> </tbody> </table>				mm	Drums/Rotors	mm		mm	Linings/Pads	mm		mm	Push Rod Travel	mm		<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> </div>																			
mm	Drums/Rotors	mm																																					
mm	Linings/Pads	mm																																					
mm	Push Rod Travel	mm																																					
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> </div>				<table border="1" style="width: 100%; text-align: center;"> <tbody> <tr> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td></td> </tr> <tr> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td></td> </tr> <tr> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> </tr> </tbody> </table>				mm	Drums/Rotors	mm		mm	Linings/Pads	mm		mm	Push Rod Travel	mm		<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> </div>																			
mm	Drums/Rotors	mm																																					
mm	Linings/Pads	mm																																					
mm	Push Rod Travel	mm																																					
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> </div>				<table border="1" style="width: 100%; text-align: center;"> <tbody> <tr> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td></td> </tr> <tr> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td></td> </tr> <tr> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> </tr> </tbody> </table>				mm	Drums/Rotors	mm		mm	Linings/Pads	mm		mm	Push Rod Travel	mm		<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> </div>																			
mm	Drums/Rotors	mm																																					
mm	Linings/Pads	mm																																					
mm	Push Rod Travel	mm																																					
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> </div>				<table border="1" style="width: 100%; text-align: center;"> <tbody> <tr> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td></td> </tr> <tr> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td></td> </tr> <tr> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> </tr> </tbody> </table>				mm	Drums/Rotors	mm		mm	Linings/Pads	mm		mm	Push Rod Travel	mm		<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> <div style="text-align: center;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">mm</div> </div> </div>																			
mm	Drums/Rotors	mm																																					
mm	Linings/Pads	mm																																					
mm	Push Rod Travel	mm																																					
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="4">Park Brake Lining</td> <td>Left</td> <td>NA</td> <td>mm</td> <td>Right</td> <td>NA</td> <td>mm</td> <td>Trans</td> <td>NA</td> <td>mm</td> </tr> <tr> <td colspan="4"></td> <td><input checked="" type="checkbox"/></td> <td>Inner</td> <td>NA</td> <td>ft lbs</td> <td>Outer</td> <td>500</td> <td>ft lbs</td> <td colspan="3"></td> </tr> </table>													Park Brake Lining				Left	NA	mm	Right	NA	mm	Trans	NA	mm					<input checked="" type="checkbox"/>	Inner	NA	ft lbs	Outer	500	ft lbs			
Park Brake Lining				Left	NA	mm	Right	NA	mm	Trans	NA	mm																											
				<input checked="" type="checkbox"/>	Inner	NA	ft lbs	Outer	500	ft lbs																													

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension			✓
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly			✓
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓
3H.9. Air-Boosted Trailer Brake System			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System			✓
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components			✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)			✓
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)			✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance			✓
3A.15. Drum Brake System Components	✓						

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓
4.4. Kingpin			✓				

NOTES:

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking		✓	
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)		✓	
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap		✓	
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer		✓	
8.8. Cab or Cargo Door	✓			8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel				8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)		✓	

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim		✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts,& Studs)		✓	
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)				10.7. Fifth Wheel Coupler		✓	
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch				10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch				10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8362748) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/07/28	B9833	19121	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/07/28

Customer Signature