



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	t-ruckin oilfield services ltd		
Address:	9 61027 hwy 672		
City:	grainde prairie coun	Province:	AB
		Postal Code:	TOH0W0
Telephone Number:	(780) 402-5560		
Vehicle Identification Number:	2E9F75F6183003234		
Make:	Scona	Model:	24LPF
Year:	2008	Unit Number:	24L-07
Odometer:	KM	Licence Plate Number:	6AZ491
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
T-Ruckin Oilfield Services Ltd	20359
Inspection Technician Name:	Technician Number:
Kyle Romanchuk	B9200
Inspection Technician Signature:	
Inspection Date:	2026/03/12

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered							
Trailer										kg							
Vehicle Information																	
VIN	2	E	9	F	7	5	F	6	1	8	3	0	0	3	2	3	4
Unit Number 24L-07			Year 2008		Make Scona			Model 24LPF			Odometer						
Registered Owner's Name t-ruckin oilfield services ltd													Plate Number 6AZ491				
Address 9 61027 hwy 672										Postal Code T0H0W0			Phone Number (780) 402-5560				

Drum Brakes:										Disc Brakes:																																																																																																																																																														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2"></th> <th style="text-align: center;">LEFT</th> <th colspan="2" style="text-align: center;">FRONT</th> <th style="text-align: center;">RIGHT</th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="text-align: center;">419.84 mm</td> <td colspan="2" style="text-align: center;">Drums/Rotors</td> <td style="text-align: center;">419.84 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> </tr> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">9 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">7 mm</td> <td style="text-align: center;">21 mm</td> <td colspan="2" style="text-align: center;">Linings/Pads</td> <td style="text-align: center;">21 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">12 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">12 mm</td> </tr> <tr> <td colspan="2"></td> <td style="text-align: center;">38 mm</td> <td colspan="2" style="text-align: center;">Push Rod Travel</td> <td style="text-align: center;">38 mm</td> <td colspan="2"></td> </tr> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="text-align: center;">419.61 mm</td> <td colspan="2" style="text-align: center;">Drums/Rotors</td> <td style="text-align: center;">419.66 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> </tr> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">11 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">13 mm</td> <td style="text-align: center;">21 mm</td> <td colspan="2" style="text-align: center;">Linings/Pads</td> <td style="text-align: center;">21 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">13 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">12 mm</td> </tr> <tr> <td colspan="2"></td> <td style="text-align: center;">38 mm</td> <td colspan="2" style="text-align: center;">Push Rod Travel</td> <td style="text-align: center;">38 mm</td> <td colspan="2"></td> </tr> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="text-align: center;">419.54 mm</td> <td colspan="2" style="text-align: center;">Drums/Rotors</td> <td style="text-align: center;">419.84 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> </tr> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">12 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">14 mm</td> <td style="text-align: center;">21 mm</td> <td colspan="2" style="text-align: center;">Linings/Pads</td> <td style="text-align: center;">21 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">11 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">11 mm</td> </tr> <tr> <td colspan="2"></td> <td style="text-align: center;">38 mm</td> <td colspan="2" style="text-align: center;">Push Rod Travel</td> <td style="text-align: center;">38 mm</td> <td colspan="2"></td> </tr> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="text-align: center;">419.80 mm</td> <td colspan="2" style="text-align: center;">Drums/Rotors</td> <td style="text-align: center;">419.72 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> </tr> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">8 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">9 mm</td> <td style="text-align: center;">21 mm</td> <td colspan="2" style="text-align: center;">Linings/Pads</td> <td style="text-align: center;">21 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">13 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">13 mm</td> </tr> <tr> <td colspan="2"></td> <td style="text-align: center;">38 mm</td> <td colspan="2" style="text-align: center;">Push Rod Travel</td> <td style="text-align: center;">38 mm</td> <td colspan="2"></td> </tr> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="text-align: center;">420.08 mm</td> <td colspan="2" style="text-align: center;">Drums/Rotors</td> <td style="text-align: center;">420.08 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> </tr> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">15 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">16 mm</td> <td style="text-align: center;">21 mm</td> <td colspan="2" style="text-align: center;">Linings/Pads</td> <td style="text-align: center;">21 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">13 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">13 mm</td> </tr> <tr> <td colspan="2"></td> <td style="text-align: center;">38 mm</td> <td colspan="2" style="text-align: center;">Push Rod Travel</td> <td style="text-align: center;">38 mm</td> <td colspan="2"></td> </tr> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="text-align: center;">419.80 mm</td> <td colspan="2" style="text-align: center;">Drums/Rotors</td> <td style="text-align: center;">419.82 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi</td> </tr> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">8 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">9 mm</td> <td style="text-align: center;">21 mm</td> <td colspan="2" style="text-align: center;">Linings/Pads</td> <td style="text-align: center;">21 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">10 mm</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">10 mm</td> </tr> <tr> <td colspan="2"></td> <td style="text-align: center;">38 mm</td> <td colspan="2" style="text-align: center;">Push Rod Travel</td> <td style="text-align: center;">38 mm</td> <td colspan="2"></td> </tr> </tbody> </table>																			LEFT	FRONT		RIGHT			100 psi	100 psi	419.84 mm	Drums/Rotors		419.84 mm	100 psi	100 psi	9 mm	7 mm	21 mm	Linings/Pads		21 mm	12 mm	12 mm			38 mm	Push Rod Travel		38 mm			100 psi	100 psi	419.61 mm	Drums/Rotors		419.66 mm	100 psi	100 psi	11 mm	13 mm	21 mm	Linings/Pads		21 mm	13 mm	12 mm			38 mm	Push Rod Travel		38 mm			100 psi	100 psi	419.54 mm	Drums/Rotors		419.84 mm	100 psi	100 psi	12 mm	14 mm	21 mm	Linings/Pads		21 mm	11 mm	11 mm			38 mm	Push Rod Travel		38 mm			100 psi	100 psi	419.80 mm	Drums/Rotors		419.72 mm	100 psi	100 psi	8 mm	9 mm	21 mm	Linings/Pads		21 mm	13 mm	13 mm			38 mm	Push Rod Travel		38 mm			100 psi	100 psi	420.08 mm	Drums/Rotors		420.08 mm	100 psi	100 psi	15 mm	16 mm	21 mm	Linings/Pads		21 mm	13 mm	13 mm			38 mm	Push Rod Travel		38 mm			100 psi	100 psi	419.80 mm	Drums/Rotors		419.82 mm	100 psi	100 psi	8 mm	9 mm	21 mm	Linings/Pads		21 mm	10 mm	10 mm			38 mm	Push Rod Travel		38 mm		
		LEFT	FRONT		RIGHT																																																																																																																																																																			
100 psi	100 psi	419.84 mm	Drums/Rotors		419.84 mm	100 psi	100 psi																																																																																																																																																																	
9 mm	7 mm	21 mm	Linings/Pads		21 mm	12 mm	12 mm																																																																																																																																																																	
		38 mm	Push Rod Travel		38 mm																																																																																																																																																																			
100 psi	100 psi	419.61 mm	Drums/Rotors		419.66 mm	100 psi	100 psi																																																																																																																																																																	
11 mm	13 mm	21 mm	Linings/Pads		21 mm	13 mm	12 mm																																																																																																																																																																	
		38 mm	Push Rod Travel		38 mm																																																																																																																																																																			
100 psi	100 psi	419.54 mm	Drums/Rotors		419.84 mm	100 psi	100 psi																																																																																																																																																																	
12 mm	14 mm	21 mm	Linings/Pads		21 mm	11 mm	11 mm																																																																																																																																																																	
		38 mm	Push Rod Travel		38 mm																																																																																																																																																																			
100 psi	100 psi	419.80 mm	Drums/Rotors		419.72 mm	100 psi	100 psi																																																																																																																																																																	
8 mm	9 mm	21 mm	Linings/Pads		21 mm	13 mm	13 mm																																																																																																																																																																	
		38 mm	Push Rod Travel		38 mm																																																																																																																																																																			
100 psi	100 psi	420.08 mm	Drums/Rotors		420.08 mm	100 psi	100 psi																																																																																																																																																																	
15 mm	16 mm	21 mm	Linings/Pads		21 mm	13 mm	13 mm																																																																																																																																																																	
		38 mm	Push Rod Travel		38 mm																																																																																																																																																																			
100 psi	100 psi	419.80 mm	Drums/Rotors		419.82 mm	100 psi	100 psi																																																																																																																																																																	
8 mm	9 mm	21 mm	Linings/Pads		21 mm	10 mm	10 mm																																																																																																																																																																	
		38 mm	Push Rod Travel		38 mm																																																																																																																																																																			
Park Brake Lining Left <u> N/A </u> mm Right <u> N/A </u> mm Trans <u> N/A </u> mm Wheel Torque Checked <input type="checkbox"/> Inner <u> N/A </u> ft lbs Outer <u> 250 </u> ft lbs																																																																																																																																																																								

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.21. Fender/Mud Flap	✓		
8.6. Frame Rails & Mounts	✓			8.9. Cargo Tank or Vessel	✓		
8.7. Utilized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door	✓			8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.24. Aerodynamic Device & Attachment			✓
8.11. Refrigeration/Heater Unit Fuel System			✓	8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				