Alberta Government

CV8664431

80087500008664431

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	**Seating Capacity:**			
GVW:	61300 kg	**Brake Type:**	Air		
Owner Name:	PVT Energy Group INC.				
Address:	721071 RR 53 #93				
City:	County of GP No.1	**Province:**	AB	**Postal Code:**	T8X 0N4
Telephone Number:	(780) 830-0045				
Vehicle Identification Number:	1NKDX4TX2FR972781				
Make:	**Kenworth**	**Model:**	**Construct**		
Year:	**2015**	**Unit Number:**	**B7601**		
Odometer:	1031601 KM	**Licence Plate Number:**	0DR066	**Province:**	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	**Facility Number:**
Barr None Mechanical Ltd.	**20069**
Inspection Technician Name:	**Technician Number:**
Cory Moreau	**C2813**
Inspection Technician Signature:	
Inspection Date:	**2026/09/02**

Version No:1

Alberta Government

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle	Gross Vehicle Weight registered
Truck	61300 kg

Vehicle Information

VIN	1	N	K	D	X	4	T	X	2	F	R	9	7	2	7	8	1

Unit Number	Year	Make	Model	Odometer
B7601	2015	Kenworth	Construct	1,031,601

Registered Owner's Name	Plate Number
PVT Energy Group INC.	0DR066

Address	Postal Code	Phone Number
721071 RR 53 #93	T8X 0N4	(780) 830-0045

Drum Brakes: A-Full Inspection with Drum Removed Disc Brakes:

	LEFT		FRONT	RIGHT		
	419.3	mm	Drums/Rotors	419.2	mm	
100 psi	19	mm	Linings/Pads	17	mm	100 psi
14 mm	28	mm	Push Rod Travel	28	mm	13 mm
	421.8	mm	Drums/Rotors	421.6	mm	
100 psi 100 psi	17	mm	Linings/Pads	16	mm	100 psi 100 psi
17 mm 19 mm	38	mm	Push Rod Travel	38	mm	15 mm 15 mm
	420.7	mm	Drums/Rotors	421.7	mm	
100 psi 100 psi	17	mm	Linings/Pads	15	mm	100 psi 100 psi
21 mm 20 mm	38	mm	Push Rod Travel	38	mm	22 mm 22 mm
	419.4	mm	Drums/Rotors	419	mm	
100 psi 100 psi	15	mm	Linings/Pads	9	mm	100 psi 100 psi
20 mm 19 mm	38	mm	Push Rod Travel	38	mm	19 mm 20 mm
		mm	Drums/Rotors		mm	
psi psi		mm	Linings/Pads		mm	psi psi
mm mm		mm	Push Rod Travel		mm	mm mm
		mm	Drums/Rotors		mm	
psi psi		mm	Linings/Pads		mm	psi psi
mm mm		mm	Push Rod Travel		mm	mm mm

Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm

Wheel Torque Checked ☑ Inner N/A ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:
1.9 - GEAR POSITION INDICATOR REPLACED.
1.10 - FAN BELT REPLACED.

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:
2.7 - LH AND RH STEER SHOCKS REPLACED.
2.4 - RHS LEAF SPRING REPLACED.

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓		
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:
3A.1 - AIR COMPRESSOR DISCHARGE LINE SUPPORT REPLACED.
3A.15 - #4 AXLE RH BRAKE DRUM AND SHOE REPLACED.. #2 LHS SHOE REPLACED.
3A.16 - #4 RH SLACK ADJUSTER REPLACED.
3A.19 - ABS WIRING AT AXLES #3 AND #4 SECURED.

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:
4.1 - STEERING SHAFT UJOINT REPLACED.

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓		
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:
5.1 - CAB FIRE EXTINGUISHER INSTALLED.

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:
6.1;
1 AIR CLEANER AMBER LAMP REPLACED.
3 AIR CLEANER RED LAMPS REPLACED.
3 UPPER MARKER LAMPS REPLACED.
REVERSE LAMPS REPLACED.
ONE BUMPER LAMP REPLACED.
CAB ENTRY LAMPS REPLACED.

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab	✓			8.13. Windshield	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor			✓
8.7. Unitized Body Elements			✓	8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:
8.1 - HOOD REPAIRED.
8.3 - CAB SHOCKS REPLACED. CAB HEIGHT STOPPERS REPLACED.
8.12 - BUMPER BUSHINGS REPLACED.
8.21 - LHS FRONT CAB FENDER REPAIRED.

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:
9.2 - LHS STEER TIRE REPLACED.

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8664431) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/09/02	C2813	20069	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)
2026/09/02

Customer Signature