



#### **CERTIFICATE NUMBER**

# Commercial Vehicle Inspection Certificate Traffic Safety Act

### PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Ty	pe:	Light Truck		Seating	g Capac	ity:				
GVW:		9500 kg	····	Brake	Type:	•	Hydra	ulic		
Owner Nan	ne:	unique excava	iting Itd							
Address: box 25335 wapiti center										
City:	grande prairie		Province: AB				Postal Cod	e: T8	W0G2	
Telephone	Num	ber: (780)	882-53	23		-				
Vehicle Ide	ntific	ation Number:		3D6WD78	LX9G52	3664				
Make:	1	Dodge		·	ı	Model:	Ram			
Year: 2009					Unit Nu					
Odometer:	Odometer: 247016 KM Li		Lic	ence Plate Nu	ımber:	CBW	9701	Provi	nce:	AB

#### IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

#### **PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:
469426 Alberta Ltd		22065
Inspection Technician Name:		Technician Nymber:
Alex Westerson		C5845 // //
Inspection Technician Signature:		100-10
Inspection Date:	2025/11/12	



# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Туре		nicle						· <del></del> .			· <del>-</del>	Gro	ss Vel	nicle W			ed	
Light 1			······					··-·		•					9500 l	(g		
Vehic				<del> </del>			i	1				7		1				
VIN	3	D	6	5   V	N	D	7	8	L	X	9	G	5	2	3	6	6	4
Unit	Numb	per		Yea				Mai				Mod		<u>'</u>		Odo	meter	·
				200	9			Dod	ge			Ra	m			247	7,016	
							=		's Name								Number	•
							nique e	xcavati	ng ita								V9701	
				box :	_	ddress 35 wap	iti cent	er		•			Postal. T8W			l	one Nun )) 882-5	
	Drum B	Brakes:								Disc	Brakes:	D-Ful	l Inspec	tion Whe	el Remov	/ed		<del> </del>
	-	*	·		·													
							<u>LEFT</u> 38.61	mm-		NONT S/Rotors	<u></u>	RIGH 38.		77:				
		-	95 ps		_ -		10	mm		gs/Pads			70 mr 10 mr	l l	9	5 psi		
			12 mi	m /			na	mm		Rod Trav	əl		na mi	n	1	1 mm		
	95 ps	il 🖳	95 ps	si			37.27	mm		s/Rotors		37.			9	5 psi	95 p	si
	14 <sup>.</sup> m	m∫ _	14° m	m	<b>1</b> -		10 na	mm mm		gs/Pads lod Trav	. —		10 mr na mr		1	4 mm	15 m	
		_			L=	· · ·					<u> </u>							
			p:					mm	Drum	s/Rotors	<del></del>		mı	n	-			-)
-	ps	-	— m	ļ				mm		gs/Pads			mr	n		psi mm	p	ım
<u></u>		<u>"'\</u>				<u></u>		mm	Push R	od Trave	·	,	mr	n				<u>"</u>
_		· ·						mm	Drum	s/Rotors			mn	n				_
-	p	-	ps	-				mm	Linin	gs/Pads			mn	n	┨ —	psi Y	ps	
(	m	<u>"\</u>	mi		L			mm	Push R	od Trave			mn	n		mm	m	m)
_		\ <u></u>						mm	Drum	s/Rotors			mn	n				
-	P:	- 1	ps		_			mm	Linin	gs/Pads			mn	n		psi	p	
(-	m	m _		m				mm	Push R	od Trave	1		mr	n		mm	m	m
				$\overline{}$				mm	Drum	s/Rotors			mn	n				5
	p:	1 -	ps		$+\Box$			mm.		gs/Pads			mn	n		psi	ps	
Ĺ.		m	m	"				mm	Push F	lod Trave	el		mr	n	_	mm	m	m
				P	ark B	rake Lin	ing L	.eft 3	mm	Right _	3 m	m Trans	na	mm				
							ıe Check		Inner	na na	ft lbs C			— '''''' ft lbs				
								L.L.							J			

### COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

	Secti	on	1 - P	ower Train			
Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	<b>✓</b>			1.8. Engine Start Safety Feature	1		$\top$
1.2. Exhaust System				1.9. Gear Position Indicator	1		
1.3. Emission Control Systems and Devices			1	1.10. Engine or Accessory Drive Belt	<b>✓</b>		
1.4. Drive Shaft	1			1.11. Hybrid Electric Vehlcle & Electric Vehlcle Power Train System			~
1.5. Clutch and Clutch Pedal			1	1.12. Gasoline or Diesel Fuel System	1		
1.6. Engine/Transmission Mount	<b> </b>			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			~
1.7. Engine/Shut Down	<b>/</b>						

#### NOTES:

APPENDIX "A"										
Component	P	F	NA	Component	Р	F	NA			
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			1	A.3. Liquefied Natural Gas (LNG) Fuel System			1			
A.2. Compressed Natural Gas (CNG) Fuel System			1							

#### NOTES:

Section 2 - Suspension									
Component		Р	F	NA	Component	Р	F	NA	
2.1. Suspension & Frame Attachments		/		1	2.5. Air Suspension			1	
2.2. Axle Attaching & Tracking Components	١,	/			2.6. Self-Steer and Controlled-Steer Axle			1	
2.3. Axle & Axle Assembly	١.	/			2.7. Shock Absorber/Strut Assembly	<b>✓</b>		1	
2.4. Spring & Spring Attachment		<b>✓</b>		T					

#### NOTES:

	Section	3H	- Hy	draulic Brakes			
Component	P	F	NA	Component	Р	F	NA
3H.1. Hydraulic System Components	<b>✓</b>			3H.13. Disc Brake System Components		İ	
3H.2. Brake Pedal/Actuator	<b>✓</b>	1		3H.14. Mechanical Parking Brake			
3H.3. Vacuum Assist (Boost) System			1	3H.15. Spring-Applied Air-Released Parking Brake			1
3H.4. Hydraulic Assist (Boost) System			1_	3H.16. Spring-Applied Hydraulic-Released Parking Brake			1
3H.5. Air Assist (Boost) System			1	3H.17. Anti-Lock Brake System (ABS)	<b>-</b>		
3H.6. Air-Over-Hydraulic Brake System			1	3H.18. Stability Control System			1
3H.11. Brake System Indicator Lamps	<b>✓</b>	1	1	3H.19. Brake Performance	<b>/</b>		
3H.12. Drum Brake System Components			1				

#### NOTES:

	Sect	lon	3A -	Air Brakes			
Component	P	F	NA	Component	Р	F	NA
3A.1. Air Compressor			1	3A.13. Air System Components		Τ.,	1
3A.2. Air Supply System			1	3A.14. Brake Chamber			/
3A.4. Air Tank			1	3A.15. Drum Brake System Components			/
3A.5. Air Tank Check Valves	1		1	3A.16. S-Cam Drum Brake System			1
3A.6. Brake Pedal/Actuator	!	1	1	3A.17. Brake Shoe Travel (Wedge Brakes)			1
3A.7. Treadie Valve and Trailer Hand Valve			1	3A.18. Disc Brake System Components		Т	1
3A.8. Brake Valves & Controls			1	3A.19. Anti-Lock Brake System (ABS)			<b>✓</b>
3A.9. Proportioning, Inversion or Modulation Valve	1		1	3A.21. Stability Control System			<b>√</b>
3A.10. Towing Vehicle (Tractor) Protection System		1	1	3A.23. Brake Performance		T	~

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	Р	F	NA
3A.11. Parking Brake & Emergency Application			1				
IOTES:							
	Sec	ctio	n 4 -	Steering	· · ·		
Component	Р	F	NA	Component	Р	F	N/
4.1. Steering Control and Linkage	1	<u> </u>		4.4. Kingpin			~
4.2. Power Steering System (Hydraulic and Electric)	1/			4.5. Self-Steer and Controlled-Steer Axle			1
4.3. Steering Operation (Active Steer Axle)	1						
NOTES:							
Section 5 -	Instrui	ner	ıts aı	nd Auxiliary Equipment			
Component	Р	F	NA	Component	P	F	N.
5.1. Fire Extinguisher				5.8. Heater & Windshield Defroster			
5.2. Hazard Warning Kit			1	5.9. Fuel-Burning Auxiliary Heater			1
5.3. Hom	<b>V</b>			5.10. Chain/"Headache" Rack			1
5.5. Speedometer				5.11. Auxiliary Controls and Devices			1
5.6. Odometer				5.12. Auxiliary Drive Controls			~
5.7. Windshield Wiper/Washer	1		1				
Component	P	F	NA	l	P	F	N.
6.1. Required Lamps	<b>\</b>	ļ	ļ	6.4. Instrument Panel Lamps	<u> </u>		<u> </u>
6.2. Reflex Reflector 6.3. Retro-Reflective Marking	- 1		├	6.5. Headlamp Aim			_
NOTES:							•••
S	ection	7 -	Elec	trical System			
				trical System  Component	ا م	F	N/
Component	Р		Elec	Component	P	F	N/
Component 7.1. Wiring					P   ✓	F	N.
Component 7.1. Wiring 7.2. Battery	Р			Component	P   ✓	F	N.
Component 7.1. Wiring 7.2. Battery NOTES:	P	F	NA on 8	Component 7.3. Trailer Cord (output to towed vehicle) - Body			
Component 7.1. Wiring 7.2. Battery NOTES: Component	P   /	F	NA	Component 7.3. Trailer Cord (output to towed vehicle)  - Body  Component	P     V	F	
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure	P	F	NA on 8	Component 7.3. Trailer Cord (output to towed vehicle)  - Body  Component 8.12. Bumper			
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab	P	F	NA on 8	Component 7.3. Trailer Cord (output to towed vehicle)  - Body  Component 8.12. Bumper 8.13. Windshield			
Component 7.1. Wiring 7.2. Battery  IOTES:  Component  B.1. Hood or Engine Enclosure B.2. Tilt Cab B.3. Air-Suspended Cab	P	F	NA on 8	Component 7.3. Trailer Cord (output to towed vehicle)  - Body  Component 8.12. Bumper 8.13. Windshield 8.14. Side Windows			
Component 7.1. Wiring 7.2. Battery  IOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body	P	F	NA on 8	Component  7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows  8.15. Rear Window			
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body	P	F	NA on 8	Component  7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows  8.15. Rear Window  8.16. Interior Sun Visor			N.
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts	P	F	NA on 8	Component  7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows  8.15. Rear Window  8.16. Interior Sun Visor  8.17. Exterior Windshield Sun Visor			N.
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts 8.7. Unitized Body Elements	P	F	NA on 8	Component  7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows  8.15. Rear Window  8.16. Interior Sun Visor  8.17. Exterior Windshield Sun Visor  8.18. Rear-View Mirror			N/
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts 8.7. Unitized Body Elements 8.8. Cab or Cargo Door	P	F	on 8	Component  7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows  8.15. Rear Window  8.16. Interior Sun Visor  8.17. Exterior Windshield Sun Visor  8.18. Rear-View Mirror  8.19. Seat			N/
Component 7.1. Wiring 7.2. Battery NOTES:	P	F	on 8	Component  7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows  8.15. Rear Window  8.16. Interior Sun Visor  8.17. Exterior Windshield Sun Visor  8.18. Rear-View Mirror			N.

### **COMMERCIAL VEHICLE RECORD OF INSPECTION** TRUCK AND TRUCK-TRACTOR

	S	ecti	on 8	- Body			
Component	P	F	NA	Component	P	F	NA
Vehicle	$\top$	1.	T			Ť	+
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			<b>✓</b>	8.24. Aerodynamic Device & Attachment			~
NOTES:	<del></del>	<u></u>	<del></del>		<del></del>	1	<del></del>

	Section 9 - Tires and Wheels												
Component	P	F	NA	Component	Р	F	NA						
9.1. Tire Tread Depth				9.7. Wheel/Rim (Applies to all wheel types)	<b>/</b>		†						
9.2. Tire Tread Condition	<b>✓</b>		•	9.8. Multi-Piece Wheel/Rim			1						
9.3. Tire Sidewall & Manufacturer Markings				9.9. Spoke Wheel/Demountable Rim System		<del> </del>	7						
9.4. Tire Inflation Pressure	/			9.10. Disc Wheel System			1						
9.5. Wheel Hub				9.11. Wheel Fasteners (Nuts, Bolts and Studs)			Ť						
9.6. Wheel Bearing	<b>V</b>						$\top$						

#### **NOTES:**

Section 10 - Couplers and Hitches												
Component	Р	F	NA	Component	P	F	NA					
10.1. Hitch Assembly, Structure & Attaching Components	1			10.5. Roll-Coupling Hitch		ļ	1					
10.2, Secondary Attachment (Safety Chain or Cable)	/			10.6. Automated Coupling Device			1					
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			1	10.7. Fifth Wheel Coupler			1					
10.4. Ball Type Hitch			<b>✓</b>	10.8. Oscillating Fifth Wheel Coupler			1					

#### NOTES:

	ation	

The Vehicle for which this Record of Inspection is Issued has PASSED (Certificate #8480003) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/11/12	Technician Number C5845	Facility Number 22065	Signature
stomer Acknowledgment			V
derstand if a vehicle inspection	n identifies defects and repairs are re	quired, once repaired, the vehicle	Date (Year/Month/Day)
t this Record of Inspection (RC initial inspection and only the	on identifies defects and repairs are re oi) may be presented to any Vehicle in falled items noted on this ROI are req ection within 10 days of the initial dat	spection Facility within 10 days of uired to be re-inspected. If the	Date (Year/Month/Day) 2025/11/12