


# Ontario DriveON

## Annual Inspection Certificate & Safety Standards Certificate



VEHICLE INFORMATION	
Plate#:	Year: 2015
VIN: 5KJNALD1XFPGF2942	Make: WESTERN STAR/AUTO CAR
GVWR (kg): 39916	Model: CONVENTIONAL
Odometer (km): 28	Type: Truck

CERTIFICATE INFORMATION	
Annual Inspection Certificate	Expires at the end of: Apr 2027
Safety Standards Certificate	Expires at the end of: May 30, 2026
Vehicle Inspection Certificate Number	GQ80AN49
Inspection Start Date	Apr 22, 2026 System Time: 12 : 18
Inspection End Date	Apr 24, 2026 System Time: 17 : 39

VEHICLE INSPECTION CENTRE	
Vehicle Inspection Centre #: 10902	Technician: AMARINDER MANGAT
GOLD TRUCK & TRAILER REPAIR INC.	
O/A GOLD TRUCK & TRAILER REPAIR INC.	
32 TODD RD	
GEORGETOWN, ON L7G4R7	Technician Signature
647-588-1689	Technician ID: 174839
	STO ID/Account: 18006846
	Trade Code: 310T

I certify that I inspected this vehicle on the inspection date in accordance with the inspection procedures established by directive under s. 100.7 of the Highway Traffic Act and that the vehicle meets the required equipment and performance standards as detailed in the Vehicle Inspection Report with the above referenced Vehicle Inspection Certificate Number.

This Certificate is not a warranty on the condition of the vehicle.

Vehicle Inspection Questions?

Call the Public Contact Centre 1-833-420-2103 or go to

<https://www.ontario.ca/page/driveon-emissions-and-safety-inspection-program>.

MTO Office use only: C9082353B20NZ96350U8

MINISTRY OF TRANSPORTATION  
SAFETY INSPECTION REPORT



~~Vehicle Inspection Certificate Number: GQ80AN49~~

Start Date / Time: Apr 22, 2026, 12:18 PM

End Date / Time: Apr 24, 2026, 5:39 PM

VEHICLE/ENGINE INFORMATION	CHASSIS	ENGINE
Plate#:	Year: 2015	Year: 2014
VIN: 5KJNALD1XFPGF2942	Make: WESTERN STAR/AUTO	Make: DETROIT DIESEL
GVWR(kg): 39916	Model: CONVENTIONAL	Size (L): 6
Odometer: 28	Fleet ID: 01	

SAFETY INSPECTION RESULT	PASS
--------------------------	------

SAFETY SYSTEM INSPECTION RESULTS

All Safety System Components Passed Inspection

MANDATORY ITEMS

Inspection Item	Result
<b>Axle 1, Driver Side Tire</b>	
Tire Tread Depth (mm)	13
Initial Tire Pressure (kPa)	724
<b>Disc Brakes</b>	
Inner Friction Material Thickness (mm)	13
Outer Friction Material Thickness (mm)	12
Rotor Thickness (mm)	43.69
Within OEM specifications?	Yes

Inspection Item	Result
<b>Axle 1, Passenger Side Tire</b>	
Tire Tread Depth (mm)	11
Initial Tire Pressure (kPa)	724
<b>Disc Brakes</b>	
Inner Friction Material Thickness (mm)	12
Outer Friction Material Thickness (mm)	11
Rotor Thickness (mm)	43.09
Within OEM specifications?	Yes

Inspection Item	Result
<b>Axle 2, Driver Side, Inner Tire</b>	
Tire Tread Depth (mm)	12
Initial Tire Pressure (kPa)	690
<b>Axle 2, Driver Side, Outer Tire</b>	
Tire Tread Depth (mm)	12
Initial Tire Pressure (kPa)	690
<b>Drum Brakes Bolted/riveted block</b>	
Shoe Lining Thickness (mm)	9
Drum Inside Diameter (mm)	419.11
Within OEM specifications?	Yes
<b>S-Cam Drum Brakes</b>	

Inspection Item	Result
<b>Axle 2, Passenger Side, Inner Tire</b>	
Tire Tread Depth (mm)	10
Initial Tire Pressure (kPa)	690
<b>Axle 2, Passenger Side, Outer Tire</b>	
Tire Tread Depth (mm)	10
Initial Tire Pressure (kPa)	690
<b>Drum Brakes Bolted/riveted block</b>	
Shoe Lining Thickness (mm)	9
Drum Inside Diameter (mm)	419.1
Within OEM specifications?	Yes
<b>S-Cam Drum Brakes</b>	

Chamber Type (size)	30LS
Brake Stroke (mm)	32

Chamber Type (size)	30LS
Brake Stroke (mm)	32

Inspection Item	Result
<b>Axle 3, Driver Side, Inner Tire</b>	
Tire Tread Depth (mm)	12
Initial Tire Pressure (kPa)	690
<b>Axle 3, Driver Side, Outer Tire</b>	
Tire Tread Depth (mm)	11
Initial Tire Pressure (kPa)	690
<b>Drum Brakes Bolted/riveted block</b>	
Shoe Lining Thickness (mm)	8
Drum Inside Diameter (mm)	419.14
Within OEM specifications?	Yes
<b>S-Cam Drum Brakes</b>	
Chamber Type (size)	30LS
Brake Stroke (mm)	32

Inspection Item	Result
<b>Axle 3, Passenger Side, Inner Tire</b>	
Tire Tread Depth (mm)	11
Initial Tire Pressure (kPa)	690
<b>Axle 3, Passenger Side, Outer Tire</b>	
Tire Tread Depth (mm)	12
Initial Tire Pressure (kPa)	690
<b>Drum Brakes Bolted/riveted block</b>	
Shoe Lining Thickness (mm)	9
Drum Inside Diameter (mm)	419.23
Within OEM specifications?	Yes
<b>S-Cam Drum Brakes</b>	
Chamber Type (size)	30LS
Brake Stroke (mm)	32

<b>Vehicle Inspection Centre #: 10902</b> GOLD TRUCK & TRAILER REPAIR INC. 32 TODD RD GEORGETOWN, ON L7G4R7 647-588-1689 Software Version: 2025.06.18.1	<b>Technician #: 174839</b> <b>Name: AMARINDER MANGAT</b> <b>Report Number: 1125</b> <b>Tablet ID: 1659</b> <b>STO ID/Account: 18006846</b> <b>Trade Code: 310T</b>
--	--

Vehicle Inspection Questions? Call the Public Contact Centre 1-833-420-2103 or go to <https://www.ontario.ca/page/driveon-emissions-and-safety-inspection-program>