

AARON WARDEN
10265

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

REPORTED / DRIVER FAULT REPAIR REQUESTS	REP	R.W.N	R.REC	MON
centre bar ram bad leak tarp doesn't open all the way Nd doesn't tighten up pools water (4. AIR: Are all airlines fitted correctly, and no air leaks present ?)	✓			
tail gate lock ram goes over centre (4. AIR: Are all airlines fitted correctly, and no air leaks present ?) <i>Ram correct operation - Leaks from Pilot valve</i>	✓			
trailer tailgate doesn't seal product leaks out (7. DAMAGE: Are there any other visible signs of trailer damage including signs of cracks or excessive wear ?)				

WORKSHOP FAULTS - REPAIRS IN ADDITION TO SERVICE	TC	REP	R.REC	MON
• Bearings unserviceable	✓	✓		
• Leaks - Pilot valve @ tailgate - knob missing on switch for tailgate	✓	✓		
• Tarp not rolling correctly	✓	✓		
• wear pads to tub loose	✓	✓		
• Landing leg handle broken	✓	✓		
• cracks - Hoist well	✓	✓		
- inside tub	✓	✓		
• Ring feeder broken lock	✓	✓		
• Shockers need torque	✓	✓		
• L2 tyre side wall split			✓	

[illegible]

PARTS USED	FROM STOCK PART #	FROM SUPPLIER PO #

Draft Only

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	✓			
002	GEN002 - Number plates correct, affixed & legible	✓			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	✓			
004	GEN008 - Signage/rear marker plates for security/wear/damage (as per VSB12)	✓			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front AT 158618	✓			
006	GEN012 - Check compliance plate affixed & legible	✓			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
007	BRAK057 - Check service/park brakes & carry out adjustment	✓			
008	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	✓			
009	TIPPER-BRAK059 - Check condition of brake drums	✓			
010	BRAK060 - Check brake components for wear & condition	✓			
011	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	✓			
012	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	✓			
013	BRAK067 - Check breakaway protection & brake connections	✓			
014	SLOAD-BRAK140 - Check caging bolts are in place and secure	✓			
015	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	✓			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
016	TIPPER-CHAS088 - Grease all points including removable king pins	✓			
017	CHAS098 - Ballrace/kingpin/skid plate/tow eye/drawbar/safety chains/goose neck(if applicable)	✓			
018	CHAS089 - Check auto tow couplings/turntable jaws/bushes/wear surface for wear & lubricat..	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	✓	✓	✓	
020	SLOAD-CHAS093 - Drain air tanks & check mountings	✓			
021	CHAS099A - Check body/tray/chassis for cracks/security/corrosion	✓			
022	CHAS095 - Check fitment/security/condition of mudguards, mudflaps and poles	✓			
023	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	✓			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
024	TIPPER-ELEC049 - Visual check of wiring loom for signs of wear/damage	✓			
025	ELEC053 - Park/tail/number plate/clearance lights/brake lights/indicators	✓			
026	ELEC054 - Check all reflectors/lenses & replace if faded or damaged	✓			
027	ELEC055 - Check operation of reversing beeper & reverse lights	✓			
028	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	✓			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
029	TIPPER-EXT071 - Check couplings & air connections	✓			
030	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	✓			
031	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	✓	✓	✓	
032	TIPPER-EXT145 - Check tarp motor gearboxes and check for manual handle in battery box	✓	✓	✓	

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
033	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	✓			
034	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
035	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	✓			
036	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	✓	✓	✓	
037	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	✓			
038	SUS131 - Clean & regrease wheel bearings *replace every 2nd "C" service	✓	✓		

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
039	TYR142 - Set and record tyre pressure (PSI), record tread depth (mm) & condition	✓			
040	TYR141 - Inspect wheels/rims/hubs for security/wear/damage & indicators for loose wheel nuts	✓			
041	TYR143 - Torque all wheel nuts to required tension	✓			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
042	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	✓			

VEHICLE DATA

1805-004396-000|T6390/90901535/V261
Calibration due date: 08-Jul-26

Type	:	Trailer > 4.5t			
Make	:	Lusty	Mileage	:	6385512
Model	:	Tipper	Government standards	:	AU
Reg. number	:	YS76CR	Inspector	:	Damien
Chassis number	:	6F80000000L107906	CUSTOMER	:	Symon clark

BRAKE TEST

(V=Pass, X=Fail, L=Locked wheel, S=Side by side)

AXLE 1		Left	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	:	818 kg	841 kg	1659 kg	39 %S	30 %S	✓
Efficiency AW	:	39 %S	39 %S	--	--	--	--
Dynamic axle weight	:	357 kg	486 kg	843 kg	77 %D	45 %D	✓
Efficiency DW	:	91 %D	67 %D	--	--	--	--
Calculated dyn.weight	:	--	--	843 kg	--	--	--
Brake force	:	3190 N	3240 N	6430 N	--	--	--
Imbalance	:	3190 N	3240 N	1.6 %	--	30 %	✓
Bind	:	300 N	280 N	580 N	4 %S	--	--

PARKING BRAKE 1		Left	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	:	883 kg	843 kg	1726 kg	31 %S	15 %S	✓
Efficiency AW	:	29 %S	33 %S	--	--	--	--
Dynamic axle weight	:	379 kg	487 kg	866 kg	62 %D	--	--
Efficiency DW	:	69 %D	57 %D	--	--	--	--
Brake force	:	2570 N	2740 N	5310 N	--	--	--
Imbalance	:	2570 N	2740 N	6.3 %	--	--	--

AXLE 2		Left	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	:	842 kg	800 kg	1642 kg	36 %S	30 %S	✓
Efficiency AW	:	35 %S	38 %S	--	--	--	--
Dynamic axle weight	:	339 kg	460 kg	799 kg	75 %D	45 %D	✓
Efficiency DW	:	88 %D	66 %D	--	--	--	--
Calculated dyn.weight	:	--	--	799 kg	--	--	--
Brake force	:	2940 N	3010 N	5950 N	--	--	--
Imbalance	:	2940 N	3010 N	2.4 %	--	30 %	✓
Bind	:	220 N	170 N	390 N	3 %S	--	--

PARKING BRAKE 2		Left	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	:	838 kg	809 kg	1647 kg	22 %S	15 %S	✓
Efficiency AW	:	16 %S	28 %S	--	--	--	--
Dynamic axle weight	:	381 kg	510 kg	891 kg	41 %D	--	--
Efficiency DW	:	35 %D	45 %D	--	--	--	--
Brake force	:	1330 N	2280 N	3610 N	--	--	--
Imbalance	:	1330 N	2280 N	41.7 %	--	--	--

AXLE 3		Left	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	:	774 kg	891 kg	1665 kg	34 %S	30 %S	✓
Efficiency AW	:	32 %S	37 %S	--	--	--	--
Dynamic axle weight	:	395 kg	552 kg	947 kg	61 %D	45 %D	✓
Efficiency DW	:	63 %D	60 %D	--	--	--	--
Calculated dyn.weight	:	--	--	947 kg	--	--	--
Brake force	:	2460 N	3250 N	5710 N	--	--	--
Imbalance	:	2460 N	3250 N	24.4 %	--	30 %	✓
Bind	:	230 N	200 N	430 N	3 %S	--	--

PARKING BRAKE 3

		Left	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	:	789 kg	863 kg	1652 kg	31 %S	15 %S	✓
Efficiency AW	:	31 %S	31 %S	--	--	--	--
Dynamic axle weight	:	383 kg	489 kg	872 kg	59 %D	--	--
Efficiency DW	:	65 %D	55 %D	--	--	--	--
Brake force	:	2470 N	2640 N	5110 N	--	--	--
Imbalance	:	2470 N	2640 N	6.5 %	--	--	--

TOTAL

		Left	Right	Total	Efficiency	Reference	Result
Actual vehicle weight	:	2434 kg	2532 kg	4966 kg	37 %S	--	--
Calculated dyn.weight	:	--	--	2589 kg	71 %D	45 %D	✓
Service brake	:	8590 N	9500 N	18090 N	--	--	--
Parking brake AVW	:	6370 N	7660 N	14030 N	28 %S	--	--







OVERALL RESULT

Service brake	:	✓
Parking brake	:	✓

Draft Only

GRAPHIC PRINTOUT

1805-004396-000|T6390/90901535/V261






A.B.N. 41 286 749 529

WORK ORDER

VERSION : Original

PRINTED : 24-Jul-2024



MW017854

WORK ORDER DETAILS

W/Order #:	017854	Registration #:	YS76CR
Equipment #:	TR207 - YS76CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107909 /
Description:	TIPPING TRAILER SERVICE - 12 MON...	KMS/HRS:	496740 ✓

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone or unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

AT158618 ✓

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
25/7/24	D. Fany	Service	13:15	15:45	15min
26/7/24	J. Hastings	Repairs	7:00	2:00	
30/7/24	H. Oates	Repairs	7:00	10:30	5
31/7/24	H. Oates	Repairs / Service	6:30	8:00	X
29/7/24	H. Oates	Repairs	7:00	3:30	1

WORKSHOP MANAGER / COMMENTS**FINAL CONFIRMATION / SIGN OFF**

RETURN TO SERVICE DATE: 31-7-24	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE):
------------------------------------	----------------------	---	------------------------------

A. WARDEN

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

REPORTED / DRIVER FAULT REPAIR REQUESTS	REP	R.W.N	R.REC	MON
a trailer tarp flaps in wind shut needs tensioning (7. DAMAGE: Are there any other visible signs of trailer damage including signs of cracks or excessive wear?) <i>TIGHTENING OK</i>	<i>df</i>			
mudflaps on a trailer to be replaced (3. COUPLINGS: Are all other trailer couplings / ring feeders secured and checked?) <i>ALREADY DONE</i>	<i>df</i>			

WORKSHOP FAULTS - REPAIRS IN ADDITION TO SERVICE	TC	REP	R.REC	MON
N° PLATE STARTING to fade	<i>df</i>			<i>21</i>
Safety Signs faded and worn (Replaced)	<i>df</i>			
Do NOT O/TAKE Sign faded & worn (Replaced)	<i>df</i>			
CRACK inside Body Top R/H CORNER	<i>df</i>			
CRACK inside Body Top L/H CORNER	<i>df</i>			
Need To lift Body To grease Ram	<i>df</i>			

PARTS USED	FROM STOCK PART #	FROM SUPPLIER PO #
1x L/H Safety Sign 4001.1 AL	✓	
1x R/H Safety Sign 4001.1 AR	✓	
1x Do Not o/TAKE Sign	✓	

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	✓			
002	GEN002 - Number plates correct, condition, not faded?	✓			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	✓			
004	GEN008 - Check all signage for security and wear/damage etc.	✓			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	✓			
006	GEN012 - Complete NHVR Heavy Inspection Checklist	✓			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
007	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	✓			
008	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	✓			
009	TIPPER-BRAK059 - Check condition of brake drums	✓			
010	TIPPER-BRAK060 - Check brake cylinders, levers and forks	✓			
011	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	✓			
012	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	✓			
013	SLOAD-BRAK140 - Check caging bolts are in place and secure	✓			
014	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	✓			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
015	TIPPER-CHAS088 - Grease all points	✓			
016	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	✓			
017	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	✓			
018	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	SLOAD-CHAS093 - Drain air tanks & check mountings	df			
020	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	df			
021	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	/			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
022	TIPPER-ELEC049 - Visual check of wiring loom for signs of wear/damage	df			
023	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	df			
024	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	df			
025	TIPPER-ELEC055 - Check operation of reversing beeper	df			
026	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	df.			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
027	TIPPER-EXT071 - Check couplings & air connections	df			
028	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	df			
029	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	df			
030	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	df			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
031	TIPPER-HYD133 - Inspect hydraulic connnections, pipes, hoses etc. for leaks/damage	df			
032	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	df			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
033	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	df			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	<i>LB</i>			
035	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	<i>LB</i>			
036	TIPPER-SUS132 - Remove, inspect and repack/replace wheel bearings <i>new</i>	<i>LB</i>			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
037	TYR142 - Set and record tyre pressure (PSI)	<i>AH</i>			
038	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	<i>AH</i>			
039	TYR143 - Torque all wheel nuts to required tension	<i>AH</i>			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
040	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	<i>LB</i>			

Draft

WORK ORDER

AMENDMENT : (Version: 1)

PRINTED : 28-Jun-2024



MV017500

WORK ORDER DETAILS

W/Order #:	017500	Registration #:	YS76CR
Equipment #:	TR207 - YS76CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107909 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	483 137 ✓

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

AT158168 ✓

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
28/6/24	Andrew	Tyres	11:25	11:35	-
28/6/24	D. Fary	Service	15:30	16:30	
28/6/24	J. Perri	Repairs	17:15	18:15	0
28/6/24	R. Johnke	Service / Repairs	12:30	18:30	2 hrs
28.6.24	D. TOWNSEND	REPAIRS	13:00	16:30	1
29.6.24	D. TOWNSEND	REPAIRS	07:00	09:15	1

WORKSHOP MANAGER / COMMENTS

FINAL CONFIRMATION / SIGN OFF

RETURN TO SERVICE DATE: 1-7-24	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE):
-----------------------------------	----------------------	---	------------------------------

A. WARDEN

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible]

WORKSHOP FAULTS - REPAIRS IN ADDITION TO SERVICE	TC	REP	R.REC	MON
Fleet numbers need fitting	DF			
Rear mudflaps need replacing	RJ			
Multiple cracks inside tipper & OUTSIDE	DT	DT		
RHF/RHM shocks need replacing	RJ			
Turntable jaws need adjusting	RJ/JP			
Female 7 pin plug need replacing	JP			
Turntable adjustment bolt needs replacing	RJ/JP			
Mudguard bracket loose	RJ			

[illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	RJ			
002	GEN002 - Number plates correct, condition, not faded?	RJ			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	RJ			
004	GEN008 - Check all signage for security and wear/damage etc.	RJ			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	RJ			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	RJ			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	RJ			
008	TIPPER-BRAK059 - Check condition of brake drums	RJ			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	RJ			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	RJ			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	RJ			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	RJ			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	RJ			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points	RJ			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	RJ			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	RJ			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	RJ			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	RJ			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	RT			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	RT			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	RT			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	RT			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	RT			
024	TIPPER-ELEC055 - Check operation of reversing beeper	RT			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	RT			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	RT			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	RT			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	RT			
029	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	RT			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	RT			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	RT			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	RT			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	RT			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	RJ			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	RJ			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)	RJ			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	RJ			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	RJ			

WORK ORDER

VERSION : Original
PRINTED : 26-May-2025



MW023425

WORK ORDER DETAILS

W/Order #:	023425	Registration #:	YS76CR
Equipment #:	TR207 - YS76CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107909 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	563, 497 ✓

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
30/5	Josh				
30/5	Sam				

WORKSHOP MANAGER / COMMENTS

(Large empty area for Workshop Manager comments, overlaid with a large 'Draft Only' watermark)

FINAL CONFIRMATION / SIGN OFF

RETURN TO SERVICE DATE: 2-6-25	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE):
-----------------------------------	----------------------	---	------------------------------

A. WARDEN

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	✓			
002	GEN002 - Number plates correct, affixed & legible	✓			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	✓			
004	GEN008 - Signage/rear marker plates for security/wear/damage (as per VSB12)	✓			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	✓			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	✓			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	✓			
008	TIPPER-BRAK059 - Check condition of brake drums	✓			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	✓			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	✓			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	✓			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	✓			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	✓			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points including removable king pins	✓			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	✓			
016	CHAS089 - Check auto tow couplings/turntable jaws/bushes/wear surface for wear & lubricat..	✓			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	✓			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	✓			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	-			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	✓			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	✓			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	✓			
024	TIPPER-ELEC055 - Check operation of reversing beeper	✓			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	✓			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	✓			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	✓			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	✓			
029	TIPPER-EXT145 - Check tarp motor gearboxes and check for manual handle in battery box	✓			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connnections, pipes, hoses etc. for leaks/damage	✓			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	✓			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	✓			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	✓			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	✓			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI), record tread depth (mm) & condition	✓			
037	TYR141 - Inspect wheels/rims/hubs for security/wear/damage & indicators for loose wheel nuts	✓			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	✓			

Draft Only

WORK ORDER

VERSION : Original

PRINTED : 30-Aug-2023



MW014015

WORK ORDER DETAILS

W/Order #:	014015	Registration #:	YS76CR
Equipment #:	TR207 - YS76CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107909 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	KMS: 372037

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
30/8/23	Tah Evans	Service	11:15	3:45	
31/8/23	Tah Evans	Service	6:43	5:00	
	Watts				
31/8/23	Watts	Repairs	1:00	3:30	
1/9/23	Tah	Repairs	11:30	3:15	

WORKSHOP MANAGER / COMMENTS

FINAL CONFIRMATION / SIGN OFF

RETURN TO SERVICE DATE:	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME):	VERIFIED BY (SIGNATURE):
05/09/23		Jarrod Moore Workshop Manager - 0108896 LKF	

Jake P...

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

REPORTED / DRIVER FAULT REPAIR REQUESTS	REP	R.W.N	R.REC	MON
LH mud guard catching on lead trailer when trailer slide	1			
pelmet on lead trailer please inspect and weld if needed reported loose	✓			
MONITOR BOTH REAR AXLE SHOCK ABSORBERS LEAKING (HAULMARK COMMENTED TO ...	1			
MONITOR REAR SIGNS FADED (HAULMARK COMMENTED TO MONITOR)	1			
MONITOR RING FEEDER HAS BEEN HT AND IS INOP (HAULMARK COMMENTED TO MONITOR)	✓			1
MONITOR MULTIPLE CRACKS IN TIPPER AT FRONT (HAULMARK COMMENTED TO MONITOR)	1			
MONITOR TARP TORN IN MULTIPLE SPOTS (HAULMARK COMMENTED TO MONITOR)	✓			1

[illegible][illegible]

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	<i>C</i>			
002	GEN002 - Number plates correct, condition, not faded?	<i>C</i>			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	<i>C</i>			
004	GEN008 - Check all signage for security and wear/damage etc.	<i>C</i>			
005	GEN003 - Check NHVR accreditation label & record number on front	<i>C</i>			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	<i>C</i>			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	<i>C</i>			
008	TIPPER-BRAK059 - Check condition of brake drums	<i>C</i>			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	<i>C</i>			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	<i>C</i>			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	<i>C</i>			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	<i>C</i>			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	<i>C</i>			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points	<i>C</i>			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	<i>C</i>			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	<i>C</i>			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	<i>C</i>			<i>C</i>
018	SLOAD-CHAS093 - Drain air tanks & check mountings	<i>C</i>			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	✓			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	✓			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	✓			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	✓			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	✓			
024	TIPPER-ELEC055 - Check operation of reversing beeper	✓			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	✓			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	✓			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	✓			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	✓			✓
029	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	✓			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	✓			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	✓			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	✓			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	✓		✓	

3 Shocks 100kmg

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	<i>Ho</i>			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	<i>e</i>			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)	<i>Ho</i>			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	<i>Ho</i>			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	<i>Ho</i>			

Draft Only

WORK ORDER

VERSION : Original
PRINTED : 05-Jun-2023



MW012986

WORK ORDER DETAILS

W/Order #:	012986	Registration #:	YS76CR
Equipment #:	TR207 - YS76CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107909 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	343365

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
8-6-23	JACK O		7:30	9:00	-
		'B' Service			
		Carried out			
		@ Haulmark.			

WORKSHOP MANAGER / COMMENTS

FINAL CONFIRMATION / SIGN OFF

RETURN TO SERVICE DATE: 8-6-23	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE):
-----------------------------------	----------------------	---	------------------------------

James Clarke

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

REPORTED / DRIVER FAULT REPAIR REQUESTS	REP	R.W.N	R.REC	MON
Repair Crack on suspension bracket RHS First Axle	✓			
LH mud guard catching on lead trailer when trailer slide				✓
peimet on lead trailer please inspect and weld if needed reported loose				✓
mudflaps on lead trailer need attention reported to be torn/missing	✓			

WORKSHOP FAULTS - REPAIRS IN ADDITION TO SERVICE	TC	REP	R.REC	MON
Both rear axle shock absorbers leaking				✓
Rear signs Padded				✓
Ring Peder has been hit and is in nap				✓
All wheel bearings need adjusting	✓	✓		
Multiple cracks in tipped at front.				✓
Tarp torn multiple spots.				✓

[illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable 343365	✓			
002	GEN002 - Number plates correct, condition, not faded?	✓			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	✓			
004	GEN008 - Check all signage for security and wear/damage etc.			✓	
005	GEN003 - Check NHVR accreditation label & record number on front	✓			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	✓			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm) 15mm remaining	✓			
008	TIPPER-BRAK059 - Check condition of brake drums	✓			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	✓			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	✓			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	✓			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	✓			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	✓			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points	✓			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	✓			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	✓			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)			✓	
018	SLOAD-CHAS093 - Drain air tanks & check mountings	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles			✓	
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways				

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	✓			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	✓			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	✓			
024	TIPPER-ELEC055 - Check operation of reversing beeper				
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear				

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	✓			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks			✓	
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...			✓	
029	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	✓			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	✓			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	✓			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	✓			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension			✓	

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	✓			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required			✓	

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)	✓			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	✓			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	✓			

Draft Only

 SYMONS-CLARK LOGISTICS A.B.N. 41 286 749 529		WORK ORDER AMENDMENT : (Version: 1) PRINTED : 09-Apr-2024			
WORK ORDER DETAILS					
W/Order #:	016466 TR206	Registration #:	YS08CN YS 76CR		
Equipment #:	TR206 - YS08CN TR207	Make / Model:	LUSTY /		
Alloc / Due:	/	Chasis / Engine:	6F80000000L107733 /		
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	446.894 ✓		
SAFETY INSTRUCTIONS					
- Steel Cap Boots to be worn at ALL times. - PRE-APPROVED Clothing to be worn at ALL times. - You are NOT to work alone of unsupervised. - Wear approved gloves when working in engine bay, with grease / corrosives. - Ensure your work area is clear of any obstructions and clean of ALL times. - Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop. AT 158618 ✓					
WORK LOG					
DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
11-4-24	D. BALTRUSAITIS	SERVICE	6:30am	9:00am	✓
11/4/24	H. Oates	Service	8:00	9:00am	✓
WORKSHOP MANAGER / COMMENTS					
FINAL CONFIRMATION / SIGN OFF					
RETURN TO SERVICE DATE:	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME):	VERIFIED BY (SIGNATURE):		
15/4/24		Jarrod Moore Workshop Manager - 0108896 LKF			

Damien Pursell

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	DB3			
002	GEN002 - Number plates correct, condition, not faded?	DB3			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	DB3			
004	GEN008 - Check all signage for security and wear/damage etc.	DB3			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	DB3			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	DB3			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	DB3			
008	TIPPER-BRAK059 - Check condition of brake drums	DB3			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	✓			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	DB3			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	DB3			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	DB3			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	DB3			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points	DB3			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	DB3			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	DB3			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	DB3			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	DB3			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	DB3			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	DB3			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	DB3			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	DB3			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	DB3			
024	TIPPER-ELEC055 - Check operation of reversing beeper	DB3			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	DB3			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	DB3			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	DB3			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	DB3			
029	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	DB3			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	DB3			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	DB3			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	DB3			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	DB3			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	DB3			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	DB3 HO			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)	DB3			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	MARK			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	DB3			

Draft Only



A.B.N. 41 286 749 529

WORK ORDER

VERSION : Original

PRINTED : 15-Jan-2025



MW021008

WORK ORDER DETAILS

W/Order #:	021008	Registration #:	YS76CR
Equipment #:	TR207 - YS76CR	Make / Model:	LUSTY /
Alloc / Due:	BRADSHAW, HAYDEN /	Chasis / Engine:	6F80000000L107909 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	515619 ✓

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
 - PRE-APPROVED Clothing to be worn at ALL times.
 - You are NOT to work alone of unsupervised.
 - Wear approved gloves when working in engine bay, with grease / corrosives.
 - Ensure your work area is clear of any obstructions and clean of ALL times.
 - Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.
- AT 158618 ✓

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
15.1.25	D. TOWNSEND	SERVICE	1700	2000	1

WORKSHOP MANAGER / COMMENTS**FINAL CONFIRMATION / SIGN OFF**

RETURN TO SERVICE DATE: 21/1/25	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE): DP
------------------------------------	----------------------	---	--------------------------------

Damon Pascoe

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	DT			
002	GEN002 - Number plates correct, condition, not faded?	DT			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	DT			
004	GEN008 - Check all signage for security and wear/damage etc.	DT			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	DT			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	DT			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm) 4-mm	DT			
008	TIPPER-BRAK059 - Check condition of brake drums	DT			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	DT			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	DT			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	DT			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	DT			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	DT			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points including removable king pins	DT			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	DT			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	DT			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	DT			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	DT			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	DT			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	DT			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	DT			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	DT			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	DT			
024	TIPPER-ELEC055 - Check operation of reversing beeper				
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	DT			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	DT			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	DT			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	DT			
029	TIPPER-EXT145 - Check tarp motor gearboxes and check for manual handle in battery box	DT			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	DT			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	DT			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	DT			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	DT			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	DT			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	DT			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)	DT			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	DT			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	DT			

Draft Only



A.B.N. 41 286 749 529

WORK ORDER

VERSION : Original

PRINTED : 17-Feb-2024



MW015908

WORK ORDER DETAILS

W/Order #:	015908	Registration #:	YS76CR
Equipment #:	TR207 - YS76CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107909 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	436 040

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

AT158618

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
17-02-24	A. Hastings	Service	600	620	/
17-02-24	T. Evans	Service	700	720	/
17-02-24	A. Hastings	welding repairs	730	800	/
17-02-24	J. Hastings	welding repairs	730	800	/

WORKSHOP MANAGER / COMMENTS**FINAL CONFIRMATION / SIGN OFF**

RETURN TO SERVICE DATE:

21/2/24

TOTAL SERVICE HOURS:

VERIFIED BY (PRINT NAME):

Jarrod Moore

Workshop Manager - 0108896 LKF

VERIFIED BY (SIGNATURE):

James Clark

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable				
002	GEN002 - Number plates correct, condition, not faded?	AH			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	AH			
004	GEN008 - Check all signage for security and wear/damage etc.	AH			
005	GEN003 - Check NHVR accreditation label & record number on front	AH			
		AH			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment				
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	AH			
008	TIPPER-BRAK059 - Check condition of brake drums	AH			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	AH			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	AH			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	AH			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	AH			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	AH			
		AH			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points				
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	TE			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	AH			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	AH			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	AH			
		AH			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	AK			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	AK			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	AK			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	AK			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	AK			
024	TIPPER-ELEC055 - Check operation of reversing beeper	AK			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	AK			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	AK			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	AK			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	AK			
029	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	AK			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	AK			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	AK			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	AK			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	AK			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	AH			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	AH/TE			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)	AH			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	AH			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	AH			

Draft Only



HALLAM TRUCK CENTRE

Hallam Truck Centre
ABN: 64 007 568 309
217 Princes Highway
Hallam VIC 3803
03 8796 9100



TAX INVOICE 812883 (REPRINT)

RL8462

Date: 20/10/2025

Rego: YS76CR

Page 1 of 2

Charge to: **7548 Symons & Clark Transport Pty Ltd**
PO BOX 54
PORT ADELAIDE SA 5015

ABN: 41 286 749 529

Customer: **7548 Symons & Clark Transport Pty Ltd**
PO BOX 54
PORT ADELAIDE SA 5015

Phone 08 8440 4100

Mobile

Contact:

Order No:	00063816	Next Service Date:	00/00/0000	Next Service Kms:	0
Service Adviser:	JK	Odometer reading:	618,068	Warranty Expiry Date:	00/00/0000
VIN		Engine No.		Delivery Date:	00/00/0000
Stock Number	YS76CR	Model	TL3 - Lead Trailer -	Engine Hours:	0.00

Product	Description	Quantity	Price Excl.
CARRY OUT 'B' TYPE TRAILER SERVICE			
	CARRIED OUT B SERVICE AS PER SCHEDULE.		
	TIGHTENED LOOSE R/H TOP SHOCK ABSORBER BOLT.		
	ADJUSTED ALL WHEEL BEARINGS.		
	REPAIRED AIR LEAK UNDER DOLLY.		
04L	LABOUR TRAILER		694.75
SUPP	SUNDRY SHOP SUPPLIES	0.5	11.60
ENVIRO	ENVIRONMENTAL TREATMENT SUPPLY	1	27.30
GREASE	CHASSIS GREASE	1	9.36
	TUBE 1/4" BLK NYLON PER MTR	1	1.73
	FITTING - PTC JOINER 1/4	1	13.90

	Sub Total:		758.64

Parts: \$15.63

Labour: \$694.75

Others: \$48.26

Sub Total: \$ 758.64

Payment by EFT: BSB: 034-081 Account #: 132587

Reference: 812883

Please advise details of deposit by
email hallam@hallamtruck.com.au

Total GST: \$ 75.87

HALLAM TRUCK CENTRE OPERATING HOURS

MONDAY - FRIDAY 7:30AM TO 7:00PM

AFTERNOON SHIFT FINISHING AT 7:00PM

REFRIGERANT TRADING - AUTHORISED SERVICE CENTRE

AUTHORISATION NUMBER: AU07126

INVOICE TOTAL \$ 834.51

Draft Only


TERMS AND CONDITIONS

- 1) You (that is the Customer) will be responsible for any loss, damage or deterioration to goods once they leave our place of business - that is they will then be at your risk. You should get insurance to cover this.
- 2) Delivery will be at our place of business. You will be responsible to arrange and pay for freight from our place of business. We can help you to arrange freight if you wish. We will not do this unless you request it.
- 3) Goods are not supplied on a sale or return basis. Subject to these terms and conditions, once we accept your order, you are obliged to take the goods although property is yet to pass. Any agreement to accept any return of goods must be in writing signed on our behalf. If we agree to accept any return, our current return conditions will apply. Details of current return conditions are attached.
- 4) (a) You have to pay for goods and services supplied before the last day of the month after the month in which they were supplied.
 (b) However, payment will become due immediately if:
 - you commit any act of bankruptcy;
 - a meeting of your creditors is called;
 - a mortgagee or mortgagee's agent takes possession of any of your assets;
 - a receiver of any of your assets is appointed; or
 - a petition to bankrupt or liquidate you is issued.
 (c) Until an overdue payment is paid, you have to pay interest on it at 2% per month.
 (d) You must pay us the reasonable costs (including debt collector's commission) we incur to recover (or to attempt to recover) any overdue payment.
- 5) Until property in goods supplied passes to you and without prejudice to your rights under the PPSA:
 (a) You may fix them into your articles on condition that the product ("product/s") will be our property as security for full payment for the goods.
 (b) Until you use or sell the goods or products, you must store them separately and so that they are clearly identifiable as our property.
 (c) You may fix the goods or products into the articles of any third party on condition that the resulting item will be deemed to be owned in common by us and that third party.
 (d) You may sell the goods or the products or the items as referred to in (c) (or your interest therein) in the ordinary course of your business on the following conditions:
 - You make the sale as our agent and bailee.
 - Any proceeds of sale received by you are held by you on trust for us and you must keep them separately and so that they are clearly identifiable as ours.
 - If you have not received the proceeds of sale, you will, if we so require, assign to us your rights in respect of the sale price.
- 6) (a) "PPSA" means the Personal Property Securities Act 2009 (Cth);
 - "PPS register" means the Personal Property Securities Register;
 - "purchase money security interest", "registration commencement time", "security interest" and "verification statement" all have the meanings given by the PPSA.
 (b) Whilst the risk in the goods passes in accordance with clause 1, legal and equitable title in the goods will not pass to you until payment in full for all debts accrued or owed by you to us for the goods has been received by us in cleared funds. Until that time you are in possession of the goods solely as bailee for us and your right to possession ceases if you do not pay us for the goods on time or when due.
 (c) Until we receive payment for the goods in full, we reserve the following rights:
 - the legal and equitable ownership of the goods;
 - the right to enter upon your premises and take possession of the goods or the products referred to in clause 5;
 - the right to keep or resell any goods or products we take possession of and
 - any other rights we may have at law or under the PPSA.
- (d) Until we receive payment for the goods in full, you acknowledge that we have a purchase money security interest which attaches over the goods and their proceeds and a security interest in relation to other amounts owed by you to us.
- (e) For the avoidance of doubt, after the registration commencement time, we may register our purchase money security interest and security interest on the PPS register established by the PPSA and, where necessary, amend the registration.
- (f) You undertake to do anything (such as obtaining consents, signing and producing documents, producing receipts and getting documents completed and signed) which we ask and consider necessary for the purposes of:
 - ensuring that a security interest created under this agreement is enforceable, perfected and otherwise effective;
 - enabling us to apply for any registration, or give any notification, in connection with a security interest created under this agreement so that the security interest has the priority required by us, including anything we ask you to do in connection with the PPSA.
- (g) You must not grant any other person a security interest over the goods or their proceeds.
- (h) To the extent permitted by law, if the PPSA applies, you irrevocably waive your rights you may have to:
 - receive notices or statements under sections 95, 121(4), 125, 130, 132(3)(d), 132(4) and 135 of the PPSA;
 - redeem the goods under section 142 of the PPSA;
 - reinstate the agreement under section 143 of the PPSA;
 - receive a verification statement as defined in the PPSA.
- (i) Nothing in this clause prevents us from taking action against you for the purchase price of the goods.
- (j) In addition to being liable to pay all our enforcement expenses as set out in clause 4(d) you agree to be liable for our costs of our registration of our purchase money security interest and security interest on the PPS register.
- 7) Any previous dealings shall not affect these terms and conditions or be deemed to do so nor will any term or condition set out in your order forms or other documentation.
- 8) In these terms and conditions reference to a person includes a corporation, and the singular includes the plural and vice versa.
- 9) If more than one, the persons comprising the Customer shall be jointly and severally bound by these terms and conditions.
- 10) The law of Victoria governs these terms and conditions and any legal action relating to them shall be brought in Victorian Courts.
- 11) Each transaction is to be on the above terms and conditions. However we may change the above terms and conditions, and upon written notice to you, you will be bound by such changed terms and conditions in respect of subsequent transactions. Unless the contrary is proved, such notice shall be deemed served on you two business days after it is posted.
- CURRENT RETURN CONDITIONS** (subject to variation by the Company without notice to the Customer) are:
 (a) Goods marked "non-returnable" are not returnable.
 (b) Parts procured Ex Supplier are non-returnable unless the Company gives prior approval.
 (c) Electrical items will not be accepted for credit.
 (d) Goods must be resalable and returned within 30 days from invoice date.
 (e) Invoice no. and date to be quoted by customer.
 (f) The Customer shall pay all freight charges to return the goods to the place of business of the Company.
 (g) The Customer shall pay reasonable handling charges of the Company.
 (h) Goods are non-returnable after 30 days from invoice date.



VERSION : Original

PRINTED : 17-Feb-2026



AARON WARDEN
10265

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible]

PARTS USED	FROM STOCK PART #	FROM SUPPLIER PO #

Draft Only

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	✓			
002	GEN002 - Number plates correct, affixed & legible	✓			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	✓			
004	GEN008 - Signage/rear marker plates for security/wear/damage (as per VSB12)	✓			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front				

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	✓			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	✓			
008	TIPPER-BRAK059 - Check condition of brake drums	✓			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks				
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	✓			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	✓			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	✓			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	✓			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points including removable king pins	✓			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	✓			
016	CHAS089 - Check auto tow couplings/turntable jaws/bushes/wear surface for wear & lubricat..	✓			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)				
018	SLOAD-CHAS093 - Drain air tanks & check mountings	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	✓	✓		
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	✓			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	✓			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	✓			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	✓			
024	TIPPER-ELEC055 - Check operation of reversing beeper	✓			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	✓			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	✓			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	✓			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	✓			
029	TIPPER-EXT145 - Check tarp motor gearboxes and check for manual handle in battery box	✓			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	✓			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	✓			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	✓			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	✓			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	✓			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI), record tread depth (mm) & condition				
037	TYR141 - Inspect wheels/rims/hubs for security/wear/damage & indicators for loose wheel nuts	✓			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	✓			

Draft Only

TAX INVOICE

SYMONS & CLARK
PO BOX 54
PORT ADELAIDE SA 5015
AUSTRALIA
ABN: 41 286 749 529

Invoice Date
26 Feb 2026

Invoice Number
INV-2469

Reference
P/O: 00069302

ABN
17 615 017 457

Winterfields Mechanical
Pty Ltd
9a Calula Drive
MOUNT GAMBIER SA
5290

Description	Quantity	Unit Price	GST	Amount AUD
21.02.2026 DOCKET#2099 A-TRAILER - TR207 - YS76CR KMS= 644162 COMPLAINT: B SERVICE DUE CORRECTION: COMPLETED B SERVICE. REPAIRED MUDFLAPS ON FRONT OF TRIAXLE.				
GREASE	2.00	20.70	10%	41.40
CONSUMABLES	1.00	15.00	10%	15.00
LABOUR	4.00	115.00	10%	460.00
Subtotal				516.40
TOTAL GST 10%				51.64
TOTAL AUD				568.04

Due Date: 13 Mar 2026
We thank you for your business.
Payment Terms 15 Days From Invoice Date
BANK: WESTPAC
BSB: 035 612
ACCOUNT NUMBER: 317762

PAYMENT ADVICE

To: Winterfields Mechanical Pty Ltd
9a Calula Drive
MOUNT GAMBIER SA 5290

Customer
Invoice Number
Amount Due
Due Date
Amount Enclosed

SYMONS & CLARK
INV-2469
568.04
13 Mar 2026

Enter the amount you are paying above



A.B.N. 41 286 749 529

WORK ORDER

VERSION : Original

PRINTED : 16-Jul-2025



MW024452

WORK ORDER DETAILS

W/Order #:	024452	Registration #:	YS76CR
Equipment #:	TR207 - YS76CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107909 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	581953 ✓

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
		'B' Service Carried			
		out @			
		Hallam trucks.			

WORKSHOP MANAGER / COMMENTS**FINAL CONFIRMATION / SIGN OFF**

RETURN TO SERVICE DATE: 22-7-25	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE):
------------------------------------	----------------------	---	------------------------------

A. WARDEN

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	✓			
002	GEN002 - Number plates correct, affixed & legible	✓			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	✓			
004	GEN008 - Signage/rear marker plates for security/wear/damage (as per VSB12)	✓			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	✓			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	✓			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm) <i>6mm 1st 6mm, 7mm 2nd 7mm, 7mm 3rd 7mm</i>	✓			
008	TIPPER-BRAK059 - Check condition of brake drums	✓			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	✓			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	✓			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	✓			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	✓			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	✓			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points including removable king pins	✓			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	✓			
016	CHAS089 - Check auto tow couplings/turntable jaws/bushes/wear surface for wear & lubricat..	✓			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	✓			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	✓			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	✓			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	✓			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	✓			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	✓			
024	TIPPER-ELEC055 - Check operation of reversing beeper	✓			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	✓			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	✓			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	✓			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	✓			
029	TIPPER-EXT145 - Check tarp motor gearboxes and check for manual handle in battery box	✓			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connnections, pipes, hoses etc. for leaks/damage	✓			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	✓			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	✓			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	☒			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	☒			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI), record tread depth (mm) & condition <i>1st 6mm 2nd 8mm 3rd 10mm</i>	☒			
037	TYR141 - Inspect wheels/rims/hubs for security/wear/damage & indicators for loose wheel nuts	☒			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	☒			

Draft Only



HALLAM TRUCK CENTRE

Hallam Truck Centre
ABN: 64 007 568 309
217 Princes Highway
Hallam VIC 3803
03 8796 9100



TAX INVOICE 811412

RL7118

Date: 22/07/2025

Rego: YS76CR

Page 1 of 2

Charge to: **Symons & Clark Transport Pty Ltd**
7548 PO BOX 54
PORT ADELAIDE SA 5015

ABN: 41 286 749 529

Customer: **7548**
Symons & Clark Transport Pty Ltd
PO BOX 54
PORT ADELAIDE SA 5015

Phone 08 8440 4100

Mobile

Contact:

Order No: **00060891**

Next Service Date:

00/00/0000

Next Service Kms:

0

Service Adviser: SS

Odometer reading:

581,953

Warranty Expiry Date:

00/00/0000

VIN

Engine No.

Delivery Date:

00/00/0000

Stock Number YS76CR

Model TL3 - Lead Trailer -

Engine Hours:

0.00

Product	Description	Quantity	Price Excl.
---------	-------------	----------	-------------

CARRIED OUT TRAILER B SERVICE AS REQUIRED

	NOTE		
01L	LABOUR SCHEDULED SERVICE		297.75
GREASE	CHASSIS GREASE	1	9.36
SUPP	SUNDRY SHOP SUPPLIES	1	23.20
ENVIRO	ENVIRONMENTAL TREATMENT SUPPLY	1	27.30

Sub Total: 357.61

CARRIED OUT DEFECT REPAIRS

	Found yellow "hoist lower" airline blocked off and dangling, removed line, blocked part, put line in "B" Trailer l/h toolbox		
	Greased pivot body bushes and rams on both trailers		
51L	LABOUR		198.50
	FITTING	1	1.51

Sub Total: 200.01

VEHICLE DEFECTS NOTED

ALL BACKING PLATES MISSING
HYDRAULIC OIL LEAK AT 2ND AXLE

Sub Total: 0.00

Parts: \$1.51

Labour: \$496.25

Others: \$59.86

Sub Total: \$ 557.62

Payment by EFT: BSB: 034-081 Account #: 132587
Reference: 811412

Total GST: \$ 55.77

Please advise details of deposit by
email hallam@hallamtruck.com.au

INVOICE TOTAL \$ 613.39

For terms and conditions see last page

 SYMONS-CLARK LOGISTICS A.B.N. 41 286 749 529	WORK ORDER VERSION : Original PRINTED : 24-Oct-2024	 MW019462			
WORK ORDER DETAILS					
W/Order #:	019462	Registration #:	YS76CR		
Equipment #:	TR207 - YS76CR	Make / Model:	LUSTY /		
Alloc / Due:	/	Chasis / Engine:	6F80000000L107909 /		
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	513804 ✓		
SAFETY INSTRUCTIONS					
AT 158618 - Steel Cap Boots to be worn at ALL times. - PRE-APPROVED Clothing to be worn at ALL times. - You are NOT to work alone of unsupervised. - Wear approved gloves when working in engine bay, with grease / corrosives. - Ensure your work area is clear of any obstructions and clean of ALL times. - Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.					
WORK LOG					
DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
24/10/24	MICHAEL		9.30	15.30	.5
WORKSHOP MANAGER / COMMENTS					
FINAL CONFIRMATION / SIGN OFF					
RETURN TO SERVICE DATE:	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME):	VERIFIED BY (SIGNATURE):		
24-10-24		Jarrod Moore Workshop Manager - 0108896 LKF			

A. WARDEN

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	MG.			
002	GEN002 - Number plates correct, condition, not faded?	MG.			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	MG.			
004	GEN008 - Check all signage for security and wear/damage etc.	MG.			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	MG.			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	MG.			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	MG.			
008	TIPPER-BRAK059 - Check condition of brake drums	MG.			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	MG.			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	MG.			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	MG.			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	MG.			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	MG.			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points including removable king pins	MG.			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	MG.			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	MG.			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	MG.			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	MG.			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	M.G.			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	M.G.			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	M.G.			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	M.G.			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	M.G.			
024	TIPPER-ELEC055 - Check operation of reversing beeper				
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	M.G.			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	M.G.			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	M.G.			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	M.G.			
029	TIPPER-EXT145 - Check tarp motor gearboxes and check for manual handle in battery box	M.G.			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	M.G.			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	M.G.			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	M.G.			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	M.G.			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	MG.			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	MG.			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)	MG.			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	MG.			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	MG.			

Draft Only



A.B.N. 41 286 749 529

WORK ORDER

AMENDMENT : (Version: 1)

PRINTED : 30-Oct-2023



MW014693

WORK ORDER DETAILS

W/Order #:	014693	Registration #:	YS76CR
Equipment #:	TR207 - YS76CR	Make / Model:	LUSTY /
Alloc / Due:	RYAN, CHRIS /	Chasis / Engine:	6F80000000L107909 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
30/10/23	J. Perri	Service	1000	1245	0.5

WORKSHOP MANAGER / COMMENTS**FINAL CONFIRMATION / SIGN OFF**

RETURN TO SERVICE DATE: 30/10/23	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE):
-------------------------------------	----------------------	---	------------------------------

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	JP			
002	GEN002 - Number plates correct, condition, not faded?	JP			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	JP			
004	GEN008 - Check all signage for security and wear/damage etc.	JP			
005	GEN003 - Check NHVR accreditation label & record number on front	JP			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	JP			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	JP			
008	TIPPER-BRAK059 - Check condition of brake drums	JP			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	JP			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	JP			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	JP			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	JP			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	JP			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points	JP			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	JP			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	JP			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	JP			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	JP			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	JP			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	JP			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	JP			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	JP			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	JP			
024	TIPPER-ELEC055 - Check operation of reversing beeper	JP			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	JP			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	JP			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	JP			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	JP			
029	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	JP			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	JP			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	JP			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	JP			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	JP			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	JP			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	JP			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)	JP			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	JP			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	JP			

Draft Only

APPLICATION SCREEN PRINT

FORM CAPTION: TRUCKSmart - Work Order Details

Work Order Details:

Order #:	014693	IN PROGRESS	Created D/T:	30/10/2023	JAMESC	Exp. Comp:	N/A
Equipment:	TR207-YS76CR		Reference #:			Assign Type:	Employee
Order Type:	PREVENTATIVE		Cost Centre:	GC		Assign To:	RYAN, CHRIS
Description:	TIPPING TRAILER SERVICE - 60 DAYS (B)					Workshop:	SCL

Seq	Part	Description	Supplier	Sup Item	Date Used	Qty	Cost	Total Cost	Comments
1	3700-1011	KIT, MAJOR REPAIR, 50mm 1...	N/A	TCK1011	31/10/2023	1.000	\$355.00	\$355.00	

T. Parts:	\$355.00	T. Labour:	\$0.00	T. Labour Hrs:	0.0	T. Other:	\$0.00	Total:	\$355.00
-----------	----------	------------	--------	----------------	-----	-----------	--------	--------	----------

[Required Tasks \(38\)](#) /
 [Issued Parts \(1\)](#) /
 [Charged Time](#) /
 [Other Charges](#) /
 [Documents](#) /
 [Safety Notes](#) /
 [Purchase Orders](#) /
 [Other Details](#) /
 [Audit Log](#)

Options
Print
Email
Scan
Save
Close