



A.B.N. 41 286 749 529

WORK ORDER

VERSION : Original

PRINTED : 21-Nov-2025



MW027190

WORK ORDER DETAILS

W/Order #:	027190	Registration #:	YS77CR
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107911 /
Description:	TIPPING TRAILER SERVICE - 12 MON...	KMS/HRS:	635673✓

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
3-12-25	JOEL P	Haulmark			
8-12-25	BRENTON H	..			
5-12-25	CODY C	..			
		C SERVICE DONE AT HAULMARK			

WORKSHOP MANAGER / COMMENTS**FINAL CONFIRMATION / SIGN OFF**

RETURN TO SERVICE DATE:

11-12-25

TOTAL SERVICE HOURS:

VERIFIED BY (PRINT NAME):

Jarrod Moore

Workshop Manager - 0108896 LKF

VERIFIED BY (SIGNATURE):

AARON WARDEN
10265

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

REPORTED / DRIVER FAULT REPAIR REQUESTS	REP	R.W.N	R.REC	MON
toarp has holes and leaks body bounces coming down and very slow body twisted gets stuck couple inches from all the way down the eventually drops (4. AIR: Are all airlines fitted correctly, and no air				

WORKSHOP FAULTS - REPAIRS IN ADDITION TO SERVICE	TC	REP	R.REC	MON
① Rear hand rail badly damaged			✓	✓
② Tarp opening unevenly	✓	✓		
③ Rear PDA fittings siezed	✓	✓		
④ Bad cracking at front end inside tub	✓	✓		
⑤ Bearings worn	✓	✓		
TAIL GATE Ram VALVE CONTROL VALVE LEAKING	✓	✓		

[illegible]

PARTS USED	FROM STOCK PART #	FROM SUPPLIER PO #

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable 635673km	✓			
002	GEN002 - Number plates correct, affixed & legible	✓			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	✓			
004	GEN008 - Signage/rear marker plates for security/wear/damage (as per VSB12)	✓			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front AT158619	✓			
006	GEN012 - Check compliance plate affixed & legible	✓			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
007	BRAK057 - Check service/park brakes & carry out adjustment	✓			
008	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm) 8mm	✓			
009	TIPPER-BRAK059 - Check condition of brake drums	✓			
010	BRAK060 - Check brake components for wear & condition	✓			
011	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	✓			
012	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	✓			
013	BRAK067 - Check breakaway protection & brake connections	✓			
014	SLOAD-BRAK140 - Check caging bolts are in place and secure	✓			
015	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	✓			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
016	TIPPER-CHAS088 - Grease all points including removable king pins	✓			
017	CHAS098 - Ballrace/kingpin/skid plate/tow eye/drawbar/safety chains/goose neck(if applicable)	✓			
018	CHAS089 - Check auto tow couplings/turntable jaws/bushes/wear surface for wear & lubricat..	N/A			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	N/A			
020	SLOAD-CHAS093 - Drain air tanks & check mountings	/			
021	CHAS099A - Check body/tray/chassis for cracks/security/corrosion	/			
022	CHAS095 - Check fitment/security/condition of mudguards, mudflaps and poles	/			
023	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	N/A			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
024	TIPPER-ELEC049 - Visual check of wiring loom for signs of wear/damage	/			
025	ELEC053 - Park/tail/number plate/clearance lights/brake lights/indicators	/			
026	ELEC054 - Check all reflectors/lenses & replace if faded or damaged	/			
027	ELEC055 - Check operation of reversing beeper & reverse lights	N/A			
028	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	/			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
029	TIPPER-EXT071 - Check couplings & air connections	/			
030	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	/			
031	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	/			
032	TIPPER-EXT145 - Check tarp motor gearboxes and check for manual handle in battery box	/			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
033	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	/			
034	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	/			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
035	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	/			
036	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	/			
037	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	/			
038	SUS131 - Clean & regrease wheel bearings *replace every 2nd "C" service	/			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
039	TYR142 - Set and record tyre pressure (PSI), record tread depth (mm) & condition	/			
040	TYR141 - Inspect wheels/rims/hubs for security/wear/damage & indicators for loose wheel nuts	/			
041	TYR143 - Torque all wheel nuts to required tension	/			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
042	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	BH✓			



H.6.4 \B

VLT Test Equipment

09-Dec-2025 08:46

VEHICLE DATA

1805-004396-000|T6390/90901535/V261
Calibration due date: 08-Jul-26

Type	:	Trailer > 4.5t			
Make	:	Lusty	Mileage	:	635673
Model	:	Tipper	Government standards	:	AU
Reg. number	:	YS77CR	Inspector	:	Joel p
Chassis number	:	6F80000000L107911	CUSTOMER	:	Symons & clark

BRAKE TEST

(V=Pass, X=Fail, L=Locked wheel, S=Side by side)

AXLE 1		Left	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	:	940 kg	665 kg	1605 kg	42 %S	30 %S	✓
Efficiency AW	:	41 %S	45 %S	--	--	--	--
Dynamic axle weight	:	525 kg	266 kg	791 kg	86 %D	45 %D	✓
Efficiency DW	:	73 %D	99 %D	--	--	--	--
Calculated dyn.weight	:	--	--	791 kg	--	--	--
Brake force	:	3790 N	2950 N	6740 N	--	--	--
Imbalance	:	3790 N	2950 N	22.2 %	--	--	--
Bind	:	210 N	170 N	380 N	3 %S	30 %	✓

PARKING BRAKE 1		Left (L)	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	:	922 kg	690 kg	1612 kg	34 %S	15 %S	✓
Efficiency AW	:	34 %S	35 %S	--	--	--	--
Dynamic axle weight	:	543 kg	290 kg	833 kg	67 %D	--	--
Efficiency DW	:	58 %D	84 %D	--	--	--	--
Brake force	:	3100 N	2410 N	5510 N	--	--	--
Imbalance	:	3100 N	2410 N	22.3 %	--	--	--

AXLE 2		Left (L)	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	:	881 kg	775 kg	1656 kg	42 %S	30 %S	✓
Efficiency AW	:	41 %S	43 %S	--	--	--	--
Dynamic axle weight	:	488 kg	369 kg	857 kg	82 %D	45 %D	✓
Efficiency DW	:	74 %D	91 %D	--	--	--	--
Calculated dyn.weight	:	--	--	857 kg	--	--	--
Brake force	:	3570 N	3330 N	6900 N	--	--	--
Imbalance	:	3570 N	3330 N	6.8 %	--	--	--
Bind	:	170 N	180 N	350 N	3 %S	30 %	✓

PARKING BRAKE 2		Left (L)	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	:	898 kg	765 kg	1663 kg	32 %S	15 %S	✓
Efficiency AW	:	30 %S	34 %S	--	--	--	--
Dynamic axle weight	:	517 kg	356 kg	873 kg	61 %D	--	--
Efficiency DW	:	52 %D	74 %D	--	--	--	--
Brake force	:	2680 N	2610 N	5290 N	--	--	--
Imbalance	:	2680 N	2610 N	2.7 %	--	--	--

AXLE 3		Left	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	:	834 kg	893 kg	1727 kg	44 %S	30 %S	✓
Efficiency AW	:	40 %S	48 %S	--	--	--	--
Dynamic axle weight	:	463 kg	451 kg	914 kg	84 %D	45 %D	✓
Efficiency DW	:	73 %D	96 %D	--	--	--	--
Calculated dyn.weight	:	--	--	914 kg	--	--	--
Brake force	:	3320 N	4280 N	7600 N	--	--	--
Imbalance	:	3320 N	4280 N	22.5 %	--	--	--
Bind	:	200 N	220 N	420 N	3 %S	30 %	✓

Trailer|Lusty|Tipper|YS77CR|6F80000000L107911

PARKING BRAKE 3

	Left	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	: 842 kg	885 kg	1727 kg	31 %S	15 %S	✓
Efficiency AW	: 20 %S	41 %S	--	--	--	--
Dynamic axle weight	: 491 kg	497 kg	988 kg	54 %D	--	--
Efficiency DW	: 35 %D	74 %D	--	--	--	--
Brake force	: 1710 N	3610 N	5320 N	--	--	--
Imbalance	: 1710 N	3610 N	52.7 %	--	--	--







<u>TOTAL</u>	Left	Right	Total	Efficiency	Reference	Result
Actual vehicle weight	: 2655 kg	2333 kg	4988 kg	43 %S	--	--
Calculated dyn.weight	: --	--	2562 kg	84 %D	45 %D	✓
Service brake	: 10680 N	10560 N	21240 N	--	--	--
Parking brake AVW	: 7490 N	8630 N	16120 N	32 %S	--	--

OVERALL RESULT

Service brake	: ✓
Parking brake	: ✓

GRAPHIC PRINTOUT



1805-004396-000|T6390/90901535/V261





GRAPHIC PRINTOUT

1805-004396-000|T6390/90901535/V2.61



WORK ORDER

VERSION : Original

PRINTED : 24-Jul-2024



MW017853

WORK ORDER DETAILS

W/Order #:	017853	Registration #:	YS77CR
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107911 /
Description:	TIPPING TRAILER SERVICE - 12 MON...	KMS/HRS:	496,037 ✓

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
25-7-24	Bradley	Service / repairs	13:30	22:30	
25/8/24	R. Johnke	Repairs / repairs	13:00	22:30	

WORKSHOP MANAGER / COMMENTS

FINAL CONFIRMATION / SIGN OFF

RETURN TO SERVICE DATE:

26-7-24

TOTAL SERVICE HOURS:

VERIFIED BY (PRINT NAME):

 Jarrod Moore
 Workshop Manager - 0108896 LKF

VERIFIED BY (SIGNATURE):

19/8/24

Damien Pasun

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

REPORTED / DRIVER FAULT REPAIR REQUESTS	REP	R.W.N	R.REC	MON
BRAKES 1-2MM NEED TO DO SOON (IN 4 WEEKS WHEN DRIVER ON HOLIDAYS)	BY RO			

WORKSHOP FAULTS - REPAIRS IN ADDITION TO SERVICE	TC	REP	R.REC	MON

PARTS USED	FROM STOCK PART #	FROM SUPPLIER PO #
6 x Brake shoes		
6 x Brake drums		
1 x auto slack adjuster		
12 x Bearings		
12 x Cones		

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable				
002	GEN002 - Number plates correct, condition, not faded?	BT			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	BT			
004	GEN008 - Check all signage for security and wear/damage etc.	BT			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	BT			
006	GEN012 - Complete NHVR Heavy Inspection Checklist	/			
		RJ BT			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
007	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment				
008	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	RJ			
009	TIPPER-BRAK059 - Check condition of brake drums	RJ			
010	TIPPER-BRAK060 - Check brake cylinders, levers and forks	RJ			
011	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	RJ			
012	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	RJ			
013	SLOAD-BRAK140 - Check caging bolts are in place and secure	RJ			
014	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	RJ			
		RJ			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
015	TIPPER-CHAS088 - Grease all points				
016	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	TE			
017	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	BT			
018	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	-			
		-			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	SLOAD-CHAS093 - Drain air tanks & check mountings	BT			
020	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	BT			
021	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	-			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
022	TIPPER-ELEC049 - Visual check of wiring loom for signs of wear/damage	P BT			
023	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	BT			
024	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	BT			
025	TIPPER-ELEC055 - Check operation of reversing beeper	BT			
026	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	BT			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
027	TIPPER-EXT071 - Check couplings & air connections	BT			
028	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	BT			
029	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc..	BT			
030	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	BT			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
031	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	DF			
032	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	DF			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
033	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	RJ			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	RJ			
035	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	RJ			
036	TIPPER-SUS132 - Remove, inspect and repack/replace wheel bearings	RJ BT RE			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
037	TYR142 - Set and record tyre pressure (PSI)	AH			
038	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	AH			
039	TYR143 - Torque all wheel nuts to required tension	AH			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
040	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	BT			

 SYMONS-CLARK LOGISTICS A.B.N. 41 286 749 529		WORK ORDER AMENDMENT : (Version: 1) PRINTED : 28-Jun-2024		 MW017501	
WORK ORDER DETAILS					
W/Order #:	017501	Registration #:	YS77CR		
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /		
Alloc / Due:	/	Chasis / Engine:	6F80000000L107911 /		
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	482529✓		
SAFETY INSTRUCTIONS					
- Steel Cap Boots to be worn at ALL times. - PRE-APPROVED Clothing to be worn at ALL times. - You are NOT to work alone of unsupervised. - Wear approved gloves when working in engine bay, with grease / corrosives. - Ensure your work area is clear of any obstructions and clean of ALL times. - Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop. AT158619✓					
WORK LOG					
DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
28/6/24	Andrew	Tyres	1115	1125	
28/6/24	D Parry	Service	1215	1530	1HR
28.6.24	D.TOWNSEND	REPAIRS	1630	2030	1
29.6.24	D.TOWNSEND	REPAIRS	0530	0700	—
WORKSHOP MANAGER / COMMENTS					
WILL GET BACK FOR BRAKES WHEN DRIVER IS ON HOLIDAYS.					
FINAL CONFIRMATION / SIGN OFF					
RETURN TO SERVICE DATE: 1-7-24	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE): 		

A. WARDEN

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

REPORTED / DRIVER FAULT REPAIR REQUESTS	REP	R.W.N	R.REC	MON

WORKSHOP FAULTS - REPAIRS IN ADDITION TO SERVICE	TC	REP	R.REC	MON
FIT FLEET NUMBERS (done)	df			
Safety signs need replacing (done).	df			
DO NOT O/TAKE sign needs replacing (done).	df			
Brakes 1-2 mm Need to do soon (IN 4 WEEKS WHEN DRIVER HOLIDAYS)				df
CRACKS IN TUB @ FRONT INSIDE & OUTSIDE		DT		

PARTS USED	FROM STOCK PART #	FROM SUPPLIER PO #
1x LH Safety sign		
1x RH Safety sign		
1x DO NOT O/TAKE sign		

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	ds			
002	GEN002 - Number plates correct, condition, not faded?	ds			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	ds			
004	GEN008 - Check all signage for security and wear/damage etc.	ds			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	ds			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	ds			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm) 1-2mm	ds			
008	TIPPER-BRAK059 - Check condition of brake drums	ds			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	ds			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	ds			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	ds			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	ds			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	ds			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points	ds			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	BT			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	/			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	/			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	ds			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	df			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	/			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	df			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	df			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	df			
024	TIPPER-ELEC055 - Check operation of reversing beeper	df			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	df			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	df			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	BT			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	BT			
029	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	BT			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connnections, pipes, hoses etc. for leaks/damage	df			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	df			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	df			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	df			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	<i>JS</i>			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	<i>JS</i>			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)	<i>Andrew</i>			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	<i>Andrew</i>			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	<i>JS</i>			



WORK ORDER DETAILS

W/Order #:	023426	Registration #:	YS77CR
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107911 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	562270 ✓

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone or unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
30/5	Josh				
30/5	Sam				

WORKSHOP MANAGER / COMMENTS

A tighten loose Shocker bolts
 A change leaking push pull in rear of trailer

FINAL CONFIRMATION / SIGN OFF

RETURN TO SERVICE DATE: 2-6-25	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE):
-----------------------------------	----------------------	---	------------------------------

A. WARREN

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	✓			
002	GEN002 - Number plates correct, affixed & legible	✓			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	✓			
004	GEN008 - Signage/rear marker plates for security/wear/damage (as per VSB12)	✓			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	✓			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	✓			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	✓			
008	TIPPER-BRAK059 - Check condition of brake drums	✓			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	✓			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	✓			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	✓			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	✓			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	✓			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points including removable king pins	✓			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	✓			
016	CHAS089 - Check auto tow couplings/turntable jaws/bushes/wear surface for wear & lubricat..	✓			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	✓			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	✓			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	✓			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	✓			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	✓			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	✓			
024	TIPPER-ELEC055 - Check operation of reversing beeper	-			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	✓			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	✓			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	✓			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	✓			
029	TIPPER-EXT145 - Check tarp motor gearboxes and check for manual handle in battery box	✓			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	✓			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	✓			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	✓			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	✓			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	✓			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI), record tread depth (mm) & condition	✓			
037	TYR141 - Inspect wheels/rims/hubs for security/wear/damage & indicators for loose wheel nuts	✓			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	✓			



8306 Princes Highway
Tailem Bend South Australia 5260
ABN: 97 373 663 283
Licence: ARC AUTH No: AU 53078
Tel: 0438824406
Email: accounts@chapmanhm.com

BILL TO:
Symons Clark Logistics
11-13 Francis St
PORT ADELAIDE 5015
Tel: 0417555645
Email: apinvoices@symonsclark.com.au

TAX INVOICE

Tax Invoice Number: CHM12978
Order Number: W/O: 023425 - TR207 -
YS76CR A Trailer, W/O: 023426 - TR208 -
YS77CR B Trailer, W/O: 023558 - RTD012 -
SY79HD Dolly - B Service & Repairs
Date: 30/05/2025
Due Date: 31/07/2025
Payment Term: End of Next Month

FOR:

W/O: 023425 - TR207 - YS76CR A Trailer, W/O: 023426 - TR208 -
YS77CR B Trailer, W/O: 023558 - RTD012 - SY79HD Dolly - B Service
& Repairs
Odometer: 0
Hubodometer: 56,227,056,018,875,504

Description	Qty.	Unit Price	GST	Amount
B Service Trailer - Fixed Price Trailer B Service <i>TR</i>	3.0	\$150.00	\$45.00	\$450.00
\$135 Labour 2025 Removed 3 boosters and tightened shocker bolts Tightened booster yoke lock nuts Replaced air fitting on rear of A trailer with new) <i>TR208</i>	1.5	\$135.00	\$20.25	\$202.50
68NTA-6-8 - Fitting	1.0	\$10.15	\$1.02	\$10.15

Subtotal	\$662.65
GST	\$66.27
Total	\$728.92
Paid	\$0.00
Balance Due	\$728.92

BSB:062-551
ACCOUNT:1028-6905

TERMS:

Please add invoice number as reference at time of payment.
All parts remain the property of Chapman Heavy Mechanical until payment is complete.
5% interest charges occur on all payments outstanding, if not paid by due date unless prior arrangement made.




A.B.N. 41 286 749 529

WORK ORDER

VERSION : Original

PRINTED : 30-Oct-2023



MW014694

WORK ORDER DETAILS

W/Order #:	014694	Registration #:	YS77CR
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /
Alloc / Due:	RYAN, CHRIS /	Chasis / Engine:	6F80000000L107911 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	397844km AT 158619

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
30/10/23	H. Oates	Service	7	10:00	
30/10/23	C Ryan	WELDING REPAIRS	1100	1400	

WORKSHOP MANAGER / COMMENTS**FINAL CONFIRMATION / SIGN OFF**

RETURN TO SERVICE DATE: 2/11/23	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE):
------------------------------------	----------------------	---	------------------------------

James Clark

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	1/0			
002	GEN002 - Number plates correct, condition, not faded?		1/0		
003	GEN004 - Check equipment number sticker & replace if damaged or missing	1/0			
004	GEN008 - Check all signage for security and wear/damage etc.	1/0			
005	GEN003 - Check NHVR accreditation label & record number on front	1/0			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	1/0			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm) 45%	1/0			
008	TIPPER-BRAK059 - Check condition of brake drums	1/0			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	1/0			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	1/0			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	1/0			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	1/0			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	1/0			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points	1/0			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	1/0			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	N/A			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	N/A			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	1/0			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	10			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	NA			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	10			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	10			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	10			
024	TIPPER-ELEC055 - Check operation of reversing beeper	10			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	10			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	10			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	10			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	10			
029	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	10			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connnections, pipes, hoses etc. for leaks/damage	10			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	10			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	10			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	10			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	✓			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	✓			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI) 100PSI	✓			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	✓			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	✓			




A.B.N. 41 286 749 529

WORK ORDER

VERSION : Original

PRINTED : 11-Apr-2024



MW016511

WORK ORDER DETAILS

W/Order #:	016511	Registration #:	YS77CR
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107911 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	4466q4 ✓

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times. NHV ✓
- PRE-APPROVED Clothing to be worn at ALL times. A715861g ✓
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
11-04-24	A. Hastings	Service	645	900	✓
11-04-24	J. Hastings	Service	645	900	✓
11-04-24	R. Andrew	Service	645	900	✓

WORKSHOP MANAGER / COMMENTS**FINAL CONFIRMATION / SIGN OFF**

RETURN TO SERVICE DATE: 11/04/24	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE):
-------------------------------------	----------------------	---	------------------------------

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable				
002	GEN002 - Number plates correct, condition, not faded?	Ah			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	Ah			
004	GEN008 - Check all signage for security and wear/damage etc.	Ah			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	Ah			
		Ah			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment				
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	RA			
008	TIPPER-BRAK059 - Check condition of brake drums 12 mm	RA			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	RA			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	RA			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	RA			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	RA			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	RA			
		RA			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points				
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	RA			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	Ah			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	NA			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	NA			
		Ah			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles				
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	Ah			
		N/A			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage				
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	Ah			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	Ah			
024	TIPPER-ELEC055 - Check operation of reversing beeper	Ah			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	Ah			
		Ah			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections				
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	Ah			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	Ah			
029	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	Jh			
		Ah			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage				
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	Ah			
		Ah			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear				
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	PA			
		PA			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	RA			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	AH RA			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)	AH			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	AH			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	AH			

WORK ORDER

 VERSION : Original
 PRINTED : 15-Jan-2025


MW021009

WORK ORDER DETAILS

W/Order #:	021009	Registration #:	YS77CR
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /
Alloc / Due:	BRADSHAW, HAYDEN /	Chasis / Engine:	6F80000000L107911 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	514 452 ✓

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

AT158619 ✓

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
15.1.25	D.TOWNSEND				
15/1/25	H. Bradshaw	Service / INSPECT FOR CRACKS Service	1645	1700	
			3.5hrs		

WORKSHOP MANAGER / COMMENTS

FINAL CONFIRMATION / SIGN OFF

RETURN TO SERVICE DATE:

15/1/25

TOTAL SERVICE HOURS:

VERIFIED BY (PRINT NAME):

 Jarrod Moore
 Workshop Manager - 0108896 LKF

VERIFIED BY (SIGNATURE):



Damien Pursue

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable				
002	GEN002 - Number plates correct, condition, not faded?	HB			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	HB			
004	GEN008 - Check all signage for security and wear/damage etc.	HB			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	HB			
		HB			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment				
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	HB			
008	TIPPER-BRAK059 - Check condition of brake drums	HB			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	HB			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	HB			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	HB			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	HB			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	HB			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points including removable king pins	HB			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	HB			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication				
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	/			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	HB			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	HB			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways				

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	HB			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	HB			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	HB			
024	TIPPER-ELEC055 - Check operation of reversing beeper	HB			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	HB			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	HB			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks				
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc..	DT HB			
029	TIPPER-EXT145 - Check tarp motor gearboxes and check for manual handle in battery box	HB			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	HB			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	HB			


11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	HB			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	HB			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	MB			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	MB			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)				
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts				

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	OP			

A.B.N. 41 286 749 529

WORK ORDER

VERSION : Original

PRINTED : 05-Jun-2023



MW012987

WORK ORDER DETAILS

W/Order #:	012987	Registration #:	YS77CR
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107911 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	342679

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone or unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean at ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
16/6/23		'B Service Carried			
		out @			
		Haulmark.			

WORKSHOP MANAGER / COMMENTS

[illegible]

FINAL CONFIRMATION / SIGN OFF

RETURN TO SERVICE DATE: 17/6/23	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE): 
------------------------------------	----------------------	---	---

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	✓			
002	GEN002 - Number plates correct, condition, not faded?	✓			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	✓			
004	GEN008 - Check all signage for security and wear/damage etc.	✓			
005	GEN003 - Check NHVR accreditation label & record number on front	✓			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	✓			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	✓			
008	TIPPER-BRAK059 - Check condition of brake drums	✓			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	N/A			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	✓			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	✓			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	✓			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	✓			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points	✓			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	✓			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	N/A			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	N/A			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	✓			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	N/A			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	✓			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	✓			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	✓			
024	TIPPER-ELEC055 - Check operation of reversing beeper	N/A			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	✓			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	✓			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	✓			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	✓			
029	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	✓			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	✓			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	✓			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	✓			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	✓			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	✓			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)				
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	✓			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	✓			



H.6.4 \B

VLT Test Equipment

09-Jun-2023 15:14

VEHICLE DATA

1805-004396-000|T6390/90901535/V261
Calibration due date: 31-Aug-23

Type	:	Trailer > 4.5t	Mileage	:	342679
Make	:	Lusty	Government standards	:	AU
Model	:	Tipper	Inspector	:	Joel p
Reg. number	:	YS77CR	CUSTOMER	:	Symons & clark
Chassis number	:	6F80000000L107911			

BRAKE TEST

(√=Pass, X=Fail, L=Locked wheel, S=Side by side)

AXLE 1		Left(L)	Right(L)	Total	Efficiency	Reference	Result
Static axle weight	:	805 kg	811 kg	1616 kg	39 %S	30 %S	√
Efficiency AW	:	40 %S	39 %S	--	--	--	--
Dynamic axle weight	:	430 kg	427 kg	857 kg	75 %D	45 %D	√
Efficiency DW	:	75 %D	74 %D	--	--	--	--
Calculated dyn.weight	:	--	--	857 kg	--	--	--
Brake force	:	3170 N	3140 N	6310 N	--	--	--
Imbalance	:	3170 N	3140 N	1.0 %	--	30 %	√
Bind	:	250 N	260 N	510 N	4 %S	--	--

PARKING BRAKE 1		Left(L)	Right	Total	Efficiency	Reference	Result
Static axle weight	:	804 kg	815 kg	1619 kg	31 %S	15 %S	√
Efficiency AW	:	33 %S	28 %S	--	--	--	--
Dynamic axle weight	:	426 kg	410 kg	836 kg	60 %D	--	--
Efficiency DW	:	63 %D	56 %D	--	--	--	--
Brake force	:	2670 N	2270 N	4940 N	--	--	--
Imbalance	:	2670 N	2270 N	15.0 %	--	--	--

AXLE 2		Left(L)	Right	Total	Efficiency	Reference	Result
Static axle weight	:	880 kg	729 kg	1609 kg	39 %S	30 %S	√
Efficiency AW	:	39 %S	39 %S	--	--	--	--
Dynamic axle weight	:	451 kg	329 kg	780 kg	82 %D	45 %D	√
Efficiency DW	:	77 %D	88 %D	--	--	--	--
Calculated dyn.weight	:	--	--	780 kg	--	--	--
Brake force	:	3440 N	2850 N	6290 N	--	--	--
Imbalance	:	3440 N	2850 N	17.2 %	--	30 %	√
Bind	:	230 N	210 N	440 N	3 %S	--	--

PARKING BRAKE 2		Left(L)	Right(L)	Total	Efficiency	Reference	Result
Static axle weight	:	866 kg	740 kg	1606 kg	35 %S	15 %S	√
Efficiency AW	:	36 %S	35 %S	--	--	--	--
Dynamic axle weight	:	468 kg	348 kg	816 kg	70 %D	--	--
Efficiency DW	:	67 %D	75 %D	--	--	--	--
Brake force	:	3080 N	2590 N	5670 N	--	--	--
Imbalance	:	3080 N	2590 N	16.0 %	--	--	--

AXLE 3		Left(L)	Right(L)	Total	Efficiency	Reference	Result
Static axle weight	:	951 kg	690 kg	1641 kg	46 %S	30 %S	√
Efficiency AW	:	44 %S	48 %S	--	--	--	--
Dynamic axle weight	:	534 kg	294 kg	828 kg	91 %D	45 %D	√
Efficiency DW	:	79 %D	99 %D	--	--	--	--
Calculated dyn.weight	:	--	--	1237 kg	--	--	--
Brake force	:	4160 N	3260 N	7420 N	--	--	--
Imbalance	:	4160 N	3260 N	21.7 %	--	30 %	√
Bind	:	340 N	180 N	520 N	4 %S	--	--

<u>PARKING BRAKE 3</u>		Left	Right (L)	Total	Efficiency	Reference	Result
Static axle weight	:	940 kg	699 kg	1639 kg	39 %S	15 %S	√
Efficiency AW	:	39 %S	38 %S	--	--	--	--
Dynamic axle weight	:	568 kg	322 kg	890 kg	72 %D	--	--
Efficiency DW	:	65 %D	84 %D	--	--	--	--
Brake force	:	3630 N	2670 N	6300 N	--	--	--
Imbalance	:	3630 N	2670 N	26.5 %	--	--	--







<u>TOTAL</u>		Left	Right	Total	Efficiency	Reference	Result
Actual vehicle weight	:	2636 kg	2230 kg	4866 kg	41 %S	--	--
Calculated dyn.weight	:	--	--	2874 kg	71 %D	45 %D	√
Service brake	:	10770 N	9250 N	20020 N	--	--	--
Parking brake AVW	:	9380 N	7530 N	16910 N	35 %S	--	--

OVERALL RESULT

Service brake	:	√
Parking brake	:	√

GRAPHIC PRINTOUT

1805-004396-000|T6390/90901535/V261





A.B.N. 41 286 749 529

WORK ORDER

VERSION : Original

PRINTED : 17-Feb-2024



MW015909

WORK ORDER DETAILS

W/Order #:	015909	Registration #:	YS77CR
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107911 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	435950

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

AT158619

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
17.2/24	J Hastings	Service / Repairs	6.00	7.30	✓

WORKSHOP MANAGER / COMMENTS**FINAL CONFIRMATION / SIGN OFF**

RETURN TO SERVICE DATE:

18/2/24

TOTAL SERVICE HOURS:

VERIFIED BY (PRINT NAME):

Jarrod Moore

Workshop Manager - 0108896 LKF

VERIFIED BY (SIGNATURE):

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	24			
002	GEN002 - Number plates correct, condition, not faded?	24			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	24			
004	GEN008 - Check all signage for security and wear/damage etc.	24			
005	GEN003 - Check NHVR accreditation label & record number on front	24			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	24			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm) 10mm	24			
008	TIPPER-BRAK059 - Check condition of brake drums	24			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	24			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	24			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	24			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	24			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	24			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points	24			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	24			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	24			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	24			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	24			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	24			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	✓			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	24			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	24			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	24			
024	TIPPER-ELEC055 - Check operation of reversing beeper	✓			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	24			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	24			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	HA/3m			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	HA/3m			
029	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	24			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	24			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	24			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	24			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	24			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	JH			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	JH			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)	JH			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	JH			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	JM.			



HALLAM TRUCK CENTRE

Hallam Truck Centre
ABN: 64 007 568 309
217 Princes Highway
Hallam VIC 3803
03 8796 9100



TAX INVOICE 812885 (REPRINT)

RL8463

Date: 20/10/2025

Rego: YS77CR

Page 1 of 2

Charge to: **7548 Symons & Clark Transport Pty Ltd**
PO BOX 54
PORT ADELAIDE SA 5015

ABN: 41 286 749 529

Customer: **7548 Symons & Clark Transport Pty Ltd**
PO BOX 54
PORT ADELAIDE SA 5015

Phone 08 8440 4100

Mobile

Contact:

Order No:	00063817	Next Service Date:	00/00/0000	Next Service Kms:	0
Service Adviser:	JK	Odometer reading:	0	Warranty Expiry Date:	00/00/0000
VIN		Engine No.		Delivery Date:	00/00/0000
Stock Number	YS77CR	Model	TS3 - Semi Trailer -	Engine Hours:	0.00

Product	Description	Quantity	Price Excl.
CARRY OUT 'B' TYPE TRAILER SERVICE			
	NOTE		
	CARRIED OUT TRAILER B SERVICE AS PER SCHEDULE.		
	ADJUSTED ALL WHEEL BEARINGS.		
	TENSIONED LOOSE KING PIN BOLT.		
04L	LABOUR TRAILER		595.50
SUPP	SUNDRY SHOP SUPPLIES	0.5	11.60
ENVIRO	ENVIRONMENTAL TREATMENT SUPPLY	1	27.30
GREASE	CHASSIS GREASE	1	9.36

Sub Total:			643.76

Parts: \$0.00 Labour: \$595.50 Others: \$48.26 Sub Total: \$ 643.76

Payment by EFT: BSB: 034-081 Account #: 132587

Reference: 812885

Please advise details of deposit by
email hallam@hallamtruck.com.au

Total GST: \$ 64.38

HALLAM TRUCK CENTRE OPERATING HOURS

MONDAY - FRIDAY 7:30AM TO 7:00PM

AFTERNOON SHIFT FINISHING AT 7:00PM

REFRIGERANT TRADING - AUTHORISED SERVICE CENTRE

AUTHORISATION NUMBER: AU07126

INVOICE TOTAL \$ 708.14

TERMS AND CONDITIONS

- 1) You (that is the Customer) will be responsible for any loss, damage or deterioration to goods once they leave our place of business - that is they will then be at your risk. You should get insurance to cover this.
 - 2) Delivery will be at our place of business. You will be responsible to arrange and pay for freight from our place of business. We can help you to arrange freight if you wish. We will not do this unless you request it.
 - 3) Goods are not supplied on a sale or return basis. Subject to these terms and conditions, once we accept your order, you are obliged to take the goods although property is yet to pass. Any agreement to accept any return of goods must be in writing signed on our behalf. If we agree to accept any return, our current return conditions will apply. Details of current return conditions are attached.
 - 4) (a) You have to pay for goods and services supplied before the last day of the month after the month in which they were supplied.
(b) However, payment will become due immediately if:
 - you commit any act of bankruptcy;
 - a meeting of your creditors is called;
 - a mortgagee or mortgagee's agent takes possession of any of your assets;
 - a receiver of any of your assets is appointed; or
 - a petition to bankrupt or liquidate you is issued.
 (c) Until an overdue payment is paid, you have to pay interest on it at 2% per month.
(d) You must pay us the reasonable costs (including debt collector's commission) we incur to recover (or to attempt to recover) any overdue payment.
 - 5) Until property in goods supplied passes to you and without prejudice to our rights under the PPSA:
 - (a) You may fix them into your articles on condition that the product ("product/s") will be our property as security for full payment for the goods.
 - (b) Until you use or sell the goods or products, you must store them separately and so that they are clearly identifiable as our property.
 - (c) You may fix the goods or products into the articles of any third party on condition that the resulting item will be deemed to be owned in common by us and that third party.
 - (d) You may sell the goods or the products or the items as referred to in (c) (or your interest therein) in the ordinary course of your business on the following conditions:
 - You make the sale as our agent and bailee.
 - Any proceeds of sale received by you are held by you on trust for us and you must keep them separately and so that they are clearly identifiable as ours.
 - If you have not received the proceeds of sale, you will, if we so require, assign to us your rights in respect of the sale price.
 - 6) (a) "PPSA" means the Personal Property Securities Act 2009 (Cth);
 - "PPS register" means the Personal Property Securities Register;
 - "purchase money security interest", "registration commencement time", "security interest" and "verification statement" all have the meanings given by the PPSA.
 (b) Whilst the risk in the goods passes in accordance with clause 1, legal and equitable title in the goods will not pass to you until payment in full for all debts accrued or owed by you to us for the goods has been received by us in cleared funds. Until that time you are in possession of the goods solely as bailee for us and your right to possession ceases if you do not pay us for the goods on time or when due.
 (c) Until we receive payment for the goods in full, we reserve the following rights:
 - the legal and equitable ownership of the goods;
 - the right to enter upon your premises and take possession of the goods or the products referred to in clause 5;
 - the right to keep or resell any goods or products we take possession of and
 - any other rights we may have at law or under the PPSA.
- (d) Until we receive payment for the goods in full, you acknowledge that we have a purchase money security interest which attaches over the goods and their proceeds and a security interest in relation to other amounts owed by you to us.
 - (e) For the avoidance of doubt, after the registration commencement time, we may register our purchase money security interest and security interest on the PPS register established by the PPSA and, where necessary, amend the registration.
 - (f) You undertake to do anything (such as obtaining consents, signing and producing documents, producing receipts and getting documents completed and signed) which we ask and consider necessary for the purposes of:
 - ensuring that a security interest created under this agreement is enforceable, perfected and otherwise effective;
 - enabling us to apply for any registration, or give any notification, in connection with a security interest created under this agreement so that the security interest has the priority required by us, including anything we ask you to do in connection with the PPSA.
 - (g) You must not grant any other person a security interest over the goods or their proceeds.
 - (h) To the extent permitted by law, if the PPSA applies, you irrevocably waive your rights you may have to:
 - receive notices or statements under sections 95, 121(4), 125, 130, 132(3)(d), 132(4) and 135 of the PPSA;
 - redeem the goods under section 142 of the PPSA;
 - reinstate the agreement under section 143 of the PPSA;
 - receive a verification statement as defined in the PPSA.
 - (i) Nothing in this clause prevents us from taking action against you for the purchase price of the goods.
 - (j) In addition to being liable to pay all our enforcement expenses as set out in clause 4(d) you agree to be liable for our costs of our registration of our purchase money security interest and security interest on the PPS register.
- 7) Any previous dealings shall not affect these terms and conditions or be deemed to do so nor will any term or condition set out in your order forms or other documentation.
 - 8) In these terms and conditions reference to a person includes a corporation, and the singular includes the plural and vice versa.
 - 9) If more than one, the persons comprising the Customer shall be jointly and severally bound by these terms and conditions.
 - 10) The law of Victoria governs these terms and conditions and any legal action relating to them shall be brought in Victorian Courts.
 - 11) Each transaction is to be on the above terms and conditions. However we may change the above terms and conditions, and upon written notice to you, you will be bound by such changed terms and conditions in respect of subsequent transactions. Unless the contrary is proved, such notice shall be deemed served on you two business days after it is posted.
- CURRENT RETURN CONDITIONS** (subject to variation by the Company without notice to the Customer) are:
- (a) Goods marked "non-returnable" are not returnable.
 - (b) Parts procured Ex Supplier are non-returnable unless the Company gives prior approval.
 - (c) Electrical items will not be accepted for credit.
 - (d) Goods must be resalable and returned within 30 days from invoice date.
 - (e) Invoice no. and date to be quoted by customer.
 - (f) The Customer shall pay all freight charges to return the goods to the place of business of the Company.
 - (g) The Customer shall pay reasonable handling charges of the Company.
 - (h) Goods are non-returnable after 30 days from invoice date.

A.B.N. 41 286 749 529

WORK ORDER

VERSION : Original
PRINTED : 17-Feb-2026



MW029638

WORK ORDER DETAILS

W/Order #:	029638	Registration #:	YS77CR
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107911 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	640,837 ✓

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone or unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean at ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

[illegible]

WORKSHOP MANAGER / COMMENTS

[illegible]

FINAL CONFIRMATION / SIGN OFF

RETURN TO SERVICE DATE: 22-2-26	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE): 
------------------------------------	----------------------	---	---

AARON WARDEN
10265

PARTS USED	FROM STOCK PART #	FROM SUPPLIER PO #

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	✓			
002	GEN002 - Number plates correct, affixed & legible	✓			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	✓			
004	GEN008 - Signage/rear marker plates for security/wear/damage (as per VSB12)	✓			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front				

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	✓			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	✓			
008	TIPPER-BRAK059 - Check condition of brake drums	✓			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks				
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	✓			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	✓			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	✓			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	✓			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points including removable king pins	✓			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	✓			
016	CHAS089 - Check auto tow couplings/turntable jaws/bushes/wear surface for wear & lubricat..	✓			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)				
018	SLOAD-CHAS093 - Drain air tanks & check mountings	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	✓			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways				

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	✓			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	✓			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	✓			
024	TIPPER-ELEC055 - Check operation of reversing beeper	✓			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	✓			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	✓			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	✓			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	✓			
029	TIPPER-EXT145 - Check tarp motor gearboxes and check for manual handle in battery box	✓			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connnections, pipes, hoses etc. for leaks/damage	✓			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	✓			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	✓			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	✓			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	✓			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI), record tread depth (mm) & condition				
037	TYR141 - Inspect wheels/rims/hubs for security/wear/damage & indicators for loose wheel nuts	✓			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	✓			

TAX INVOICE

SYMONS & CLARK
PO BOX 54
PORT ADELAIDE SA 5015
AUSTRALIA
ABN: 41 286 749 529

Invoice Date
26 Feb 2026

Invoice Number
INV-2470

Reference
P/O: 00069301

ABN
17 615 017 457

Winterfields Mechanical
Pty Ltd
9a Calula Drive
MOUNT GAMBIER SA
5290

Description	Quantity	Unit Price	GST	Amount AUD
21.02.2026 DOCKET# 2100 B-TRAILER - TR208 - YS77CR KMS= 640837 COMPLAINT: B SERVICE DUE CORRECTION: COMPLETED B SERVICE. PICKED UP AND RETURNED TO YARD.				
GREASE	2.00	20.70	10%	41.40
CONSUMABLES	1.00	15.00	10%	15.00
LABOUR	4.00	115.00	10%	460.00
			Subtotal	516.40
			TOTAL GST 10%	51.64
			TOTAL AUD	568.04

Due Date: 13 Mar 2026

We thank you for your business.

Payment Terms 15 Days From Invoice Date

BANK: WESTPAC

BSB: 035 612

ACCOUNT NUMBER: 317762

PAYMENT ADVICE

To: Winterfields Mechanical Pty Ltd
9a Calula Drive
MOUNT GAMBIER SA 5290


Customer SYMONS & CLARK
Invoice Number INV-2470
Amount Due 568.04
Due Date 13 Mar 2026
Amount Enclosed

Enter the amount you are paying above



VERSION : Original

PRINTED : 16-Jul-2025



W/Order #:	024453	Registration #:	YS77CR
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107911 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	580726 ✓

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone or unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean at ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
		'B' service carried			
		out @			
		Hallam truck.			

This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

RETURN TO SERVICE DATE: 22-7-25	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE):
------------------------------------	----------------------	---	---

A: WARDEN

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	✓			
002	GEN002 - Number plates correct, affixed & legible	✓			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	✓			
004	GEN008 - Signage/rear marker plates for security/wear/damage (as per VSB12)	✓			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	✓			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	✓			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm) <i>8mm¹ 8mm, 10mm² 10mm, 10mm³ 10mm</i>	✓			
008	TIPPER-BRAK059 - Check condition of brake drums	✓			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	✓			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	✓			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	✓			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	✓			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	✓			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points including removable king pins	✓			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	✓			
016	CHAS089 - Check auto tow couplings/turntable jaws/bushes/wear surface for wear & lubricat..	✓			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	✓			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	✓			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	✓			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	✓			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	✓			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	✓			
024	TIPPER-ELEC055 - Check operation of reversing beeper	✓			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	✓			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	✓			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	✓			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	✓			
029	TIPPER-EXT145 - Check tarp motor gearboxes and check for manual handle in battery box	✓			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	✓			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	✓			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	✓			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	✓			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	✓			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI), record tread depth (mm) & condition <i>9mm¹ 9mm, 9mm² 9mm, 9mm³ 9mm</i>	✓			
037	TYR141 - Inspect wheels/rims/hubs for security/wear/damage & indicators for loose wheel nuts	✓			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	✓			



HALLAM TRUCK CENTRE

Hallam Truck Centre
ABN: 64 007 568 309
217 Princes Highway
Hallam VIC 3803
03 8796 9100



TAX INVOICE 811398

RL7119

Date: 22/07/2025

Rego: YS77CR

Page 1 of 2

Charge to: **Symons & Clark Transport Pty Ltd**
7548 PO BOX 54
PORT ADELAIDE SA 5015

ABN: 41 286 749 529

Customer: **7548**
Symons & Clark Transport Pty Ltd
PO BOX 54
PORT ADELAIDE SA 5015

Phone 08 8440 4100

Mobile

Contact:

Order No: **00060892**

Next Service Date: **00/00/0000**

Next Service Kms: **0**

Service Adviser: **SS**

Odometer reading: **580 726 0**

Warranty Expiry Date: **00/00/0000**

VIN

Engine No.

Delivery Date: **00/00/0000**

Stock Number **YS77CR**

Model **TS3 - Semi Trailer -**

Engine Hours: **0.00**

Product	Description	Quantity	Price Excl.
CARRIED OUT TRAILER B SERVICE AS REQUIRED			
01L	LABOUR SCHEDULED SERVICE		397.00
GREASE	CHASSIS GREASE	1	9.36
SUPP	SUNDRY SHOP SUPPLIES	1	23.20
ENVIRO	ENVIRONMENTAL TREATMENT SUPPLY	1	27.30

Sub Total:			456.86

ATTEND TO SCALES

TESTED SCALES AND ALL WORKING AS IT SHOULD			
01L	LABOUR SCHEDULED SERVICE		99.25

Sub Total:			99.25

Parts: \$0.00

Labour: \$496.25

Others: \$59.86

Sub Total: \$ 556.11

Total GST: \$ 55.62

Payment by EFT: BSB: 034-081 Account #: 132587

Reference: 811398

Please advise details of deposit by

email hallam@hallamtruck.com.au

INVOICE TOTAL \$ 611.73

For terms and conditions see last page



A.B.N. 41 286 749 529

WORK ORDER

VERSION : Original

PRINTED : 24-Oct-2024



MW019463

WORK ORDER DETAILS

W/Order #:	019463	Registration #:	YS77CR
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107911 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	512,650 ✓

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

AT 158 619

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
24/10/24	H. Bradshaw	Service	9.30	1.00	1hr

WORKSHOP MANAGER / COMMENTS

KH, sighted all good.

FINAL CONFIRMATION / SIGN OFF

RETURN TO SERVICE DATE: 25/10/24	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE):
-------------------------------------	----------------------	---	------------------------------

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible][illegible][illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	HB			
002	GEN002 - Number plates correct, condition, not faded?	HB			
003	GEN004 - Check equipment number sticker & replace if damaged or missing	HB		HB	
004	GEN008 - Check all signage for security and wear/damage etc.	HB			
005	GEN003 - Check NHVR accreditation label & RECORD NUMBER on front	HB			
		HB			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment	HB			
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	HB			
008	TIPPER-BRAK059 - Check condition of brake drums	HB			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	HB			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	HB			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	HB			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	HB			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	HB			
		HB			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points including removable king pins	HB			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	HB			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	HB			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	✓			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	✓			
		HB			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	HB			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	✓			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	HB			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	HB			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	HB			
024	TIPPER-ELEC055 - Check operation of reversing beeper	HB			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	HB			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	HB			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	HB			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	HB			
029	TIPPER-EXT145 - Check tarp motor gearboxes and check for manual handle in battery box	HB			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	HB			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	HB			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	HB			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	HB			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	HB			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required	HB			

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI) Too Low				HB
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	HB			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	HB			



A.B.N. 41 286 749 529

WORK ORDER

VERSION : Original

PRINTED : 30-Aug-2023



MW014016

WORK ORDER DETAILS

W/Order #:	014016	Registration #:	YS77CR
Equipment #:	TR208 - YS77CR	Make / Model:	LUSTY /
Alloc / Due:	/	Chasis / Engine:	6F80000000L107911 /
Description:	TIPPING TRAILER SERVICE - 60 DAYS...	KMS/HRS:	371683

SAFETY INSTRUCTIONS

- Steel Cap Boots to be worn at ALL times.
- PRE-APPROVED Clothing to be worn at ALL times.
- You are NOT to work alone of unsupervised.
- Wear approved gloves when working in engine bay, with grease / corrosives.
- Ensure your work area is clear of any obstructions and clean of ALL times.
- Vehicles are NOT to be run for more than 1 minute in every 10 minutes whilst in the workshop.

WORK LOG

DATE	MECHANIC / NAME	COMMENTS	START	FINISH	BREAKS
30/8	H. Oates	Service / Repairs	12:35	3:30	
31/8	Heavies	Repairs	7:00	12:00	

WORKSHOP MANAGER / COMMENTS

NUMBER PLATE FADED WILL NEED REPLACING

FINAL CONFIRMATION / SIGN OFF

RETURN TO SERVICE DATE: 31/8/23	TOTAL SERVICE HOURS:	VERIFIED BY (PRINT NAME): Jarrod Moore Workshop Manager - 0108896 LKF	VERIFIED BY (SIGNATURE):
------------------------------------	----------------------	---	------------------------------

James Clark

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

[illegible]

WORKSHOP FAULTS - REPAIRS IN ADDITION TO SERVICE	TC	REP	R.REC	MON
Missing reflector	✓			
D/S missing horse Hair	✓			
Cracks inside body around ram carrier	JH			
Grab handle Bolt / cracked on rear of trailer				
uneven brake wear on 2nd + 3rd Axle both LHS brakes down to safety	✓			
# Plate no longer reflective				

[illegible]

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

01 - GENERAL CHECKS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
001	GEN001 - General check over & record km if applicable	16			
002	GEN002 - Number plates correct, condition, not faded?			16	
003	GEN004 - Check equipment number sticker & replace if damaged or missing	16			
004	GEN008 - Check all signage for security and wear/damage etc.	16			
005	GEN003 - Check NHVR accreditation label & record number on front	16			

14 - BRAKES

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
006	TIPPER-BRAK057 - Check operation of brakes & carry out brake adjustment 2nd 3rd axle Low both (LHS)	16	16		
007	TIPPER-BRAK063 - Check & record brake lining/pad thickness (mm)	16			
008	TIPPER-BRAK059 - Check condition of brake drums	16			
009	TIPPER-BRAK060 - Check brake cylinders, levers and forks	16			
010	TIPPER-BRAK065 - Inspect slack adjusters, S-cam and bushes	16			
011	TIPPER-BRAK066 - Check for air leaks on both maxi & service brakes	16			
012	SLOAD-BRAK140 - Check caging bolts are in place and secure	16			
013	TIPPER-BRAK058 - Check wheel seals for visual signs of leaks	16			

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
014	TIPPER-CHAS088 - Grease all points	16			
015	TIPPER-CHAS089 - Check trailer king pin & skid plate wear	16			
016	CHAS089 - Check turntable jaws, bushes, wear surface for wear & lubrication	N/A			
017	CHAS089A - Check ringfeder operation/wear/damage (if fitted)	N/A			
018	SLOAD-CHAS093 - Drain air tanks & check mountings	16			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

10 - CHASSIS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
019	TIPPER-CHAS095 - Check security & condition of mudguards, mudflaps and poles	✓			
020	TIPPER-CHAS144 - Check (A) trailer slides to access turntable and pins lock in both ways	W/A			

13 - BATTERY - ELECTRICS

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
021	TIPPER-EXT070 - Visual check of wiring loom for signs of wear/damage	✓			
022	TIPPER-ELEC053 - Check all lights - side, brake, indicator, flashing light, etc	✓			
023	TIPPER-ELEC054 - Check all reflectors & replace if faded or damaged	✓			
024	TIPPER-ELEC055 - Check operation of reversing beeper	W/A			
025	TIPPER-ELEC056 - Check 7 pin plug/s for damage/wear	✓			

12 - UNDER

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
026	TIPPER-EXT071 - Check couplings & air connections	✓			
027	TIPPER-EXT077 - Inspect body & chassis including legs for any signs of structural cracks	✓			
028	TIPPER-EXT076 - Check tipper tarp & tarp poles are not ripped, torn, bent, damaged and loc...	✓			
029	TIPPER-EXT145 - Test tipper operation including opening and alignment of tailgate	✓			

15 - HYDRAULICS (Where Fitted)

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
030	TIPPER-HYD133 - Inspect hydraulic connections, pipes, hoses etc. for leaks/damage	✓			
031	TIPPER-HYD135 - Check tipper hydraulic cylinders for damage and leaks	✓			

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
032	TIPPER-SUS099 - Check all pins, bushes, springs and U-bolts for wear	✓			
033	TIPPER-SUS102 - Check all shock absorbers & check bolts for tension	✓			

TC = TASK COMPLETED, REP = REPAIRED, R.REC. = REPAIR RECOMMENDED, MON = MONITOR

11 - SUSPENSION

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
034	TIPPER-SUS112 - Check air bags for visual/audible signs of leakage/damage/wear	✓			
035	TIPPER-SUS131 - Check and adjust wheel bearings as required 2nd Axle		✓		

16 - TYRE CONDITION - UNUSUAL WEAR

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
036	TYR142 - Set and record tyre pressure (PSI)	✓			
037	TYR141 - Inspect all wheels, tyres for wear/damage & indicators for loose wheel nuts	✓			

00 - OTHER / UNSPECIFIED

SEQ	WORK INSTRUCTIONS / TASKS (CONTINUED)	TC	REP	R.REC	MON
038	TIPPER-END146 - Hand all completed paperwork to workshop admin staff	✓			