

Date	Work Description	Plant No	Work Type
14/11/22	Radio Fault	EX45	MF - Maintenance Fitter
15/11/22	Grease fault	EX45	MF - Maintenance Fitter
25/11/22	wash, remove bucket, prep new bucket, fit	EX45	MF - Maintenance Fitter
25/11/22	Bucket change	EX45	MF - Maintenance Fitter
29/11/22	weld on all GPS mounts and brackets	EX45	MF - Maintenance Fitter
29/11/22	Run wiring over boom and assist in Install GPS	EX45	MF - Maintenance Fitter
30/11/22	Install bulk grese	EX45	MF - Maintenance Fitter
01/12/22	Installation Bulk Grease	EX45	MF - Maintenance Fitter
01/12/22	Callibrate GPS	EX45	MF - Maintenance Fitter
02/12/22	Installation grease system	EX45	MF - Maintenance Fitter
05/12/22	Grease system	EX45	MF - Maintenance Fitter
05/12/22	Fit and mount horn	EX45	MF - Maintenance Fitter
05/12/22	Run wires from pump through cab	EX45	MF - Maintenance Fitter
05/12/22	Wire up grease pump remove cabtrim wire- set up	EX45	MF - Maintenance Fitter
07/12/22	C/O Grease system	EX45	MF - Maintenance Fitter
19/12/22	Inspect machine/ seat	EX45	MF - Maintenance Fitter
04/01/23	Fit gps	EX45	MF - Maintenance Fitter
09/01/23	Screen Fault	EX45	MF - Maintenance Fitter
11/01/23	Wash machine	EX45	MF - Maintenance Fitter
11/01/23	1000hr service	EX45	MF - Maintenance Fitter
11/01/23	1000hr service	EX45	MF - Maintenance Fitter
11/01/23	Service	EX45	MF - Maintenance Fitter
17/01/23	AC fault	EX45	MF - Maintenance Fitter
13/02/23	AC repairs, service	EX45	MF - Maintenance Fitter
06/03/23	C/O Bucket	EX45	MF - Maintenance Fitter
06/03/23	Swap bucket to suit material	EX45	MF - Maintenance Fitter
23/03/23	250hr service	EX45	MF - Maintenance Fitter
29/03/23	C/O 2 way and repair wiring to beacon and GPS	EX45	MF - Maintenance Fitter
29/03/23	Refit removed trim from wiring repair	EX45	MF - Maintenance Fitter
03/05/23	Repair horn wiring	EX45	MF - Maintenance Fitter
10/05/23	Inspect rear left door	EX45	MF - Maintenance Fitter
12/05/23	C/O door handle and latch straighten door	EX45	MF - Maintenance Fitter
31/05/23	500hr Service	EX45	MF - Maintenance Fitter
31/05/23	500hr service	EX45	MF - Maintenance Fitter
16/06/23	Check over seat -movement complaint	EX45	MF - Maintenance Fitter
21/07/23	250 hr service	EX45	MF - Maintenance Fitter
21/07/23	250hr Service- stores and bolts	EX45	MF - Maintenance Fitter
28/07/23	Grease defects	EX45	MF - Maintenance Fitter
31/07/23	Re sample hydraulics- revolving light	EX45	MF - Maintenance Fitter
02/08/23	Repair grease line to block	EX45	MF - Maintenance Fitter
02/08/23	Slew plates fabrication	EX45	MF - Maintenance Fitter
03/08/23	Fabricate Slew plates	EX45	MF - Maintenance Fitter
17/08/23	Grease lines	EX45	MF - Maintenance Fitter
17/08/23	Grease system defects	EX45	MF - Maintenance Fitter
17/08/23	Track to workshop	EX45	MF - Maintenance Fitter
18/08/23	siezed pin	EX45	MF - Maintenance Fitter
18/08/23	Slew sweepers installation	EX45	MF - Maintenance Fitter
18/08/23	Unblock grease port/ grease line, housekeeping	EX45	MF - Maintenance Fitter
30/08/23	Shovel repairs	EX45	MF - Maintenance Fitter
04/09/23	Grease line	EX45	MF - Maintenance Fitter
05/09/23	Inspect machine and bucket	EX45	MF - Maintenance Fitter
07/09/23	Buckeet grease line h link pins	EX45	MF - Maintenance Fitter
07/09/23	Bucket pins grease	EX45	MF - Maintenance Fitter
08/09/23	Bucket H link Pins	EX45	MF - Maintenance Fitter
08/09/23	Grease system/ Grease machine	EX45	MF - Maintenance Fitter
15/09/23	2000HR Service	EX45	MF - Maintenance Fitter
15/09/23	2000HR Service	EX45	MF - Maintenance Fitter
15/09/23	2000HR service	EX45	MF - Maintenance Fitter
10/10/23	Repair Horn	EX45	MF - Maintenance Fitter
17/10/23	Inspect GPS fault	EX45	MF - Maintenance Fitter
25/10/23	GPS and Camera Fault	EX45	MF - Maintenance Fitter
27/10/23	250hr service	EX45	MF - Maintenance Fitter
27/10/23	250hr service	EX45	MF - Maintenance Fitter
02/11/23	AC service	EX45	MF - Maintenance Fitter
02/11/23	Repair grease lines, grease blockage ni bucket H I	EX45	MF - Maintenance Fitter
02/11/23	Remove H-link pin, straighten grousers	EX45	MF - Maintenance Fitter

11/12/23	Perform 500hr service	EX45	MF - Maintenance Fitter
11/12/23	H link bucket, clean bearing bores	EX45	MF - Maintenance Fitter
11/12/23	Perform 500hr service	EX45	MF - Maintenance Fitter
11/12/23	Remove H link, bushes, prep for line boring	EX45	MF - Maintenance Fitter
12/12/23	Fit bucket/ H-link pin and grease machine	EX45	MF - Maintenance Fitter
16/01/24	Grease line	EX45	MF - Maintenance Fitter
02/02/24	Bucket teeth, shim bucket pin	EX45	MF - Maintenance Fitter
02/02/24	Replace LH joystick, shim bucket, teeth	EX45	MF - Maintenance Fitter
16/02/24	250hr service	EX45	MF - Maintenance Fitter
16/02/24	250 hr service	EX45	MF - Maintenance Fitter
16/02/24	250 hr service	EX45	MF - Maintenance Fitter
12/03/24	Slew fault	EX45	MC - Maintenance Co-Ordinator
11/04/24	1000hr service	EX45	MF - Maintenance Fitter
11/04/24	Shim bucket pins	EX45	MF - Maintenance Fitter
11/04/24	Replace and move horn	EX45	MF - Maintenance Fitter
11/04/24	1000hr service	EX45	MF - Maintenance Fitter
11/04/24	Shim main bucket pin	EX45	MF - Maintenance Fitter
11/04/24	1000hr service	EX45	MC - Maintenance Co-Ordinator
11/04/24	Seat chang out	EX45	MC - Maintenance Co-Ordinator
18/04/24	Grease line repairs	EX45	MC - Maintenance Co-Ordinator
10/05/24	Fit grease block, replace grease lines	EX45	MF - Maintenance Fitter
10/05/24	Straighten step	EX45	MC - Maintenance Co-Ordinator
27/05/24	250hr service	EX45	MF - Maintenance Fitter
27/05/24	250hr service	EX45	MF - Maintenance Fitter
27/05/24	250 hr service	EX45	MC - Maintenance Co-Ordinator
19/06/24	fuel/water sep sensor- broken wire	EX45	MF - Maintenance Fitter
01/07/24	Replace fuel/ water sep sensor	EX45	MF - Maintenance Fitter
18/07/24	Grease lines	EX45	MF - Maintenance Fitter
02/08/24	Order parts- William Adams	EX45	MF - Maintenance Fitter
02/08/24	500hr service	EX45	MF - Maintenance Fitter
02/08/24	Track/ wash and 500hr service	EX45	MF - Maintenance Fitter
05/08/24	Fuel filter, run up	EX45	MF - Maintenance Fitter
05/08/24	500hr service	EX45	MF - Maintenance Fitter
12/08/24	Stick fault	EX45	MF - Maintenance Fitter
16/08/24	Move into workshop, replace door release cable	EX45	MF - Maintenance Fitter
16/08/24	Dianose hydraulic solenoid issue	EX45	MF - Maintenance Fitter
13/09/24	Check over defects	EX45	MF - Maintenance Fitter
18/09/24	Check over	EX45	MF - Maintenance Fitter
20/09/24	250Hr Service	EX45	MF - Maintenance Fitter
20/09/24	250Hr Service	EX45	MF - Maintenance Fitter
20/09/24	250Hr Service	EX45	MF - Maintenance Fitter
04/10/24	Check over	EX45	MF - Maintenance Fitter
04/10/24	New grease lines	EX45	MF - Maintenance Fitter
04/10/24	Replace joystick/ remove good buttons- old joystic	EX45	MF - Maintenance Fitter
13/11/24	2000hr service	EX45	MF - Maintenance Fitter
13/11/24	2000hr service	EX45	MF - Maintenance Fitter
29/11/24	inspect excavator defects	EX45	MF - Maintenance Fitter
02/12/24	Repairs on grease lines	EX45	MF - Maintenance Fitter
11/12/24	Grease line repairs	EX45	MF - Maintenance Fitter
17/12/24	Jump start, check over	EX45	MF - Maintenance Fitter
17/12/24	Upgrade grease fittings	EX45	MF - Maintenance Fitter
07/01/25	Jump start	EX45	MF - Maintenance Fitter
08/01/25	Replace batteries	EX45	MF - Maintenance Fitter
17/01/25	Battery brackets repair	EX45	MF - Maintenance Fitter
23/01/25	Perform 250hr service	EX45	MF - Maintenance Fitter
23/01/25	Defects, wash, clean radiator and coolers	EX45	MF - Maintenance Fitter
23/01/25	Service	EX45	MF - Maintenance Fitter
04/02/25	Fuel and grease	EX45	MF - Maintenance Fitter
24/02/25	GPS fault	EX45	MF - Maintenance Fitter
24/02/25	Top con fault	EX45	MF - Maintenance Fitter
28/02/25	Inspected window- sourced parts	EX45	MF - Maintenance Fitter
14/03/25	Grease line repairs/ remove/ install teeth	EX45	MF - Maintenance Fitter
24/03/25	Replace GPS antenna	EX45	MF - Maintenance Fitter
27/03/25	Perform 500hr service	EX45	MF - Maintenance Fitter
27/03/25	500hr service	EX45	MF - Maintenance Fitter
31/03/25	Return to work	EX45	MF - Maintenance Fitter
16/04/25	Defects check over, grease	EX45	MF - Maintenance Fitter

06/05/25	Defects	EX45	MF - Maintenance Fitter
06/05/25	Troubleshoot AC fan not working, remove blower mot	EX45	MF - Maintenance Fitter
07/05/25	Machine defects, belts	EX45	MF - Maintenance Fitter
07/05/25	Replace fan resistor and GPS radio antenna, isolat	EX45	MF - Maintenance Fitter
08/05/25	Machine defects, guards	EX45	MF - Maintenance Fitter
08/05/25	Fit new fan motor and re assemble interior	EX45	MF - Maintenance Fitter
19/05/25	Engine derate, air filter restriction	EX45	MF - Maintenance Fitter
22/05/25	Grease Line Repairs	EX45	MF - Maintenance Fitter
23/05/25	250Hr Service	EX45	MF - Maintenance Fitter
29/05/25	Faulty Door latch diagnose and order parts	EX45	MF - Maintenance Fitter
02/06/25	Grease fitting repairs	EX45	MF - Maintenance Fitter
05/06/25	Door handle replacement	EX45	MF - Maintenance Fitter
13/06/25	Inspect diggers	EX45	MF - Maintenance Fitter
10/07/25	Replaced horn button	EX45	MF - Maintenance Fitter
25/07/25	Perform 1000hr service	EX45	MF - Maintenance Fitter
25/07/25	250hr service	EX45	MF - Maintenance Fitter
29/07/25	Finish off service	EX45	MF - Maintenance Fitter
22/08/25	Refitted track and tightened	EX45	MF - Maintenance Fitter
02/09/25	Check GPS system	EX45	MF - Maintenance Fitter
16/09/25	Bonnet latch repair and check over	EX45	MF - Maintenance Fitter
16/09/25	Replace bucket tooth	EX45	MF - Maintenance Fitter
17/09/25	Inspect machine Pit 23,parts list	EX45	MF - Maintenance Fitter
17/09/25	pressure wash, bucket puns, remove pins, etc	EX45	MF - Maintenance Fitter
17/09/25	Grease line repair/ shim bucket pin/ repair grease	EX45	MF - Maintenance Fitter
19/09/25	Perform 250hr service	EX45	MF - Maintenance Fitter
19/09/25	Repair Grease lines	EX45	MF - Maintenance Fitter
19/09/25	250hr service	EX45	MF - Maintenance Fitter
19/09/25	Excavator inspection and track clean out	EX45	MF - Maintenance Fitter
22/09/25	Finish off service- run and test	EX45	MF - Maintenance Fitter
24/09/25	Check bucket G.E.T	EX45	MF - Maintenance Fitter
07/10/25	Calibrate joysticks	EX45	MF - Maintenance Fitter
16/10/25	Check GPS Fault	EX45	MF - Maintenance Fitter
21/10/25	Replace air filters, Checkover	EX45	MF - Maintenance Fitter
22/10/25	Bonnet Repairs, check over machine	EX45	MF - Maintenance Fitter
29/10/25	Diagnose GPS fault, grease line	EX45	MF - Maintenance Fitter
31/10/25	GPS fault	EX45	MF - Maintenance Fitter
05/11/25	Top con fault	EX45	MF - Maintenance Fitter
06/11/25	Hydraulic oil leak	EX45	MF - Maintenance Fitter
06/11/25	Top con fault	EX45	MF - Maintenance Fitter
06/11/25	Diagnose faulty cable	EX45	MF - Maintenance Fitter
06/11/25	Reassemble	EX45	MF - Maintenance Fitter
07/11/25	Top con fault	EX45	MF - Maintenance Fitter
21/11/25	Prform 500hr service	EX45	MF - Maintenance Fitter
21/11/25	500hr service	EX45	MF - Maintenance Fitter
04/12/25	Wash	EX45	MF - Maintenance Fitter
21/01/26	Wash excavator	EX45	MF - Maintenance Fitter
	EX45 GPS not working		
	EX45- Plant certification form		
	EX45- Wash for offsite		
	EX45- Wash for demob inspect for offsite		

**Accident Prevention**  
 Read and understand safety warning in the operation and maintenance manual  
 Have you completed a take 2?  
 Have your job circumstances change since completing your take 2?

**Excavator 250 Hour Service Sheet**

<b>Date:</b>	19/09/25	<b>Name:</b>	DION		
<b>Plant ID:</b>	EX45	<b>Service Type:</b>	250 Hour	<b>Machine Hours:</b>	7,600 HRS.
<input checked="" type="checkbox"/>	Machine has been cleaned prior to commencement of service				
<input checked="" type="checkbox"/>	Machine has been positioned on flat level ground				
<input checked="" type="checkbox"/>	All implements have been lowered				
<input checked="" type="checkbox"/>	Machine has been isolated and locked out				

*Note: The electronic copy of this document is controlled. To ensure that other copies of this document are current, check the revision number and date against the compliance management database, Qudos*

**Prepared By:** Troy Storch    **Date:** 31/08/2020    **Approved By:** Troy Storch    **Date:** 31/08/2020  
**Rev. No:** 2    **Date Implemented:** 31/08/2020

250 HR LUBE SERVICE		INITIAL
<b>SAMPLE:</b>	Engine	R
	Hydraulic	
<b>CHANGE:</b>		
	Final drive oil	R
	Hydraulic system oil filter (case drain)	R
	Hydraulic system oil filter (pilot)	R
	Hydraulic system oil filter (return)	R
	Cab air conditioner / heater filters	R
<b>CLEAN:</b>		
	Batteries and terminals	R
	Cab fresh air filter	R
	Counterweight removal chain	R
	Engine air filter primary element	R
	Engine air filter secondary element	R
	Engine air pre cleaner	R
	Hydraulic tank screen	R
	Radiator core	R
	Condenser	R
<b>CHECK:</b>		
	Engine oil level	R
	Hydraulic system oil level	R
	Final drive oil levels	R
	Swing drive oil level	R
	Coolant level	R
	Drain fuel system water separator	R
	Drain fuel tank water & sediment	R
	Oil filter	R
	Battery cable	R
	Battery electrolyte level	R
	Fuses	R

Note: The electronic copy of this document is controlled. To ensure that other copies of this document are current, check the revision number and date against the compliance management database, Qudos

Prepared By: Troy Slorach      Date: 31/08/2020      Approved By: Troy Slorach      Date: 31/08/2020  
 Rev. No: 2      Date Implemented: 31/08/2020

<b>CHECK:</b>		
	Reset circuit breakers	K
	Bucket linkage	K
	Track adjustment	K
	Undercarriage	K

<b>GREASE:</b>		
	Boom, stick & bucket linkage	a
	Counterweight removal chain	a
	Swing bearing	a
	Fill auto grease system	a

**250 HR MECHANICAL SERVICE**

**KEY:**

1. Defect found and repaired
2. Defect found and recorded, machine still OK
3. OK
4. Not applicable

<b>CHECK:</b>	1	2	3	4
Condition and tension of belts			✓	
Universal joints for wear			✓	
Air conditioner – condition and operation			✓	
Operation of hydraulic controls			✓	
Frame and attachments for cracks			✓	
Fuel system for loose bolts and fittings			✓	
Fuel line supply support clamps			✓	
Hydraulic system for damaged lines and loose fittings			✓	
All hoses for general condition and chaffing			✓	
Cooling system hoses for condition and clamps for tightness			✓	
Induction system for leaks and clamps for tightness			✓	
Engine mounts			✓	
Exhaust system for leaks, clamps and bolts for tightness			✓	
Radiator for debris (wash if necessary)			✓	
All points are receiving grease			a	
Operation of park brake interlock			OK	
Fan hub and jockey pullet bearings for excessive movement			a	


*Note: The electronic copy of this document is controlled. To ensure that other copies of this document are current, check the revision number and date against the compliance management database, Qudos*

CHECK:	1	2	3	4
Seat belt – retainers and operation			M	
Horns – air/electric			M	
Wipers			✓	
Mirrors			✓	
Seats – suspension adjustment/condition			M	
Doors			M	
Windows			M	
Gauges			M	
Grab rails			M	
Fire extinguishers – invert and shake to loosen powder			✓	
Fire suppression bottle charge				✓
Lights			✓	
Reverse alarm			✓	
Cab condition			M	
Audible alarm and warning lights			✓	
Operation of emergency stop			M	
Steps			M	
Nose cone pin & bush movement			NA.	
Equaliser bar pin movement			N/A.	
Accumulation of fuel, oil, grease etc. that may cause fire hazard			✓	
Fuel leaks			✓	

*Note: The electronic copy of this document is controlled. To ensure that other copies of this document are current, check the revision number and date against the compliance management database, Qudos*

Prepared By: Troy Slorach      Date: 31/08/2020      Approved By: Troy Slorach      Date: 31/08/2020  
 Rev. No: 2      Date Implemented: 31/08/2020



	Integrated Management System	Quality Form	Document No.MAF0030	Excavator 250 Hour Service Sheet	Page 6 of 6
---	------------------------------	--------------	---------------------	----------------------------------	-------------

*Note: The electronic copy of this document is controlled. To ensure that other copies of this document are current, check the revision number and date against the compliance management database, Qudos*

**Prepared By:** Troy Storch    **Date:** 31/08/2020    **Approved By:** Troy Storch    **Date:** 31/08/2020  
**Rev. No:** 2    **Date Implemented:** 31/08/2020

**Accident Prevention**  
 Read and understand safety warning in the operation and maintenance manual  
 Have you completed a take 2?  
 Have your job circumstances change since completing your take 2?

**Excavator 500 Hour Service Sheet**

<b>Date:</b>	2/11/25	<b>Name:</b>	DION + PJ		
<b>Plant ID:</b>	EX-15	<b>Service Type:</b>	500 Hour	<b>Machine Hours:</b>	7490 HRS.
<input checked="" type="checkbox"/>	Machine has been cleaned prior to commencement of service				
<input checked="" type="checkbox"/>	Machine has been positioned on flat level ground				
<input checked="" type="checkbox"/>	All implements have been lowered				
<input checked="" type="checkbox"/>	Machine has been isolated and locked out				

*Note: The electronic copy of this document is controlled. To ensure that other copies of this document are current, check the revision number and date against the compliance management database, Qudos*

**Prepared By:** Troy Storch    **Date:** 31/08/2020    **Approved By:** Troy Storch    **Date:** 31/08/2020  
**Rev. No:** 2    **Date Implemented:** 31/08/2020

500 HR LUBE SERVICE		INITIAL
<b>SAMPLE:</b>	Engine	DR
	Hydraulic	DR
	Final drive oil	PJ
	Swing drive oil (If applicable)	PJ
<b>CHANGE:</b>		
	Final drive Oil	PJ
	Engine Oil	DR
	Engine Oil Filter	PJ
	Fuel & Water Separator Filter	DR
	Primary & Secondary Engine Air Filters	DR
	Cab air conditioner / heater filters	DR
<b>CLEAN:</b>		
	Batteries and terminals	DR
	Fuel Cap & Filler Screen	DR
	Engine air pre cleaner	DR
	Crank Case Breather	DR
	Radiator core	DR
	Condenser	DR
<b>CHECK:</b>		
	Hydraulic system oil level	DR
	Swing drive oil level (If applicable)	DR
	Coolant level	DR
	Drain fuel tank water & sediment	DR
	Battery cable	DR
	Battery electrolyte level	DR
	Fuses	DR
	Reset circuit breakers	DR
	Bucket linkage	DR
	Track adjustment	DR
	Undercarriage	DR
<b>GREASE:</b>		
	Boom, stick & bucket linkage	DR
	Swing bearing	DR
	Fill auto grease system	DR

Note: The electronic copy of this document is controlled. To ensure that other copies of this document are current, check the revision number and date against the compliance management database, Qudos

Prepared By: Troy Slorach      Date: 31/08/2020      Approved By: Troy Slorach      Date: 31/08/2020  
 Rev. No: 2      Date Implemented: 31/08/2020

**500 HR MECHANICAL SERVICE**

**KEY:**

1. Defect found and repaired
2. Defect found and recorded, machine still OK
3. OK
4. Not applicable

**CHECK:**

	1	2	3	4
Condition and tension of belts			✓	
Air conditioner – condition and operation			✓	
Operation of hydraulic controls			✓	
Frame and attachments for cracks			✓	
Fuel system for loose bolts and fittings			✓	
Fuel line supply support clamps			✓	
Hydraulic system for damaged lines and loose fittings			✓	
All hoses for general condition and chaffing			✓	
Cooling system hoses for condition and clamps for tightness			✓	
Induction system for leaks and clamps for tightness			✓	
Engine mounts			✓	
Exhaust system for leaks, clamps and bolts for tightness			✓	
Radiator for debris (wash if necessary)			✓	
All points are receiving grease			✓	
Operation of park brake / Implement lock			✓	
Fan hub and pulley bearings for excessive movement			✓	
Seat belt – retainers and operation			✓	
Horns – air/electric			✓	
Wipers			✓	
Mirrors			✓	
Seats – suspension adjustment/condition			✓	
Doors			✓	
Windows			✓	
Gauges			✓	
Grab rails			✓	
Fire extinguishers – invert and shake to loosen powder			✓	

*Note: The electronic copy of this document is controlled. To ensure that other copies of this document are current, check the revision number and date against the compliance management database, Qudos*

Prepared By: Troy Slorach      Date: 31/08/2020      Approved By: Troy Slorach      Date: 31/08/2020  
 Rev. No: 2      Date Implemented: 31/08/2020






## Custom Track Service Simplified

**WILLIAM ADAMS**

**GARRAWAY GROUP**

Prepared By: Matthew Miller

<b>Model</b>	345-07GC	<b>Job Site</b>	Douglas	<b>Inspection Date</b>	28Feb24
<b>Manufacturer</b>	Caterpillar		<u>Left</u> <u>Right</u>	<b>Next Inspection Date</b>	07Feb26
<b>Serial Number</b>	KEF00320	<b>Track Sag</b>	--    --	<b>Next Inspection Hours</b>	9135
<b>Reference Number</b>	EX45	<b>Frame Ext</b>	--    --	<b><u>Underfoot Conditions</u></b>	
<b>Hour Meter Reading</b>	4798	<b>Frame Ext %</b>	--    --	<b>Impact</b>	Moderate
<b>Hours Per Week</b>	42.7	<b>Dry Joints</b>	0    0	<b>Abrasion</b>	Low
<b>Total Odometer Reading</b>	--	<b>Link Roller System</b>	--    --	<b>Moisture</b>	Moderate
<b>Forward Odometer</b>	--			<b>Packing</b>	Moderate
<b>Reverse Odometer</b>	--			<b>Bushing Allowable Wear</b>	Greater
<b>Distance Per Week</b>	--			<b>Link Allowable Wear</b>	Greater



Component	Status		Part Number		Measurement (mm)		Percent Worn		
	Left	Right	Left	Right	Left	Right	Left	Right	
<b>Link Assemblies</b>	<b>Left: 6104693</b>		<b>Right: 6104693</b>		<b>Pitch: 8.5 in (215.9 mm)</b>		<b>Sections: 49</b>		
<b>Track Link</b>	Original	Original	6104679	6104679	33.3	33.8	17%	10%	
<b>Bushing (Ext)</b>	Original	Original	6104677	6104677	10.0	10.0	42%	42%	
<b>Track Shoe</b>	<b>Left Width: 700.0mm</b>				<b>Right Width: 700.0mm</b>				
	Original	Original	6104687	6104687	37.6	37.0	26%	29%	
<b>Idlers</b>									
<b>Front</b>	Original	Original	1362422	1362422	21.0	21.0	14%	14%	
<b>Carrier Roller</b>									
<b>Front</b>	Original	Original	6034925	6034925	159.0	158.0	4%	8%	
<b>2</b>	Original	Original	6034925	6034925	160.0	168.0	0%	<0%	
<b>Track Roller</b>									
<b>Front</b>	S	Original	Original	6095428	6095428	47.6	47.5	<0%	<0%
<b>2</b>	S	Original	Original	6095428	6095428	48.0	48.0	<0%	<0%
<b>3</b>	S	Original	Original	6095428	6095428	48.3	48.2	<0%	<0%
<b>4</b>	S	Original	Original	6095428	6095428	58.0	48.2	<0%	<0%

5	S	Original	Original	6095428	6095428	48.0	48.0	<0%	<0%
6	S	Original	Original	6095428	6095428	48.0	48.1	<0%	<0%
7	S	Original	Original	6095428	6095428	48.0	48.1	<0%	<0%
8	S	Original	Original	6095428	6095428	48.0	47.7	<0%	<0%
<b>Sprocket</b>									
		Original	Original	6Y5685	6Y5685	--	--	--	--
CONDITION: Good					CONDITION: Good				

## General Recommendations

All undercarriage is good no work required.

### Photos

Pre-Inspect



Pre-Inspect



Pre-Inspect

Pre-Inspect



Pre-Inspect



Pre-Inspect





Pre-Inspect



Pre-Inspect

---