DAWSONS HAULAGE SERVICE SHEET

TRUCK REGO		TRAILER REGO	YQ14PW	TRAILER #	144	DOLLY #	
ODOMETER		HUB READING		HUB READING		HUB READING	
DATE:	611123	SERVICE TYPE: (CIRCLE)		A	B	C	D (TRAILER)

A SERVICE	✓ ✗	B SERVICE	✓ ✗	C SERVICE	✓ ✗
Check Operation for all lights		Check Clutch & Play		Fault Report Repairs	
Hazard Lights		Check Speed Limiters		"A & B" Service	
Overall Body Inspection		Change Engine Oil & Filter		Change ALL Filters	
Check Mirrors		Change Fuel Filter		Change Diff Oil	
Pittman Arm		Check/Replace Air Cleaners		Change GearBox Oil	
Drag Link		Drain Fan Clutch Filter		Check Front Hubs	
Tie Rod Ends		Battery Levels & Terminals		Power Steering Oil	
Brakes for Contamination		Clean EGR Sensors		**CHECK/REPLACE**	
Steering Uni's		Check Radaitor/Intercooler Security		Drive Belts	
Check Universals & Pinions		Inspect Brake Linings		Alternator Belts/S	
Check for engine oil and Water Leaks		Check Gearbox Oil levels/Leaks		Water Pump Belt	
Drain Air Tanks		Check Diff Oils		Air Conditioner Belt	
Tyre Tread & Depth		Recheck drain and Level plugs		Fan Belt/s	
Check for Air Leaks		Check King Pins		Air Cleaner	
Check & Adjust Brakes		Check Steer Tyre Pressure		Check All Bearings	
Check Turntable serviceability & Adj		Rotate Steer Tyres		**D SERVICE - TRAILER ONLY**	
Grease		Tension Steer Wheel Nuts		COMPLIENCE STICKER: Y / N	✓
Grease Uni's & Slipjoints		Check Horton Bearings		Check All Equipment	✓
Grease Turntable		Fit Service Sticker		Check Fault Book Entries	✓
Fire Extinguisher & Triangles		Check Exhaust for Security & Leaks		Check King Pin	NA
Check Wheel Nuts		Air System Low Air Warning		Check Turntable	NA
Check Ringfeder		Breakaway Protection Operational		Check Draw Bar	NA
		Mud Guards/Flaps Present &Secure		Cleanliness	✓
Fault Report Repairs				Rear Gate	NA
COMPLIENCE STICKER YES / NO				Lubricate ALL Points	✓
UNDER BONNET CHECKS				Check Suspension	✓
Power Steering Oil				Check ALL Lights/Reflectors	✓
Engine Oil		**CHECK FOR WEAR**		Check Fluids	✓
Oil Leaks		Check oil in Hubs		Check Tyre Tread depth	✓
Radiator Levels & Leaks		Visual Check all U-Bolts		Rego/Accreditation Labels	✓
All Hoses & Belts		Visual Check all Shackles		Check Signage	✓
		Check Belt Tensioners		Check Brakes/Adj	✓
IN CABIN CHECKS				Check Connections	✓
Instruments		**BRAKE OPERATION: Must bring the vehicle to a stop from 35km/h within 16.5meters**		Check Wheels	✓
Guages				Check for Structual Damage	✓
Horn				Serviced per Man Specs	✓
Windscreen for Cracks		**OTHER WORK**		Top Up Water Tank	✓
Windscreen Wipers				Grease Extendable Rollers	NA
Accreditation Label				Grease Extendable Locks	NA
Seat for Integrity				Check Shocky mounts	✓
Seat Belts				Check Toolbox mounts	✓
UHF				Tyre Pressures	✓
Check Washers				Check for Airleaks	✓
Check Washer Level				Check Ringfeeder	NA
Windows Operation				Check Container Pins / Blocks	NA
SUSPENSION				UPDATE STICKER/BOARD	✓
Check Air Bags for Leaks		**COMMENTS:**			
Check Shock Absorbers					
Engine & Cabin Mounts					
Springs for Cracks					
Broken Bolts or Pins					

NAME	SIGNATURE	DATE
Luke Warren		611123

ser

ENTERED

NHVR
National Heavy Vehicle Regulator

Version 1.1
March 2021

Heavy Vehicle Inspection Checklist

This checklist is used to complete a vehicle inspection that meets maintenance management standard 4 criteria(4). The inspection must be completed or supervised by a suitably qualified person whose name and signature must appear on the form.

*These fields are not mandatory.

Registration #	YQ 14 PN	**Owner's Details**	
Reason for Inspection*	service	Inspection location*	251 omara rd wellcamp
Inspection Date	6/1/23	Make*	Lusty
Inspection Time*	10am	Model*	Tipper
Odometer		VIN or Fleet #	6F80000000L110108
Registration Expiry Date*		Vehicle Colour*	silver

Cross out those items not applicable.

Tick for Pass Cross for Fail ☑ ☒

Item		Pass	Fail
Identification			
1	Registration Plates Affixed and Legible	☑	☐
2	Compliance Plate Affixed	☑	☐
Lights / Electrical			
3	Park / Tail / Number Plate / Clearance	☑	☐
4	Head Lights / Auxiliary Lights	☑	☐
5	Brake Lights	☑	☐
6	Reflectors / Lenses	☑	☐
7	Warning Device / Turning Indicators	☑	☐
8	Wipers / Washers	NA ☐	☐
Glazing			
9	Material / Visibility	☐	☐
10	Window Operation	NA ☐	☐
Seats / Seat Belts			
11	Mountings / Construction	☑	☐
12	Fitting / Operation / Condition	NA ☐	☐
Wheels & Tyres			
13	Wheels / Security	☑	☐
14	Wheel Bearings	☑	☐
15	Tyres Tread Depth & Condition	☑	☐
Body / Fittings/ Protrusions			
16	Corrosion / Security / Damage	☑	☐
17	Door / Bonnet / Catches	NA ☐	☐
18	Rear Vision Mirrors	NA ☐	☐
19	Rear Marker Plates	☑	☐
20	Body Fittings / Bumper Bars	☑	☐
Tow Couplings			
21	Auto Tow Couplings	☑	☐
22	King Pin / Skid Plate	☑	☐
23	Tow Eye / Drawbar / Safety Chains	NA ☐	☐
24	Ball Race Turn Table	NA ☐	☐
25	Goose Neck	NA ☐	☐

Tick for Pass Cross for Fail ☑ ☒

Item		Pass	Fail
Braking			
26	Brake Components	☑	☐
27	Brake Operation(Refer Notes)	☑	☐
Steering			
28	Steering Box / Pitman Arm	NA ☐	☐
29	Arms / Linkages / Wheel	☑	☐
30	King Pins	☑	☐
31	Free Play	☑	☐
Suspension			
32	Springs	NA ☐	☐
33	Hangers / Pins / Bushes	☑	☐
34	Air Bags / Air Suspension	☑	☐
35	Shock Absorbers	☑	☐
36	Axles / Cross Members	☑	☐
Oil / Fuel Leaks			
37	Engine / Driveline	NA ☐	☐
38	Steering / Accessories	☐	☐
Exhaust			
39	Leaks / Design / Security	NA ☐	☐
40	Emissions	☐	☐
Mountings			
41	Engine / Transmission	NA ☐	☐
42	Body	☑	☐
Air Systems			
43	Leaks / Low Air Warning / Contamination	☑	☐
44	Breakaway Protection	☑	☐
Under body / Chassis			
45	Cracks / Security	☑	☐
46	Corrosion	☑	☐
Mudguards / Mud Flaps			
47	Fitted as Required	☑	☐

Notes:

1. If manufacture specifications are unknown refer to the Heavy Vehicle Inspection Manual for minimum requirements.
2. For a heavy vehicle built after 1930, the service brake must bring the vehicle or combination to a stop within 16.5m from a speed of 35km/h.
3. Trailer breakaway protection must be checked for operation.

Name: Luke warren

Signature: [signature]

WA Heavy Vehicle Accreditation

mainroads WESTERN AUSTRALIA

ACCREDITATION ROADWORTHINESS CHECKLIST

This form is not for licensing purposes, but is only to be used for Western Australian Heavy Vehicle Accreditation. This form summarises what is required to assess the roadworthiness of vehicles.

Owner Details (to be completed by Applicant)

Name in Full: Family Name/Company Name: DAWSON'S HAULAGE

Given Names:

ACN: 103 341 163

Main Roads WAHVA Operator No: 07537

ABN: 63 103 341 163

Business Address: (must be completed) 36-40 MULLER ST

Suburb: BARANDUDA

Postcode: 3691

Postal Address: (if different from above) PO BOX 1181

Suburb: WODONGA

Postcode: 3689

Vehicle Details

Year: 2021 Make: Lusty Vehicle Type: Tipper Model:

Engine No:

VIN/Chassis No: 6F80000000L110108

Compliance Plate: Fitted Y / N: ✓ Month / Year: Registration Plate Number: YQ14PV

I certify that I have inspected this vehicle and, to the best of my knowledge and abilities, declare that it is in a roadworthy condition at the time of inspection.

Inspected By:

Name: Luke Warren

Qualifications/Experience: 10 years exp

Signature: [signature]

Date: 06/01/2023 Odometer Reading:

Note: This form needs to be signed by a person who is deemed competent under the WA Heavy Vehicle Accreditation System.

1. Approved Inspection Station: or
2. Qualified Mechanic: or
3. Person who has had at least five years experience in the maintenance of heavy vehicles.

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YQ14PN		TRAILER NUMBER	144	DATE: 9/9/24
KILOMETERS/HUBO	N/A		DOLLY NUMBER		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware	✓	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and allignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check center bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers		

TOWING CONNECTION		
Inspect turntable jaws - adjust if required	—	
Inspect turntable top/turntable inserts	—	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:
Replaced Broken number plate lights
free up ringfeder.

NAME	SIGNATURE	DATE
Jesse Callaghan		9/9/24

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YQ14PN		TRAILER NUMBER	144	DATE: 20-6-24
KILOMETERS/HUBO	no hubo		DOLLY NUMBER		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19		
Inspect cracks in twist lock beams	✓	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	—	
Inspect roof, walls and doors, including hardware	—	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	✓	
BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	—	
WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	—	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	
SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	
AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	
MECHANICAL SUSPENSION	A	C
Check center bolts	✓	
Check springs	✓	
Check rocker bushes and rods	—	
Check hangers	✓	
Check shockers	✓	
TOWING CONNECTION		
Inspect turntable jaws - adjust if required	—	
Inspect turntable top/turntable inserts	—	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	
ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	—	

NOTES:

NAME Paddy (CRANK-IT) SIGNATURE [signature] DATE 20-6-24

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	XQ14PN		TRAILER NUMBER	—	DATE: 25/10/24
KILOMETERS/HUBO	—		DOLLY NUMBER	—	

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	—
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware	✓	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	—	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	—	
COMPLIENCE STICKER YES / NO	✓	

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check center bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers	✓	

TOWING CONNECTION	A	C
Inspect turntable jaws - adjust if required	—	
Inspect turntable top/turntable inserts	—	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

REPLACED MUDFLAP + ANTI-SAIL BRACKET (RHF)

STRAIGHTENED RINGFEEDER DUE TO BEING TWISTED FROM JACK-KNIFING. CHECKED OPERATION. ALL GOOD

NAME	SIGNATURE	DATE
SAM FLETCHER		25/10/24

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YQ 14PN		TRAILER NUMBER	144	DATE: 27/3/25
KILOMETERS/HUBO			DOLLY NUMBER		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	✓	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	✓	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware		
Inspect curtain condition, operation, posts and rollers		
Inspect load strap and winder for condition and security	N/A	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs		

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags		
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check center bolts	X	X
Check springs	X	X
Check rocker bushes and rods	X	X
Check hangers	X	X
Check shockers	X	X

TOWING CONNECTION		
Inspect turntable jaws - adjust if required	—	
Inspect turntable top/turntable inserts	—	
Inspect skid plate wear - refer NHVIM 14.6	—	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease		
Check mounting bolt tension	—	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker		

NOTES:

NAME	Chad, Dom, Brad	SIGNATURE		DATE	27/3/25

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YQ14PN		TRAILER NUMBER	N44	DATE: 30.6.25
KILOMETERS/HUBO			DOLLY NUMBER		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	✓	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	—	
Inspect roof, walls and doors, including hardware	—	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs		

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags		
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check center bolts	✓	
Check springs	✓	
Check rocker bushes and rods	✓	
Check hangers	✓	
Check shockers	✓	

TOWING CONNECTION	A	C
Inspect turntable jaws - adjust if required	✓	
Inspect turntable top/turntable inserts	✓	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

2 MUDFLAPS ✓

NAME R. MCLAUGHLIN

SIGNATURE

DATE 30.6.25

DAWSON'S HAULAGE SERVICE SHEET

TRUCK REGO		TRAILER REGO	YQ 14PN	TRAILER #	144.	DOLLY #	
ODOMETER		HUB READING	TIPPERS	HUB READING		HUB READING	
DATE:	25-7-22		SERVICE TYPE: (CIRCLE)	A	B	C	D (TRAILER)

A SERVICE	✓ ✗	B SERVICE	✓ ✗	C SERVICE	✓ ✗
Check Operation for all lights		Check Clutch & Play		Fault Report Repairs	
Hazard Lights		Check Speed Limiters		"A & B" Service	
Overall Body Inspection		Change Engine Oil & Filter		Change ALL Filters	
Check Mirrors		Change Fuel Filter		Change Diff Oil	
Pittman Arm		Check/Replace Air Cleaners		Change GearBox Oil	
Drag Link		Drain Fan Clutch Filter		Check Front Hubs	
Tie Rod Ends		Battery Levels & Terminals		Power Steering Oil	
Brakes for Contamination		Clean EGR Sensors		**CHECK/REPLACE**	
Steering Uni's		Check Radaitor/Intercooler Security		Drive Belts	
Check Universals & Pinions		Inspect Brake Linings		Alternator Belts/S	
Check for engine oil and Water Leaks		Check Gearbox Oil levels/Leaks		Water Pump Belt	
Drain Air Tanks		Check Diff Oils		Air Conditioner Belt	
Tyre Tread & Depth		Recheck drain and Level plugs		Fan Belt/s	
Check for Air Leaks		Check King Pins		Air Cleaner	
Check & Adjust Brakes		Check Steer Tyre Pressure		Check All Bearings	
Check Turntable serviceability & Adj		Rotate Steer Tyres		**D SERVICE - TRAILER ONLY**	✓
Grease		Tension Steer Wheel Nuts		**Compliance sticker-Yes** ☐ **No** ☑	No.
Grease Uni's & Slipjoints		Check Horton Bearings		Check Fault Book Entries	✓
Grease Turntable		Fit Service Sticker		Check King Pin	✓
Fire Extinguisher & Triangles		Check Exhaust for Security & Leaks		Check Turntable	N/A
Check Wheel Nuts		Air System Low Air Warning		Check Draw Bar	N/A
Check Ringfeder		Breakaway Protection Operational		Check Hanger Security	✓
Fault Report Repairs		Mud Guards/Flaps Present &Secure		Cleanliness	✓
Compliance sticker Yes ☐ No ☐	No.			Rear Gate	✓
UNDER BONNET CHECKS				Lubricate ALL Points	✓
Power Steering Oil				Check Suspension	✓
Engine Oil		**CHECK FOR WEAR**		Check ALL Lights/Reflectors	✓
Oil Leaks		Check oil in Hubs		Check Fluids	✓
Radiator Levels & Leaks		Visual Check all U-Bolts		Check Tyre Tread depth	✓
All Hoses & Belts		Visual Check all Shackles		Accreditation Labels	✓
		Check Belt Tensioners		Check Signage	✓
IN CABIN CHECKS				Check Brakes/Adj	✓
Instruments		**BRAKE OPERATION: Must bring the vehicle to a stop from 35km/h within 16.5meters**		Check Connections	✓
Guages				Check Wheels	✓
Horn				Check for Structual Damage	✓
Windscreen for Cracks		**OTHER WORK**		Serviced per Man Specs	✓
Windscreen Wipers				Top Up Water Tank	✓
Accreditation Label				Grease Extendable Rollers	N/A
Seat for Integrity				Grease Extendable Locks	N/A
Seat Belts				Check Shocky mounts	✓
UHF				Check Toolbox mounts	✓
Check Washers				Tyre Pressures	✓
Check Washer Level				Check for Airleaks	✓
Windows Operation				Check Ringfeeder	✓
SUSPENSION				UPDATE STICKER/BOARD	✓
Check Air Bags for Leaks		**COMMENTS:**			
Check Shock Absorbers					
Engine & Cabin Mounts					
Springs for Cracks					
Broken Bolts or Pins					

NAME	SIGNATURE	DATE
Ben		25-7-22

KB.

WA Heavy Vehicle Accreditation

mainroads WESTERN AUSTRALIA

ACCREDITATION ROADWORTHINESS CHECKLIST

This form is not for licensing purposes, but is only to be used for Western Australian Heavy Vehicle Accreditation. This form summarises what is required to assess the roadworthiness of vehicles.

Owner Details (to be completed by Applicant)

Name in Full: Family Name/Company Name: DAWSON'S HAULAGE

Given Names:

ACN: 1 0 2 3 3 4 1 6 3

Main Roads WAHVA Operator No: 0 7 5 3 7

ABN: 6 3 1 0 2 3 3 4 1 6 3

Business Address: (must be completed): 36-40 MULLER ST

Suburb: BARANDUDA

Postcode: 3 6 9 1

Postal Address: (if different from above): PO BOX 1181

Suburb: WODONGA

Postcode: 3 6 8 9

Vehicle Details

Year: 2022 Make: Lusty Vehicle Type: Tippers Model:

Engine No:

VIN/Chassis No: 6F800000000L110108

Compliance Plate: Fitted Y / N Month / Year Registration Plate Number: YQ14PN

I certify that I have inspected this vehicle and, to the best of my knowledge and abilities, declare that it is in a roadworthy condition at the time of inspection.

Inspected By:

Name: Ba

Qualifications/Experience: Toowoomba Mechanic

Signature: [signature]

Date: 25/07/2022 Odometer Reading:

Note: This form needs to be signed by a person who is deemed competent under the WA Heavy Vehicle Accreditation System.

1. Approved Inspection Station: or
2. Qualified Mechanic: or
3. Person who has had at least five years experience in the maintenance of heavy vehicles.

NHVR
National Heavy Vehicle Regulator

Heavy Vehicle Inspection Checklist

This checklist is used to complete a vehicle inspection that meets maintenance management standard 4 criteria(4). The inspection must be completed or supervised by a suitably qualified person whose name and signature must appear on the form.
*These fields are not mandatory.

Registration #	YQ 14PN
Reason for Inspection*	
Inspection Date	25-7-22
Inspection Time*	
Odometer	
Registration Expiry Date*	

Owner's Details	
Inspection location*	Toowoomba
Make*	Lusty
Model*	Tipper
VIN or Fleet #	110108
Vehicle Colour*	

Cross out those items not applicable.

Tick for Pass Cross for Fail ☑ ☒

Item		Pass	Fail
Identification			
1	Registration Plates Affixed and Legible	☑	☐
2	Compliance Plate Affixed	☑	☐
Lights / Electrical			
3	Park / Tail / Number Plate / Clearance	☑	☐
4	Head Lights / Auxiliary Lights	☑	☐
5	Brake Lights	☑	☐
6	Reflectors / Lenses	☑	☐
7	Warning Device / Turning Indicators	☑	☐
8	Wipers / Washers	☒	☐
Glazing			
9	Material / Visibility	☒	☐
10	Window Operation	☒	☐
Seats / Seat Belts			
11	Mountings / Construction	☒	☐
12	Fitting / Operation / Condition	☒	☐
Wheels & Tyres			
13	Wheels / Security	☑	☐
14	Wheel Bearings	☑	☐
15	Tyres Tread Depth & Condition	☑	☐
Body / Fittings/ Protrusions			
16	Corrosion / Security / Damage	☑	☐
17	Door / Bonnet / Catches	☑	☐
18	Rear Vision Mirrors	☑	☐
19	Rear Marker Plates	☑	☐
20	Body Fittings / Bumper Bars	☑	☐
Tow Couplings			
21	Auto Tow Couplings	☒	☐
22	King Pin / Skid Plate	☒	☐
23	Tow Eye / Drawbar / Safety Chains	☒	☐
24	Ball Race Turn Table	☒	☐
25	Goose Neck	☒	☐

Tick for Pass Cross for Fail ☑ ☒

Item		Pass	Fail
Braking			
26	Brake Components	☑	☐
27	Brake Operation(Refer Notes)	☑	☐
Steering			
28	Steering Box / Pitman Arm	☑	☐
29	Arms / Linkages / Wheel	☑	☐
30	King Pins	☑	☐
31	Free Play	☑	☐
Suspension			
32	Springs	☑	☐
33	Hangers / Pins / Bushes	☑	☐
34	Air Bags / Air Suspension	☑	☐
35	Shock Absorbers	☑	☐
36	Axles / Cross Members	☑	☐
Oil / Fuel Leaks			
37	Engine / Driveline	☒	☐
38	Steering / Accessories	☒	☐
Exhaust			
39	Leaks / Design / Security	☒	☐
40	Emissions	☒	☐
Mountings			
41	Engine / Transmission	☒	☐
42	Body	☑	☐
Air Systems			
43	Leaks / Low Air Warning / Contamination	☑	☐
44	Breakaway Protection	☑	☐
Under body / Chassis			
45	Cracks / Security	☑	☐
46	Corrosion	☑	☐
Mudguards / Mud Flaps			
47	Fitted as Required	☑	☐

Notes:
1. If manufacture specifications are unknown refer to the Heavy Vehicle Inspection Manual for minimum requirements.
2. For a heavy vehicle built after 1930, the service brake must bring the vehicle or combination to a stop within 16.5m from a speed of 35km/h.
3. Trailer breakaway protection must be checked for operation.

Name: [signature] **Signature:** [signature]