DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YB40EJ		TRAILER NUMBER	218	DATE: 21/10/25
KILOMETERS/HUBO	N/A		DOLLY NUMBER		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware	✓	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	
BRAKE COMPONENTS/AIR SYSTEM	**A**	**C**
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils		
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	
WHEELS, TYRES AND BEARINGS	**A**	**C**
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	
SAFETY SYSTEMS	**A**	**C**
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	
AIR SUSPENSION	**A**	**C**
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	
MECHANICAL SUSPENSION	**A**	**C**
Check center bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers		
TOWING CONNECTION		
Inspect turntable jaws - adjust if required	—	
Inspect turntable top/turntable inserts	—	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	
ELECTRICAL SYSTEM	**A**	**C**
Inspect trailer plug - check pin condition	✓	
inspect all lights and reflectors - refer to NHVIM 14.20	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

Repair tyre puncture L/H/F outer.
Replaced all leaking hose clamps

NAME	Jesse Callaghan	SIGNATURE		DATE	31/10/25

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YQ402S		TRAILER NUMBER	218	DATE: 5-7-24
KILOMETERS/HUBO	47270		DOLLY NUMBER		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	✓	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	—	
Inspect roof, walls and doors, including hardware	✓	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	—	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	—	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags		
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	—	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	—	

MECHANICAL SUSPENSION	A	C
Check center bolts	—	
Check springs	✓	
Check rocker bushes and rods	—	
Check hangers	✓	
Check shockers	✓	

TOWING CONNECTION		
Inspect turntable jaws - adjust if required	—	
Inspect turntable top/turntable inserts	—	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	—	

NOTES:

NAME	Paddy (Crank-IT)	SIGNATURE		DATE	5-7-24

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER ~~REGO~~ VIN	6V9LMTSMTPP	002205	TRAILER NUMBER	—	DATE: 10/10/24
KILOMETERS/HUBO	80023	YB40EJ (218)	DOLLY NUMBER	—	

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	—
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	—
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware	✓	
Inspect curtain condition, operation, posts and rollers	—	—
Inspect load strap and winder for condition and security	—	—

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	—	—
COMPLIENCE STICKER YES / NO	✓	

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	—	—

MECHANICAL SUSPENSION	A	C
Check center bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers		

TOWING CONNECTION		
Inspect turntable jaws - adjust if required	—	—
Inspect turntable top/turntable inserts	—	—
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

No No. Plate

NAME	SIGNATURE	DATE
Sam Fletcher		10/10/24

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YB40EJ		TRAILER NUMBER	218	DATE: 12-1-26
KILOMETERS/HUBO			DOLLY NUMBER		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	✓	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	✓	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware	✓	
Inspect curtain condition, operation, posts and rollers	N/A	N/A
Inspect load strap and winder for condition and security	N/A	N/A

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIENCE STICKER YES / NO	✓	

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers		
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check center bolts	N/A	
Check springs	N/A	
Check rocker bushes and rods	N/A	
Check hangers	N/A	
Check shockers	N/A	

TOWING CONNECTION		
Inspect turntable jaws - adjust if required	✓	
Inspect turntable top/turntable Inserts	N/A	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
inspect all lights and reflectors - refer to NHVIM 14.20	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

NAME	Bryce George	SIGNATURE		DATE	12-1-26

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YB40EJ	TR218	TRAILER NUMBER	Tipper lead	DATE: 15/9/25
KILOMETERS/HUBO	—		DOLLY NUMBER	—	

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	✓	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	✓	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware	✓	
Inspect curtain condition, operation, posts and rollers	✓	
Inspect load strap and winder for condition and security	✓	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIENCE STICKER YES / NO	✓	

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check center bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers		

TOWING CONNECTION		
Inspect turntable jaws adjust if required	—	
Inspect turntable top/turntable inserts	—	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

Fitted new scales.

NAME	Jacob Murrell	SIGNATURE		DATE	15/9/25

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YB40EJ		TRAILER NUMBER	218	DATE: 25/11/24
KILOMETERS/HUBO	84873		DOLLY NUMBER		

STRUCTURE	(A)	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and ~~doors~~, including hardware	✓	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	
BRAKE COMPONENTS/AIR SYSTEM	(A)	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	—	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	
WHEELS, TYRES AND BEARINGS	(A)	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	
SAFETY SYSTEMS	(A)	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIENCE STICKER YES / NO		

GENERAL	(A)	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	
AIR SUSPENSION	(A)	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	
MECHANICAL SUSPENSION	A	C
Check center bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers		
TOWING CONNECTION		
Inspect turntable jaws - adjust if required	—	
Inspect turntable top/turntable inserts	—	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	
ELECTRICAL SYSTEM	(A)	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

NAME	Jesse Callaghan	SIGNATURE		DATE	25/11/24

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YB40EJ		TRAILER NUMBER	218	DATE: 28/4/25
KILOMETERS/HUBO			DOLLY NUMBER		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams		
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation		
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security		
Inspect roof, walls and doors, including hardware	✓	
Inspect curtain condition, operation, posts and rollers		
Inspect load strap and winder for condition and security		

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chafing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs		

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIENCE STICKER YES / NO		

GENERAL	A
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓
Check toolbox mount/security	✓

AIR SUSPENSION	A
Check all shockers	✓
Check all airbags for leaks/perished	✓
Check spring saddles and alignment	✓
Check ride height valve	✓
Check eye bushes	✓
Check u-bolt tension	✓

MECHANICAL SUSPENSION	A
Check center bolts	
Check springs	
Check rocker bushes and rods	
Check hangers	
Check shockers	

TOWING CONNECTION	
Inspect turntable jaws - adjust if required	
Inspect turntable top/turntable inserts	
Inspect skid plate wear - refer NHVIM 14.6	✓
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓
Check mounting bolt tension	✓

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

Grease Tracker Had Trouble getting grease into Tipping Hinge. Cleaned out + Took Grease

NAME	Zac Welsh	SIGNATURE		DATE	28/4/25