DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YQ16PN		TRAILER NUMBER	145	DATE: 9/9/24
KILOMETERS/HUBO	N/A		DOLLY NUMBER		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware	✓	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	
BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	
WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	
SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	
AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	
MECHANICAL SUSPENSION	A	C
Check center bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers		
TOWING CONNECTION		
Inspect turntable jaws - adjust if required	✓	
Inspect turntable top/turntable inserts	✓	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	
ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

NAME	Jesse Callaghan	SIGNATURE		DATE	9/9/24

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YQ16 PN		TRAILER NUMBER	145	DATE: 20-6-24
KILOMETERS/HUBO	no hubo		DOLLY NUMBER		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	✓	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	—	
Inspect roof, walls and doors, including hardware	—	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	
BRAKE COMPONENTS/AIR SYSTEM	**A**	**C**
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	—	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	—	
WHEELS, TYRES AND BEARINGS	**A**	**C**
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	—	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	
SAFETY SYSTEMS	**A**	**C**
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	
AIR SUSPENSION	**A**	**C**
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	
MECHANICAL SUSPENSION	**A**	**C**
Check center bolts	✓	
Check springs	✓	
Check rocker bushes and rods	—	
Check hangers	✓	
Check shockers	✓	
TOWING CONNECTION		
Inspect turntable jaws - adjust if required	—	
Inspect turntable top/turntable inserts	—	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	
ELECTRICAL SYSTEM	**A**	**C**
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	—	

NOTES:

NAME Paddy (CRANK-IT) SIGNATURE [signature] DATE 20-6-24

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YR16PV		TRAILER NUMBER	—	DATE: 25/10/24
KILOMETERS/HUBO	—		DOLLY NUMBER	—	

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware	✓	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	—	
COMPLIENCE STICKER YES / NO	✓	

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check center bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers	✓	

TOWING CONNECTION		
Inspect turntable jaws - adjust if required	—	
Inspect turntable top/turntable inserts	—	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

NAME	SIGNATURE	DATE
SAM FLETCHER		25/10/24

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YQ16PN		TRAILER NUMBER	145	DATE: 27-3-25
KILOMETERS/HUBO			DOLLY NUMBER		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	✓	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	✓	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware	N/A	
Inspect curtain condition, operation, posts and rollers	N/A	
Inspect load strap and winder for condition and security	N/A	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings		
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIENCE STICKER YES / NO	✓	

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check center bolts	X	X
Check springs	X	X
Check rocker bushes and rods	X	X
Check hangers	X	X
Check shockers	X	X

TOWING CONNECTION		
Inspect turntable jaws - adjust if required	✓	
Inspect turntable top/turntable inserts	✓	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

NAME	Chad, Dom-brad	SIGNATURE		DATE	27/3/25

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	1Q16PN		TRAILER NUMBER	145	DATE: 30-6-25
KILOMETERS/HUBO			DOLLY NUMBER		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	✓	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15		
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security		
Inspect roof, walls and doors, including hardware	—	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs		

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags		
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check center bolts	✓	
Check springs	✓	
Check rocker bushes and rods	✓	
Check hangers	✓	
Check shockers	✓	

TOWING CONNECTION		
Inspect turntable jaws - adjust if required	—	
Inspect turntable top/turntable inserts	—	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓✓	
Inspect all lights and reflectors - refer to NHVIM	✓✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

RHR GUARD NEED REPAIR
NO REVERSE LIGHTS ✓
NUMBER PLATE LIGHT ✓

NAME R. McLAUGHLIN	SIGNATURE	DATE 30/6

DAWSON'S HAULAGE SERVICE SHEET

TRUCK REGO		TRAILER REGO	YQ16PN	TRAILER #	145	DOLLY #	
ODOMETER		HUB READING	Tippers	HUB READING		HUB READING	
DATE:		SERVICE TYPE: (CIRCLE)		A	B	C	D (TRAILER)

A SERVICE	✓ ✗
Check Operation for all lights	
Hazard Lights	
Overall Body Inspection	
Check Mirrors	
Pittman Arm	
Drag Link	
Tie Rod Ends	
Brakes for Contamination	
Steering Uni's	
Check Universals & Pinions	
Check for engine oil and Water Leaks	
Drain Air Tanks	
Tyre Tread & Depth	
Check for Air Leaks	
Check & Adjust Brakes	
Check Turntable serviceability & Adj	
Grease	
Grease Uni's & Slipjoints	
Grease Turntable	
Fire Extinguisher & Triangles	
Check Wheel Nuts	
Check Ringfeder	
Fault Report Repairs	
UNDER BONNET CHECKS	
Power Steering Oil	
Engine Oil	
Oil Leaks	
Radiator Levels & Leaks	
All Hoses & Belts	
IN CABIN CHECKS	
Instruments	
Guages	
Horn	
Windscreen for Cracks	
Windscreen Wipers	
Accreditation Label	
Seat for Integrity	
Seat Belts	
UHF	
Check Washers	
Check Washer Level	
Windows Operation	
SUSPENSION	
Check Air Bags for Leaks	
Check Shock Absorbers	
Engine & Cabin Mounts	
Springs for Cracks	
Broken Bolts or Pins	

B SERVICE	✓ ✗
Check Clutch & Play	
Check Speed Limiters	
Change Engine Oil & Filter	
Change Fuel Filter	
Check/Replace Air Cleaners	
Drain Fan Clutch Filter	
Battery Levels & Terminals	
Clean EGR Sensors	
Check Radaitor/Intercooler Security	
Inspect Brake Linings	
Check Gearbox Oil levels/Leaks	
Check Diff Oils	
Recheck drain and Level plugs	
Check King Pins	
Check Steer Tyre Pressure	
Rotate Steer Tyres	
Tension Steer Wheel Nuts	
Check Horton Bearings	
Fit Service Sticker	
Check Exhaust for Security & Leaks	
Air System Low Air Warning	
Breakaway Protection Operational	
Mud Guards/Flaps Present &Secure	
CHECK FOR WEAR	
Check oil in Hubs	
Visual Check all U-Bolts	
Visual Check all Shackles	
Check Belt Tensioners	
BRAKE OPERATION: Must bring the vehicle to a stop from 35km/h within 16.5meters	

OTHER WORK

C SERVICE	D (TRAILER) ✓ ✗
Fault Report Repairs	
"A & B" Service	
Change ALL Filters	
Change Diff Oil	
Change GearBox Oil	
Check Front Hubs	
Power Steering Oil	
CHECK/REPLACE	
Drive Belts	
Alternator Belts/S	
Water Pump Belt	
Air Conditioner Belt	
Fan Belt/s	
Air Cleaner	
Check All Bearings	
D SERVICE - TRAILER ONLY	
Check Fault Book Entries	✓
Check King Pin	✓
Check Turntable	N/A
Check Draw Bar	N/A
Check Hanger Security	✓
Cleanliness	✓
Rear Gate	✓
Lubricate ALL Points	✓
Check Suspension	✓
Check ALL Lights/Reflectors	✓
Check Fluids	✓
Check Tyre Tread depth	✓
Accreditation Labels	✓
Check Signage	✓
Check Brakes/Adj	✓
Check Connections	✓
Check Wheels	✓
Check for Structual Damage	✓
Serviced per Man Specs	✓
Top Up Water Tank	✓
Grease Extendable Rollers	N/A
Grease Extendable Locks	N/A
Check Shocky mounts	✓
Check Toolbox mounts	✓
Tyre Pressures	✓
Check for Airleaks	✓
Check Ringfeeder	✓

COMMENTS:

NAME	SIGNATURE	DATE
B		25-7-22

ICB.

NHVR
National Heavy Vehicle Regulator

Heavy Vehicle Inspection Checklist

This checklist is used to complete a vehicle inspection that meets maintenance management standard 4 criteria(4). The inspection must be completed or supervised by a suitably qualified person whose name and signature must appear on the form.

*These fields are not mandatory.

Registration #	YQ16PN	**Owner's Details**	
Reason for Inspection*		**Inspection location***	Toowoomba
Inspection Date	25-7-22	**Make***	Lusty Tipper
Inspection Time*		**Model***	
Odometer		**VIN or Fleet #**	110109
Registration Expiry Date*		**Vehicle Colour***	

Cross out those items not applicable.

Item		Pass ☑	Fail ☒
Identification			
1	Registration Plates Affixed and Legible	☑	☐
2	Compliance Plate Affixed	☑	☐
Lights / Electrical			
3	Park / Tail / Number Plate / Clearance	☑	☐
4	Head Lights / Auxiliary Lights	☑	☐
5	Brake Lights	☑	☐
6	Reflectors / Lenses	☑	☐
7	Warning Device / Turning Indicators	☑	☐
8	Wipers / Washers	☑	☐
Glazing			
9	Material / Visibility	☑	☐
10	Window Operation	☑	☐
Seats / Seat Belts			
11	Mountings / Construction	☑	☐
12	Fitting / Operation / Condition	☑	☐
Wheels & Tyres			
13	Wheels / Security	☑	☐
14	Wheel Bearings	☑	☐
15	Tyres Tread Depth & Condition	☑	☐
Body / Fittings/ Protrusions			
16	Corrosion / Security / Damage	☑	☐
17	Door / Bonnet / Catches	☑	☐
18	Rear Vision Mirrors	☑	☐
19	Rear Marker Plates	☑	☐
20	Body Fittings / Bumper Bars	☑	☐
Tow Couplings			
21	Auto Tow Couplings	☑	☐
22	King Pin / Skid Plate	☑	☐
23	Tow Eye / Drawbar / Safety Chains	☑	☐
24	Ball Race Turn Table	☑	☐
25	Goose Neck	☑	☐

Item		Pass ☑	Fail ☒
Braking			
26	Brake Components	☑	☐
27	Brake Operation(Refer Notes)	☑	☐
Steering			
28	Steering Box / Pitman Arm	☑	☐
29	Arms / Linkages / Wheel	☑	☐
30	King Pins	☑	☐
31	Free Play	☑	☐
Suspension			
32	Springs	☑	☐
33	Hangers / Pins / Bushes	☑	☐
34	Air Bags / Air Suspension	☑	☐
35	Shock Absorbers	☑	☐
36	Axles / Cross Members	☑	☐
Oil / Fuel Leaks			
37	Engine / Driveline	☑	☐
38	Steering / Accessories	☑	☐
Exhaust			
39	Leaks / Design / Security	☑	☐
40	Emissions	☑	☐
Mountings			
41	Engine / Transmission	☑	☐
42	Body	☑	☐
Air Systems			
43	Leaks / Low Air Warning / Contamination	☑	☐
44	Breakaway Protection	☑	☐
Under body / Chassis			
45	Cracks / Security	☑	☐
46	Corrosion	☑	☐
Mudguards / Mud Flaps			
47	Fitted as Required	☑	☐

Notes:

1. If manufacture specifications are unknown refer to the Heavy Vehicle Inspection Manual for minimum requirements
2. For a heavy vehicle built after 1930, the service brake must bring the vehicle or combination to a stop within 16.5m from a speed of 35km/h.
3. Trailer breakaway protection must be checked for operation.

Name: _____ **Signature:** _____

WA Heavy Vehicle Accreditation

mainroads WESTERN AUSTRALIA

ACCREDITATION ROADWORTHINESS CHECKLIST

This form is not for licensing purposes, but is only to be used for Western Australian Heavy Vehicle Accreditation. This form summarises what is required to assess the roadworthiness of vehicles.

Owner Details (to be completed by Applicant)

Name in Full: Family Name/Company Name: DAWSON'S HAULAGE

Given Names:

ACN: 103341163

Main Roads WAHVA Operator No: 07537

ABN: 63103341163

Business Address: (must be completed): 36-40 MULLER ST

Suburb: BARANDUDA

Postcode: 3691

Postal Address: (if different from above): PO BOX 1181

Suburb: WODONGA

Postcode: 3689

Vehicle Details

Year: 2022 Make: TIPPER Vehicle Type: Model:

Engine No:

VIN/Chassis No: 6F8000000000L110109

Compliance Plate: Fitted Y / N: Month / Year: Registration Plate Number: YQ16PN

I certify that I have inspected this vehicle and, to the best of my knowledge and abilities, declare that it is in a roadworthy condition at the time of inspection.

Inspected By:

Name: B

Qualifications/Experience: Toowoomba Mechanic

Signature:

Date: 25/07/2022 Odometer Reading:

Note: This form needs to be signed by a person who is deemed competent under the WA Heavy Vehicle Accreditation System.

1. **Approved Inspection Station: or**
2. **Qualified Mechanic: or**
3. **Person who has had at least five years experience in the maintenance of heavy vehicles.**

DAWSONS HAULAGE SERVICE SHEET

TRUCK REGO		TRAILER REGO	YQ16PN	TRAILER #	145	DOLLY #	
ODOMETER		HUB READING		HUB READING		HUB READING	
DATE:	6/11/23	SERVICE TYPE: (CIRCLE)		A	B	C	D (TRAILER)

A SERVICE	✓ ✗	B SERVICE	✓ ✗	C SERVICE	✓ ✗
Check Operation for all lights		Check Clutch & Play		Fault Report Repairs	
Hazard Lights		Check Speed Limiters		"A & B" Service	
Overall Body Inspection		Change Engine Oil & Filter		Change ALL Filters	
Check Mirrors		Change Fuel Filter		Change Diff Oil	
Pittman Arm		Check/Replace Air Cleaners		Change GearBox Oil	
Drag Link		Drain Fan Clutch Filter		Check Front Hubs	
Tie Rod Ends		Battery Levels & Terminals		Power Steering Oil	
Brakes for Contamination		Clean EGR Sensors		CHECK/REPLACE	
Steering Uni's		Check Radaitor/Intercooler Security		Drive Belts	
Check Universals & Pinions		Inspect Brake Linings		Alternator Belts/S	
Check for engine oil and Water Leaks		Check Gearbox Oil levels/Leaks		Water Pump Belt	
Drain Air Tanks		Check Diff Oils		Air Conditioner Belt	
Tyre Tread & Depth		Recheck drain and Level plugs		Fan Belt/s	
Check for Air Leaks		Check King Pins		Air Cleaner	
Check & Adjust Brakes		Check Steer Tyre Pressure		Check All Bearings	
Check Turntable serviceability & Adj		Rotate Steer Tyres		D SERVICE - TRAILER ONLY	
Grease		Tension Steer Wheel Nuts		COMPLIENCE STICKER: Y / N	✓
Grease Uni's & Slipjoints		Check Horton Bearings		Check All Equipment	✓
Grease Turntable		Fit Service Sticker		Check Fault Book Entries	✓
Fire Extinguisher & Triangles		Check Exhaust for Security & Leaks		Check King Pin	✓
Check Wheel Nuts		Air System Low Air Warning		Check Turntable	NA
Check Ringfeder		Breakaway Protection Operational		Check Draw Bar	NA
		Mud Guards/Flaps Present &Secure		Cleanliness	✓
Fault Report Repairs				Rear Gate	NA
COMPLIENCE STICKER YES / NO				Lubricate ALL Points	✓
UNDER BONNET CHECKS				Check Suspension	
Power Steering Oil				Check ALL Lights/Reflectors	✓
Engine Oil		CHECK FOR WEAR		Check Fluids	✓
Oil Leaks		Check oil in Hubs		Check Tyre Tread depth	✓
Radiator Levels & Leaks		Visual Check all U-Bolts		Rego/Accreditation Labels	✓
All Hoses & Belts		Visual Check all Shackles		Check Signage	✓
		Check Belt Tensioners		Check Brakes/Adj	✓
IN CABIN CHECKS				Check Connections	✓
Instruments		BRAKE OPERATION: Must bring the vehicle to a stop from 35km/h within 16.5meters		Check Wheels	✓
Guages				Check for Structual Damage	✓
Horn				Serviced per Man Specs	✓
Windscreen for Cracks		OTHER WORK		Top Up Water Tank	✓
Windscreen Wipers				Grease Extendable Rollers	NA
Accreditation Label				Grease Extendable Locks	NA
Seat for Integrity				Check Shocky mounts	✓
Seat Belts				Check Toolbox mounts	✓
UHF				Tyre Pressures	✓
Check Washers				Check for Airleaks	✓
Check Washer Level				Check Ringfeeder	✓
Windows Operation				Check Contalner Pins / Blocks	NA
SUSPENSION				UPDATE STICKER/BOARD	✓
Check Air Bags for Leaks		COMMENTS:			
Check Shock Absorbers					
Engine & Cabin Mounts					
Springs for Cracks					
Broken Bolts or Pins					

NAME	SIGNATURE	DATE
Luke Vasser		1/6/23

ser

WA Heavy Vehicle Accreditation

mainroads WESTERN AUSTRALIA

ACCREDITATION ROADWORTHINESS CHECKLIST

This form is not for licensing purposes, but is only to be used for Western Australian Heavy Vehicle Accreditation. This form summarises what is required to assess the roadworthiness of vehicles.

Owner Details (to be completed by Applicant)

Name in Full: Family Name/Company Name: DAWSON'S HAULAGE

Given Names:

ACN: 102 334 163

Main Roads WAHVA Operator No: 07537

ABN: 63 102 334 163

Business Address: (must be completed) 36-40 MULLER ST

Suburb: BARANDUDA

Postcode: 3691

Postal Address: (if different from above) PO BOX 1181

Suburb: WODONGA

Postcode: 3689

Vehicle Details

Year: 2021 Make: Isuzu Vehicle Type: Tipper Model:

Engine No:

VIN/Chassis No: 6F8000000000L110109

Compliance Plate: Fitted Y / N: ✓ Month / Year:

Registration Plate Number: YQ16PN

I certify that I have inspected this vehicle and, to the best of my knowledge and abilities, declare that it is in a roadworthy condition at the time of inspection.

Inspected By:

Name: Luke Warren

Qualifications/Experience:

Signature: _____

Date: 06/01/2023 Odometer Reading:

Note: This form needs to be signed by a person who is deemed competent under the WA Heavy Vehicle Accreditation System.

1. Approved Inspection Station: or
2. Qualified Mechanic: or
3. Person who has had at least five years experience in the maintenance of heavy vehicles.

NHVR
National Heavy Vehicle Regulator

Version 1.1
March 2021

Heavy Vehicle Inspection Checklist

This checklist is used to complete a vehicle inspection that meets maintenance management standard 4 criteria(4). The inspection must be completed or supervised by a suitably qualified person whose name and signature must appear on the form.

*These fields are not mandatory.

Registration #	YQ16 PN	Owner's Details	
Reason for Inspection*	Service	Inspection location*	251 omara rd wellcamp
Inspection Date	6/11/23	Make*	Lusty
Inspection Time*	1040am	Model*	Lifter
Odometer	—	VIN or Fleet #	6F8 0000000110109
Registration Expiry Date*		Vehicle Colour*	

Cross out those items not applicable.

Tick for Pass Cross for Fail ☑ ☒

Item		Pass	Fail
Identification			
1	Registration Plates Affixed and Legible	☑	☐
2	Compliance Plate Affixed	☑	☐
Lights / Electrical			
3	Park / Tail / Number Plate / Clearance	☑	☐
4	Head Lights / Auxiliary Lights	☑	☐
5	Brake Lights	☑	☐
6	Reflectors / Lenses	☑	☐
7	Warning Device / Turning Indicators	☑	☐
8	Wipers / Washers	NA	☐
Glazing			
9	Material / Visibility	NA	☐
10	Window Operation		☐
Seats / Seat Belts			
11	Mountings / Construction	NA	☐
12	Fitting / Operation / Condition		☐
Wheels & Tyres			
13	Wheels / Security	☑	☐
14	Wheel Bearings	☑	☐
15	Tyres Tread Depth & Condition	☑	☐
Body / Fittings/ Protrusions			
16	Corrosion / Security / Damage	☑	☐
17	Door / Bonnet / Catches	NA	☐
18	Rear Vision Mirrors	NA	☐
19	Rear Marker Plates	☑	☐
20	Body Fittings / Bumper Bars	☑	☐
Tow Couplings			
21	Auto Tow Couplings	☑	☐
22	King Pin / Skid Plate	☑	☐
23	Tow Eye / Drawbar / Safety Chains	NA	☐
24	Ball Race Turn Table	NA	☐
25	Goose Neck	NA	☐

Tick for Pass Cross for Fail ☑ ☒

Item		Pass	Fail
Braking			
26	Brake Components	☑	☐
27	Brake Operation(Refer Notes)	☑	☐
Steering			
28	Steering Box / Pitman Arm	NA	☐
29	Arms / Linkages / Wheel	☑	☐
30	King Pins	☑	☐
31	Free Play	☑	☐
Suspension			
32	Springs	NA	☐
33	Hangers / Pins / Bushes	☑	☐
34	Air Bags / Air Suspension	☑	☐
35	Shock Absorbers	☑	☐
36	Axles / Cross Members	☑	☐
Oil / Fuel Leaks			
37	Engine / Driveline	NA	☐
38	Steering / Accessories		☐
Exhaust			
39	Leaks / Design / Security	NA	☐
40	Emissions		☐
Mountings			
41	Engine / Transmission	NA	☐
42	Body	☑	☐
Air Systems			
43	Leaks / Low Air Warning / Contamination	☑	☐
44	Breakaway Protection	☑	☐
Under body / Chassis			
45	Cracks / Security	☑	☐
46	Corrosion	☑	☐
Mudguards / Mud Flaps			
47	Fitted as Required	☑	☐

Notes:

1. If manufacture specifications are unknown refer to the Heavy Vehicle Inspection Manual for minimum requirements.
2. For a heavy vehicle built after 1930, the service brake must bring the vehicle or combination to a stop within 16.5m from a speed of 35km/h.
3. Trailer breakaway protection must be checked for operation.

Name: Luke Warren **Signature:** _____