TRI DOLLY

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YB-45CK	TRAILER NUMBER	35	DATE:	19-10-26
KILOMETRES/HUBO		DOLLY NUMBER	31		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	N/A	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	N/A	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	N/A	
Inspect roof, walls and doors, including hardware	N/A	
Inspect curtain condition, operation, posts and rollers	N/A	
Inspect load strap and winder for condition and security	N/A	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect Suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	N/A	
COMPLIANCE STICKER YES / NO	✓	

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	N/A	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check U-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check centre bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers		

TOWING CONNECTION	A	C
Inspect turntable jaws - adjust if required	✓	
Inspect turntable top/turntable inserts	✓	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	N/A	
Check mounting bolt tension	N/A	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
inspect all lights and reflectors - refer to NHVIM 14.20	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	-	

NOTES / OTHER WORK CARRIED OUT:

Replace Turntable jaw kit

NAME	SIGNATURE	DATE
BRAD	B. Watt	19-10-26

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YB45CK		TRAILER NUMBER	[redacted]	DATE: 3/7/24
KILOMETERS/HUBO	194 22		DOLLY NUMBER	D31	

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware	—	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	
BRAKE COMPONENTS/AIR SYSTEM	**A**	**C**
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	
WHEELS, TYRES AND BEARINGS	**A**	**C**
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	
SAFETY SYSTEMS	**A**	**C**
Inspect all safety items including retractable stop blocks and lock pin warning flags		
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	
AIR SUSPENSION	**A**	**C**
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	
MECHANICAL SUSPENSION	**A**	**C**
Check center bolts	—	
Check springs	✓	
Check rocker bushes and rods	—	
Check hangers	✓	
Check shockers	✓	
TOWING CONNECTION		
Inspect turntable jaws - adjust if required	✓	
Inspect turntable top/turntable inserts	✓	
Inspect skid plate wear - refer NHVIM 14.6	—	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	—	
Check mounting bolt tension	✓	
ELECTRICAL SYSTEM	**A**	**C**
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

NAME	Jesse Callaghan	SIGNATURE		DATE	3/7/24

Not Sure if Dolly Has a fleet Number.

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YB45CK		TRAILER NUMBER		DATE: 10/10/24
KILOMETERS/HUBO	19422		DOLLY NUMBER	31	

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams		
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation		
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security		
Inspect roof, walls and doors, including hardware		
Inspect curtain condition, operation, posts and rollers		
Inspect load strap and winder for condition and security		

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs		

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags		
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security		

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check center bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers		

TOWING CONNECTION		
Inspect turntable jaws - adjust if required	✓	
Inspect turntable top/turntable inserts	✓	
Inspect skid plate wear - refer NHVIM 14.6		
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease		
Check mounting bolt tension		

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker		

NOTES: Replaced L/H Rear Guard
Repair Walk Plate at Rear.

NAME	Zac Welsh	SIGNATURE	Zac Welsh	DATE	10/10/24

DAWSONS HAULAGE SERVICE SHEET

TRUCK REGO		TRAILER REGO		TRAILER #		DOLLY #	31
ODOMETER		HUB READING		HUB READING		HUB READING	
DATE:	20/7/23	SERVICE TYPE: (CIRCLE)		A	B	C	D (TRAILER)

A SERVICE	✓ ✗
Check Operation for all lights	
Hazard Lights	
Overall Body Inspection	
Check Mirrors	
Pittman Arm	
Drag Link	
Tie Rod Ends	
Brakes for Contamination	
Steering Uni's	
Check Universals & Pinions	
Check for engine oil and Water Leaks	
Drain Air Tanks	
Tyre Tread & Depth	
Check for Air Leaks	
Check & Adjust Brakes	
Check Turntable serviceability & Adj	
Grease	
Grease Uni's & Slipjoints	
Grease Turntable	
Fire Extinguisher & Triangles	
Check Wheel Nuts	
Check Ringfeder	
Fault Report Repairs	
COMPLIENCE STICKER YES / NO	
UNDER BONNET CHECKS	
Power Steering Oil	
Engine Oil	
Oil Leaks	
Radiator Levels & Leaks	
All Hoses & Belts	
IN CABIN CHECKS	
Instruments	
Guages	
Horn	
Windscreen for Cracks	
Windscreen Wipers	
Accreditation Label	
Seat for Integrity	
Seat Belts	
UHF	
Check Washers	
Check Washer Level	
Windows Operation	
SUSPENSION	
Check Air Bags for Leaks	
Check Shock Absorbers	
Engine & Cabin Mounts	
Springs for Cracks	
Broken Bolts or Pins	

B SERVICE	✓ ✗
Check Clutch & Play	
Check Speed Limiters	
Change Engine Oil & Filter	
Change Fuel Filter	
Check/Replace Air Cleaners	
Drain Fan Clutch Filter	
Battery Levels & Terminals	
Clean EGR Sensors	
Check Radaitor/Intercooler Security	
Inspect Brake Linings	
Check Gearbox Oil levels/Leaks	
Check Diff Oils	
Recheck drain and Level plugs	
Check King Pins	
Check Steer Tyre Pressure	
Rotate Steer Tyres	
Tension Steer Wheel Nuts	
Check Horton Bearings	
Fit Service Sticker	
Check Exhaust for Security & Leaks	
Air System Low Air Warning	
Breakaway Protection Operational	
Mud Guards/Flaps Present &Secure	
CHECK FOR WEAR	
Check oil in Hubs	
Visual Check all U-Bolts	
Visual Check all Shackles	
Check Belt Tensioners	
BRAKE OPERATION: Must bring the vehicle to a stop from 35km/h within 16.5meters	

OTHER WORK

C SERVICE	✓ ✗
Fault Report Repairs	
"A & B" Service	
Change ALL Filters	
Change Diff Oil	
Change GearBox Oil	
Check Front Hubs	
Power Steering Oil	
CHECK/REPLACE	
Drive Belts	
Alternator Belts/S	
Water Pump Belt	
Air Conditioner Belt	
Fan Belt/s	
Air Cleaner	
Check All Bearings	
D SERVICE - TRAILER ONLY	
COMPLIENCE STICKER: Y / N	✓
Check All Equipment	✓
Check Fault Book Entries	✓
Check King Pin	NA
Check Turntable	✓
Check Draw Bar	✓
Cleanliness	✓
Rear Gate	NA
Lubricate ALL Points	✓
Check Suspension	✓
Check ALL Lights/Reflectors	✓
Check Fluids	✓
Check Tyre Tread depth	✓
Rego/Accreditation Labels	✓
Check Signage	✓
Check Brakes/Adj	✓
Check Connections	✓
Check Wheels	✓
Check for Structual Damage	✓
Serviced per Man Specs	✓
Top Up Water Tank	NA
Grease Extendable Rollers	NA
Grease Extendable Locks	NA
Check Shocky mounts	✓
Check Toolbox mounts	✓
Tyre Pressures	✓
Check for Airleaks	✓
Check Ringfeeder	NA
Check Container Pins / Blocks	NA
UPDATE STICKER/BOARD	✓

COMMENTS:

NAME	SIGNATURE	DATE
		20/7/23

ENTERED
5/9/23 E.O

NHVR
National Heavy Vehicle Regulator

Version 1.1
March 2021

Heavy Vehicle Inspection Checklist

This checklist is used to complete a vehicle inspection that meets maintenance management standard 4 criteria(4). The inspection must be completed or supervised by a suitably qualified person whose name and signature must appear on the form.

*These fields are not mandatory.

Registration # YQ04 UN
Reason for Inspection* service
Inspection Date 20/07/2023
Inspection Time* 9am
Odometer —
Registration Expiry Date* 16/02/2024

Owner's Details

Inspection location* 251 omara rd wellcamp
Make* moore
Model* Tri Doll
VIN or Fleet # 6V9LMTDLTNP002100
Vehicle Colour* red

Cross out those items not applicable.

Tick for Pass Cross for Fail ☑ ☒

Item		Pass	Fail
Identification			
1	Registration Plates Affixed and Legible	☑	☐
2	Compliance Plate Affixed	☑	☐
Lights / Electrical			
3	Park / Tail / Number Plate / Clearance	☑	☐
4	Head Lights / Auxiliary Lights	NA ☐	☐
5	Brake Lights	☑	☐
6	Reflectors / Lenses	☑	☐
7	Warning Device / Turning Indicators	☑	☐
8	Wipers / Washers	NA ☐	☐
Glazing			
9	Material / Visibility	NA ☐	☐
10	Window Operation	☐	☐
Seats / Seat Belts			
11	Mountings / Construction	NA ☐	☐
12	Fitting / Operation / Condition	☐	☐
Wheels & Tyres			
13	Wheels / Security	☑	☐
14	Wheel Bearings	☑	☐
15	Tyres Tread Depth & Condition	☑	☐
Body / Fittings/ Protrusions			
16	Corrosion / Security / Damage	☑	☐
17	Door / Bonnet / Catches	NA ☐	☐
18	Rear Vision Mirrors	NA ☐	☐
19	Rear Marker Plates	☑	☐
20	Body Fittings / Bumper Bars	☑	☐
Tow Couplings			
21	Auto Tow Couplings	☑	☐
22	King Pin / Skid Plate	NA ☐	☐
23	Tow Eye / Drawbar / Safety Chains	☑	☐
24	Ball Race Turn Table	NA ☐	☐
25	Goose Neck	☑	☐

Tick for Pass Cross for Fail ☑ ☒

Item		Pass	Fail
Braking			
26	Brake Components	☑	☐
27	Brake Operation(Refer Notes)	☑	☐
Steering			
28	Steering Box / Pitman Arm	☐	☐
29	Arms / Linkages / Wheel	NA ☐	☐
30	King Pins	☐	☐
31	Free Play	☐	☐
Suspension			
32	Springs	☑	☐
33	Hangers / Pins / Bushes	☑	☐
34	Air Bags / Air Suspension	☑	☐
35	Shock Absorbers	☑	☐
36	Axles / Cross Members	☑	☐
Oil / Fuel Leaks			
37	Engine / Driveline	☐	☐
38	Steering / Accessories	NA ☐	☐
Exhaust			
39	Leaks / Design / Security	NA ☐	☐
40	Emissions	☐	☐
Mountings			
41	Engine / Transmission	NA ☐	☐
42	Body	☑	☐
Air Systems			
43	Leaks / Low Air Warning / Contamination	☑	☐
44	Breakaway Protection	☑	☐
Under body / Chassis			
45	Cracks / Security	☑	☐
46	Corrosion	☑	☐
Mudguards / Mud Flaps			
47	Fitted as Required	☑	☐

Notes:
1. If manufacture specifications are unknown refer to the Heavy Vehicle Inspection Manual for minimum requirements.
2. For a heavy vehicle built after 1930, the service brake must bring the vehicle or combination to a stop within 16.5m from a speed of 35km/h.
3. Trailer breakaway protection must be checked for operation.

Name: _____ Signature: _____

WA Heavy Vehicle Accreditation

mainroads WESTERN AUSTRALIA

ACCREDITATION ROADWORTHINESS CHECKLIST

This form is not for licensing purposes, but is only to be used for Western Australian Heavy Vehicle Accreditation. This form summarises what is required to assess the roadworthiness of vehicles.

Owner Details (to be completed by Applicant)

Name in Full: Family Name/Company Name: DAWSON'S HAULAGE

Given Names:

ACN: 102 334 163

Main Roads WAHVA Operator No: 07537

ABN: 63 102 334 163

Business Address: (must be completed): 36-40 MULLER ST

Suburb: BARANDUDA

Postcode: 3691

Postal Address: (if different from above): PO BOX 1181

Suburb: WODONGA

Postcode: 3689

Vehicle Details

Year: 2022 Make: moore Vehicle Type: Tri Dolly Model:

Engine No:

VIN/Chassis No: 6V9LMTDLTNP002100

Compliance Plate: Fitted Y / N: ✓ Month / Year: 22 Registration Plate Number: YQ04UM

I certify that I have inspected this vehicle and, to the best of my knowledge and abilities, declare that it is in a roadworthy condition at the time of inspection.

Inspected By:

Name: Luke waman

Qualifications/Experience: Tuba mechanic

Signature: ✓

Date: 20/07/2023 Odometer Reading:

Note: This form needs to be signed by a person who is deemed competent under the WA Heavy Vehicle Accreditation System.

1. Approved Inspection Station: or
2. Qualified Mechanic: or
3. Person who has had at least five years experience in the maintenance of heavy vehicles.

MAIN ROADS Western Australia 2014

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO			~~TRAILER NUMBER~~	Dolly 31	DATE: 25/11/24
KILOMETERS/HUBO	24828		DOLLY NUMBER	YB 45Ck	

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware	—	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check center bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers		

TOWING CONNECTION		
Inspect turntable jaws - adjust if required	✓	
Inspect turntable top/turntable inserts	✓	
Inspect skid plate wear - refer NHVIM 14.6	—	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	—	
Check mounting bolt tension	—	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker		

NOTES:
Repair airleak on air tank.
Replaced Both sets of
A frame Bushes & 1x pin

NAME	SIGNATURE	DATE
Jesse Callaghan		25/11/24

DOLLY

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YB45CK		~~TRAILER NUMBER~~		DATE: 31/10/25
KILOMETERS/HUBO	N/A		DOLLY NUMBER	31	

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	✓	
Inspect roof, walls and doors, including hardware	—	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIENCE STICKER YES / NO		

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check u-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check center bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers		

TOWING CONNECTION		
Inspect turntable jaws - adjust if required	✓	
Inspect turntable top/turntable inserts	✓	
Inspect skid plate wear - refer NHVIM 14.6		
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease		
Check mounting bolt tension		

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM 14.20	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES:

Replaced 6x Bottom shackle Bolts.

NAME	SIGNATURE	DATE
Jesse Callaghan		31/10/25

DOLLY DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YB45CK	TRAILER NUMBER	X	DATE	6/3/26
KILOMETRES/HUBO	N/A	DOLLY NUMBER	31		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	—	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	—	
Inspect roof, walls and doors, including hardware	—	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect Suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	—	
COMPLIANCE STICKER YES / NO	✓	

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check U-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check centre bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers		

TOWING CONNECTION	A	C
Inspect turntable jaws - adjust if required	✓	
Inspect turntable top/turntable inserts	✓	
Inspect skid plate wear - refer NHVIM 14.6	—	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	—	
Check mounting bolt tension	—	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM 14.20	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES / OTHER WORK CARRIED OUT:

NAME	SIGNATURE	DATE
SAM FLETCHER		6/3/26

DAWSONS HAULAGE TRAILER SERVICE SHEET

TRAILER REGO	YB45CK	TRAILER NUMBER	—	DATE:	12-1-26
KILOMETRES/HUBO	—	DOLLY NUMBER	31		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	N/A	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation	N/A	
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition/security	N/A	
Inspect roof, walls and doors, including hardware	N/A	
Inspect curtain condition, operation, posts and rollers	N/A	
Inspect load strap and winder for condition and security	N/A	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.1	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect Suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	✓	
COMPLIANCE STICKER YES / NO	✓	

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	✓	
Check toolbox mount/security	✓	

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check U-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check centre bolts	N/A	
Check springs	N/A	
Check rocker bushes and rods	N/A	
Check hangers	N/A	
Check shockers	N/A	

TOWING CONNECTION		
Inspect turntable jaws - adjust if required	✓	
Inspect turntable top/turntable inserts	✓	
Inspect skid plate wear - refer NHVIM 14.6	N/A	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	N/A	
Check mounting bolt tension	✓	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
Inspect all lights and reflectors - refer to NHVIM 14.20	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES / OTHER WORK CARRIED OUT:

NAME	SIGNATURE	DATE
Bryce George		12-1-26

DAWSONS HAULAGE ~~TRAILER~~ SERVICE SHEET

TRAILER REGO	YB 45 CK	TRAILER NUMBER	—	DATE:	17/7/26
KILOMETRES/HUBO	122,591 KM	DOLLY NUMBER	31		

STRUCTURE	A	C
Inspect chassis/cross members and body mounts for cracks and security - refer to NHVIM 14.19	✓	
Inspect cracks in twist lock beams	—	
Inspect all guards, infills and mudflaps - refer NHVIM 14.15	✓	
Inspect twist locks condition/operation		
Inspect condition and security of landing legs/bracketry - check operation	✓	
Inspect floor condition /security	✓	
Inspect roof, walls and doors, including hardware	—	
Inspect curtain condition, operation, posts and rollers	—	
Inspect load strap and winder for condition and security	—	

BRAKE COMPONENTS/AIR SYSTEM	A	C
Inspect air fittings	✓	
Test for air leaks - park brake, service brake applied	✓	
Inspect brake lining thickness - refer to manufacturer's specification - refer NHVIM 14.1	✓	
Inspect brake drums - refer manufacturer's specification	✓	
Inspect S cam - lubricate	✓	
Inspect slack adjusters - lubricate - check and adjust brake adjustment as required - refer to NHVIM 14.	✓	
Inspect brake boosters and brake valves - including blanking/vent plugs	✓	
Inspect air tank mounting points/grain	✓	
Inspect brake hoses for chaffing	✓	
Inspect Suzi coils	✓	
Check operation of brakes	✓	
Inspect brake backing plates - fit where missing	✓	
Fault Report Repairs	✓	

WHEELS, TYRES AND BEARINGS	A	C
Inspect wheel bearing adjustment - refer to manufacturer's specification	✓	
Inspect all wheel studs and nuts - refer to NHVIM 14.12	✓	
Inspect tyre wear - must report on irregular tyre wear - refer NHVIM 14.4	✓	
Check tyre pressures	✓	
Wash and inspect wheel bearings	N/A	
Repack bearing - must use Genuine BPW grease	N/A	
Inspect/replace hub seal as required	N/A	
Clean all grease from hubs and repack	N/A	

SAFETY SYSTEMS	A	C
Inspect all safety items including retractable stop blocks and lock pin warning flags	—	
COMPLIANCE STICKER YES / NO	✓	

GENERAL	A	C
Inspect marker plates including con signs, chevrons, and overtake/long signs - refer NHVIM 14.16	—	
Check toolbox mount/security	—	—

AIR SUSPENSION	A	C
Check all shockers	✓	
Check all airbags for leaks/perished	✓	
Check spring saddles and alignment	✓	
Check ride height valve	✓	
Check eye bushes	✓	
Check U-bolt tension	✓	

MECHANICAL SUSPENSION	A	C
Check centre bolts		
Check springs		
Check rocker bushes and rods		
Check hangers		
Check shockers		

TOWING CONNECTION	A	C
Inspect turntable jaws - adjust if required	✓	
Inspect turntable top/turntable inserts	✓	
Inspect skid plate wear - refer NHVIM 14.6	✓	
Inspect king pin wear/tension and security - refer NHVIM 14.7 Grease	✓	
Check mounting bolt tension	✓	

ELECTRICAL SYSTEM	A	C
Inspect trailer plug - check pin condition	✓	
inspect all lights and reflectors - refer to NHVIM 14.20	✓	
Inspect wiring harness - refer to NHVIM 14.18	✓	
Inspect condition and security of GPS tracker	✓	

NOTES / OTHER WORK CARRIED OUT:

Fitted new marker sign to rear of dolly
- Adjusted turntable jaws as required.

NAME	SIGNATURE	DATE
Cam	[signature]	17/7/26

Gearbox ✓

Bleed