

Alberta Government

CV8504040



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	24300 kg	Brake Type:	Air
Owner Name:	BONNETTS ENERGY SERVICES		
Address:	65007 HWY 43 CO GP NO.1		
City:	GRANDE PRAIRIE	Province:	AB
		Postal Code:	T8W5E7
Telephone Number:	(780) 513-3400		
Vehicle Identification Number:	1NKDL49X9CJ954579		
Make:	Kenworth	Model:	Construct
Year:	2012	Unit Number:	2035
Odometer:	248303 KM	Licence Plate Number:	CJG1437
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Great West Kenworth Ltd.	10721
Inspection Technician Name:	Technician Number:
Darin Graw	C2590
Inspection Technician Signature:	
Inspection Date:	2025/07/02

Entered on Server

2035



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 24300 kg														
Vehicle Information																								
VIN	1	N	K	D	L	4	9	X	9	C	J	9	5	4	5	7	9							
Unit Number 2035					Year 2012					Make Kenworth					Model Construct					Odometer 248,303				
Registered Owner's Name BONNETTS ENERGY SERVICES															Plate Number CJG1437									
Address 65007 HWY 43 CO GP NO.1										Postal Code T8W5E7					Phone Number (780) 513-3400									

Drum Brakes: **A-Full Inspection with Drum Removed** Disc Brakes:

		LEFT		FRONT		RIGHT				
101 psi 12 mm	419.78 mm	21.32 mm	36.00 mm	Drums/Rotors	419.4 mm	20.48 mm	36.50 mm	99 psi 9.5 mm		
98 psi 4 mm	99 psi 15 mm	419.55 mm	20.99 mm	38.1 mm	Drums/Rotors	419.85 mm	20.21 mm	38.3 mm	95 psi 14 mm	96 psi 16 mm
101 psi 16 mm	96 psi 16 mm	419.61 mm	20.78 mm	38.2 mm	Drums/Rotors	419.98 mm	20.01 mm	38.1 mm	97 psi 18 mm	98 psi 17 mm
psi mm	psi mm	mm	mm	mm	Drums/Rotors	mm	mm	mm	psi mm	psi mm
psi mm	psi mm	mm	mm	mm	Drums/Rotors	mm	mm	mm	psi mm	psi mm
psi mm	psi mm	mm	mm	mm	Drums/Rotors	mm	mm	mm	psi mm	psi mm

Park Brake Lining Left NA mm Right NA mm Trans NA mm
 Wheel Torque Checked Inner NA ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature			✓
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal			✓	1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down			✓				

NOTES:
BOTH UPPER STACK BUSHINGS HAVE PLAY (1.2) REPLACED

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:
#1 RHS, #2 RHS AND LHS SHOCKS LOOSE(2.7) REPAIRED
#1 FRONT AND REAR SPRING PINS WORN OUT, BOTH SIDES (2.1) REPLACED
#2 LHS AIR BAG SHOWING CORDS(2.5) REPLACED
#3LHS TORQUE ROD BUSHING WORN OUT(2.2) REPLACED

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System			✓	3A.23. Brake Performance			✓
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

#3 LHS DUST SHIELD LOOSE(3.13) REPLACED
 #2 RHS SLACK UNADJUSTABLE(3.16) REPLACED
 #1 LHS S CAM BUSHING WORN OUT(0.118") (3A.16) REPLACED
 #2 RHS S CAM BUSHING WORN OUT (0.109") (3A.16) REPLACED

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

STEERING SHAFT LOWER UJOINT HAS EXCESSIVE PLAY (4.1) REPLACED

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓		
5.3. Horn	✓			5.10. Chain "Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			
5.7. Windshield Wiper/Washer	✓						

NOTES:

D/S WIPER BLADE DAMAGED (5.7) REPLACED

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

NO REFLECTIVE MARKINGS ON REAR OF UNIT (6.3) INSTALLED

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓						

NOTES:

CORROSION ON BATTERY TERMINALS(7.2) REPAIRED

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.7. Utilized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:

CENTER LOWER BAR IS LOOSE ON BUMPER, (8.12) REPAIRED
LHS CONVEX MIRROR HEAT INOP(8.18) REPLACED
HOOD DAMAGED LHS(8.1) REPAIRED

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

#1 LHS WHEEL SEAL IS LEAKING (9.5) REPLACED
#2 LHS OUTER TIRE SHOWING CORDS (9.2) REPLACED

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8504040)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/06/30	Technician Number C2590	Facility Number 10721	Signature
---	-----------------------------------	---------------------------------	---------------

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day) 2025/07/02	Customer Signature
--	------------------------