



Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:		
GVW:	kg	Brake Type:	Air	
Owner Name:	Secure Energy (Logistics Services) Inc			
Address:	120-8832 Blackfoot SE			
City:	Calgary	Province:	AB	Postal Code: T2J3J1
Telephone Number:	(403) 984-6100			
Vehicle Identification Number:	2MFB2R5DX7R004246			
Make:	Midland	Model:	SL3000	
Year:	2007	Unit Number:	TR329	
Odometer:	KM	Licence Plate Number:	5XH016	Province: AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
2095656 Alberta Ltd.	20998
Inspection Technician Name:	Technician Number:
Ryan Trask	D0084
Inspection Technician Signature:	
Inspection Date:	2025/09/12

502

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Trailer										kg									
Vehicle Information																			
VIN	2	M	F	B	2	R	5	D	X	7	R	0	0	4	2	4	6		
Unit Number TR329				Year 2007				Make Midland				Model SL3000				Odometer			
Registered Owner's Name Secure Energy (Logistics Services) Inc														Plate Number 5XH016					
Address 120-8832 Blackfoot SE										Postal Code T2J3J1					Phone Number (403) 984-6100				

Drum Brakes:										Disc Brakes:																																																																																																																																													
<table border="1"> <thead> <tr> <th colspan="2">LEFT</th> <th colspan="2">FRONT</th> <th colspan="2">RIGHT</th> </tr> </thead> <tbody> <tr> <td>90 psi</td> <td>92 psi</td> <td>420.87 mm</td> <td>Drums/Rotors</td> <td>420.62 mm</td> <td>80 psi</td> <td>26 psi</td> </tr> <tr> <td>7 mm</td> <td>8 mm</td> <td>13 mm</td> <td>Linings/Pads</td> <td>17 mm</td> <td>6 mm</td> <td>8 mm</td> </tr> <tr> <td></td> <td></td> <td>37 mm</td> <td>Push Rod Travel</td> <td>54 mm</td> <td></td> <td></td> </tr> <tr> <td>102 psi</td> <td>96 psi</td> <td>420.12 mm</td> <td>Drums/Rotors</td> <td>420.50 mm</td> <td>100 psi</td> <td>100 psi</td> </tr> <tr> <td>11 mm</td> <td>11 mm</td> <td>11 mm</td> <td>Linings/Pads</td> <td>15 mm</td> <td>11 mm</td> <td>12 mm</td> </tr> <tr> <td></td> <td></td> <td>50 mm</td> <td>Push Rod Travel</td> <td>44 mm</td> <td></td> <td></td> </tr> <tr> <td>98 psi</td> <td>94 psi</td> <td>419.75 mm</td> <td>Drums/Rotors</td> <td>420.75 mm</td> <td>104 psi</td> <td>98 psi</td> </tr> <tr> <td>11 mm</td> <td>11 mm</td> <td>21 mm</td> <td>Linings/Pads</td> <td>12 mm</td> <td>5 mm</td> <td>9 mm</td> </tr> <tr> <td></td> <td></td> <td>53 mm</td> <td>Push Rod Travel</td> <td>44 mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td>psi</td> <td>psi</td> </tr> <tr> <td>mm</td> <td>mm</td> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td>mm</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td>psi</td> <td>psi</td> </tr> <tr> <td>mm</td> <td>mm</td> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td>mm</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td>psi</td> <td>psi</td> </tr> <tr> <td>mm</td> <td>mm</td> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td>mm</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> <td></td> </tr> </tbody> </table>																				LEFT		FRONT		RIGHT		90 psi	92 psi	420.87 mm	Drums/Rotors	420.62 mm	80 psi	26 psi	7 mm	8 mm	13 mm	Linings/Pads	17 mm	6 mm	8 mm			37 mm	Push Rod Travel	54 mm			102 psi	96 psi	420.12 mm	Drums/Rotors	420.50 mm	100 psi	100 psi	11 mm	11 mm	11 mm	Linings/Pads	15 mm	11 mm	12 mm			50 mm	Push Rod Travel	44 mm			98 psi	94 psi	419.75 mm	Drums/Rotors	420.75 mm	104 psi	98 psi	11 mm	11 mm	21 mm	Linings/Pads	12 mm	5 mm	9 mm			53 mm	Push Rod Travel	44 mm			psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	mm	mm	Linings/Pads	mm	mm	mm			mm	Push Rod Travel	mm			psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	mm	mm	Linings/Pads	mm	mm	mm			mm	Push Rod Travel	mm			psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	mm	mm	Linings/Pads	mm	mm	mm			mm	Push Rod Travel	mm		
LEFT		FRONT		RIGHT																																																																																																																																																			
90 psi	92 psi	420.87 mm	Drums/Rotors	420.62 mm	80 psi	26 psi																																																																																																																																																	
7 mm	8 mm	13 mm	Linings/Pads	17 mm	6 mm	8 mm																																																																																																																																																	
		37 mm	Push Rod Travel	54 mm																																																																																																																																																			
102 psi	96 psi	420.12 mm	Drums/Rotors	420.50 mm	100 psi	100 psi																																																																																																																																																	
11 mm	11 mm	11 mm	Linings/Pads	15 mm	11 mm	12 mm																																																																																																																																																	
		50 mm	Push Rod Travel	44 mm																																																																																																																																																			
98 psi	94 psi	419.75 mm	Drums/Rotors	420.75 mm	104 psi	98 psi																																																																																																																																																	
11 mm	11 mm	21 mm	Linings/Pads	12 mm	5 mm	9 mm																																																																																																																																																	
		53 mm	Push Rod Travel	44 mm																																																																																																																																																			
psi	psi	mm	Drums/Rotors	mm	psi	psi																																																																																																																																																	
mm	mm	mm	Linings/Pads	mm	mm	mm																																																																																																																																																	
		mm	Push Rod Travel	mm																																																																																																																																																			
psi	psi	mm	Drums/Rotors	mm	psi	psi																																																																																																																																																	
mm	mm	mm	Linings/Pads	mm	mm	mm																																																																																																																																																	
		mm	Push Rod Travel	mm																																																																																																																																																			
psi	psi	mm	Drums/Rotors	mm	psi	psi																																																																																																																																																	
mm	mm	mm	Linings/Pads	mm	mm	mm																																																																																																																																																	
		mm	Push Rod Travel	mm																																																																																																																																																			
Park Brake Lining Left <u>NA</u> mm Right <u>NA</u> mm Trans <u>NA</u> mm Wheel Torque Checked ☒ Inner <u>NA</u> ft lbs Outer <u>500</u> ft lbs																																																																																																																																																							

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		✓

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle		✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓	
2.4. Spring & Spring Attachment	✓					

NOTES:

Axle 1 air bags damaged- Replaced

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components		✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components		✓
3H.8. Vacuum System			✓	3H.19. Brake Performance		✓
3H.9. Air-Boosted Trailer Brake System			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓	
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components		✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓	
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)		✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓	
3A.15. Drum Brake System Components	✓					

NOTES:

Axle 1,2 R3 Brake shoes nearing min spec/ damage to pad- Replaced

Air tank drains leaking/siezed- Replaced

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle		✓
4.4. Kingpin			✓			

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

License plate lamp out- Repaired

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogle)			✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓		

NOTES:

LH mudflap torn by dolly leg- Replaced

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

R1 both tires low and damaged- Replaced

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8209437) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/09/08	D0084	20998	

Customer Acknowledgment

I understand If a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the Initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/09/12

Customer Signature