



36517

QUAN.	DESCRIPTION	AMOUNT
4	11R22.5 TIRES	
1	HT1229 TANK	
1	M0110900 SPRING VALVE	
1	M0110415 RELAY VALVE	
TOTAL PARTS		
SUBLET		
TOTAL SUBLET		

NAME		#QD 4019	DATE	NOV 15/25	MAKE	MANIT
ADDRESS			TYPE MODEL	VIA	YR	2017
CITY			PHONE		MILEAGE	LIC 269895
					SERIAL NO	ON FILE
INSTRUCTIONS						AMOUNT
-SAFETY INS!						
-REPL AIR TANK @ L/A						
-REPLACE WORN TIRES ON 3RD AXLE						
-REPLACE RELAY VALVE @ L/A AIR TANK						
-REPLACE SPRING " " " " "						
NOTES:						LABOUR
						PARTS
TOTAL SUBLET						SUBLET
All estimates are for labour only. Material additional. This company does not assume any responsibility whatever for vehicle or equipment left for repairs, storage or other purposes, or for articles left in same. Vehicle driven by our employees at owner's risk.						HST
I hereby authorize the above work to be done along with necessary materials.						TOTAL AMOUNT
I hereby acknowledge my indebtedness in the amount of \$						

I
N

O
U
T


Ontario DriveON

Annual Inspection Certificate & Safety Standards Certificate



VEHICLE INFORMATION			
Plate#:	Z6989J	Year:	2014
VIN:	2M5931616E1140584	Make:	MANAC
GVWR (kg):	54437	Model:	MANAC TRAILER
Odometer ():		Type:	Trailer

CERTIFICATE INFORMATION	
Annual Inspection Certificate	Expires at the end of: Nov 2026
Safety Standards Certificate	Expires at the end of: December 24, 2025
Vehicle Inspection Certificate Number	LS20AD13
Inspection Start Date	Nov 18, 2025 System Time: 13 : 05
Inspection End Date	Nov 18, 2025 System Time: 14 : 11

VEHICLE INSPECTION CENTRE	
Vehicle Inspection Centre #: 13563	Technician: RICHARD THOMPSON
	
	Technician Signature
	Technician ID: 191215
	STO ID/Account: 13171305
	Trade Code: 310T, 310S

I certify that I inspected this vehicle on the inspection date in accordance with the inspection procedures established by directive under s. 100.7 of the Highway Traffic Act and that the vehicle meets the required equipment and performance standards as detailed in the Vehicle Inspection Report with the above referenced Vehicle Inspection Certificate Number.

This Certificate is not a warranty on the condition of the vehicle.

Vehicle Inspection Questions?

Call the Public Contact Centre 1-833-420-2103 or go to

<https://www.ontario.ca/page/driveon-emissions-and-safety-inspection-program>.

Vehicle Inspection Certificate Number: LS20AD13

Start Date / Time: Nov 18, 2025, 1:05 PM

End Date / Time: Nov 18, 2025, 2:11 PM

VEHICLE/ENGINE INFORMATION	CHASSIS
Plate#: Z6989J	Year: 2014
VIN: 2M5931616E1140584	Make: MANAC
GVWR(kg): 54437	Model: MANAC TRAILER
Odometer:	Fleet ID: QD4019

SAFETY INSPECTION RESULT	PASS
--------------------------	-------------

SAFETY SYSTEM INSPECTION RESULTS

All Safety System Components Passed Inspection
--

MANDATORY ITEMS

Inspection Item	Result
Axle 1, Driver Side Tire	
Tire Tread Depth (mm)	13
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Inspection Item	Result
Axle 1, Passenger Side Tire	
Tire Tread Depth (mm)	10
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Inspection Item	Result
Axle 2, Driver Side, Inner Tire	
Tire Tread Depth (mm)	10
Initial Tire Pressure (kPa)	720
Axle 2, Driver Side, Outer Tire	
Tire Tread Depth (mm)	10
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Inspection Item	Result
Axle 2, Passenger Side, Inner Tire	
Tire Tread Depth (mm)	14
Initial Tire Pressure (kPa)	720
Axle 2, Passenger Side, Outer Tire	
Tire Tread Depth (mm)	12
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Inspection Item	Result
Axle 3, Driver Side, Inner Tire	
Tire Tread Depth (mm)	9
Initial Tire Pressure (kPa)	720

Inspection Item	Result
Axle 3, Passenger Side, Inner Tire	
Tire Tread Depth (mm)	6
Initial Tire Pressure (kPa)	720

Axle 3, Driver Side, Outer Tire	
Tire Tread Depth (mm)	9
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Axle 3, Passenger Side, Outer Tire	
Tire Tread Depth (mm)	7
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Inspection Item	Result
Axle 4, Driver Side, Inner Tire	
Tire Tread Depth (mm)	10
Initial Tire Pressure (kPa)	720
Axle 4, Driver Side, Outer Tire	
Tire Tread Depth (mm)	10
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Inspection Item	Result
Axle 4, Passenger Side, Inner Tire	
Tire Tread Depth (mm)	13
Initial Tire Pressure (kPa)	720
Axle 4, Passenger Side, Outer Tire	
Tire Tread Depth (mm)	14
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Vehicle Inspection Centre #: 13563

Technician #: 191215

Name: RICHARD THOMPSON

Report Number: 192

Tablet ID: 2923

STO ID/Account: 13171305

Trade Code: 310T, 310S

Software Version: 2025.06.18.1

Vehicle Inspection Questions? Call the Public Contact Centre 1-833-420-2103 or go to
<https://www.ontario.ca/page/driveon-emissions-and-safety-inspection-program>

TRAILER SERVICE SHEET
STAPLE TO WORK ORDER

DATE Nov 18/25

UNIT # QD 4019

NAME OF MECHANIC Rod/Power/Wes

SIGNATURE 

- 1) Check all lights and reflectors and/or reflective tape including rear bumper
- 2) Check for major body damage
- 3) DOCUMENT HOLDER- properly secure with proper cover, registration and annual safety up to date and signed.
- 4) Tire wear and pressure (100-105 PSI)
- 5) BOGIE – Complete Grease and inspection of bogie. Ensure all Grease fittings take grease.
- 6) LANDING GEAR – Grease and inspect landing gear including cross bar on all QD and TR series Manac's
- 7) WHEEL HUBS – Remove plug for physical inspection (oil levels – adjust if needed; clean and free of contamination)
- 8) WHEELS – Clean away and rust/ ensure no cracks or breaks (including inner wheels). Ensure wheels are tight. Check re-torque board to ensure it doesn't need to be re-torqued.
- 9) Check and adjust brakes if necessary
- 10) Inspect jam nuts at brake clevis to ensure proper location
- 11) Check U-bolts
- 12) Check that all hoses are secured and no audible air leaks, check service side of brake system.
- 13) ~~Pry torque arms with bar to ensure they are secure~~
- 14) DOORS- Check rear doors and door hold backs (in place and operational)
- 15) AIR BOX DOORS- Operational. Rubber bung to hold the door shut.
- 16) Aluminum Corners installed on quads and TR Series tridems.
- 17) Rubber Dock Bumpers replace if needed
- 18) Change Service date on front of trailer