


Annual Inspection Certificate & Safety Standards Certificate



VEHICLE INFORMATION			
Plate#:	S6018H	Year:	2012
VIN:	2M5941612C1129964	Make:	MANAC
GVWR (kg):	55799	Model:	MANAC TRAILER
Odometer ():		Type:	Trailer

CERTIFICATE INFORMATION	
Annual Inspection Certificate	Expires at the end of: Sep 2026
Safety Standards Certificate	Expires at the end of: November 5, 2025
Vehicle Inspection Certificate Number	LS20AC85
Inspection Start Date	Sep 30, 2025 System Time: 11 : 53
Inspection End Date	Sep 30, 2025 System Time: 13 : 14

VEHICLE INSPECTION CENTRE	
Vehicle Inspection Centre #: 13563	Technician: RICHARD THOMPSON
LMB TRANSPORT INC.	
O/A LMB TRANSPORT INC.	
209 PUTMAN INDUSTRIAL RD	
BELLEVILLE, ON K8N4Z6	Technician ID: 191215
613-968-7541	STO ID/Account: 13171305
	Trade Code: 310T, 310S

I certify that I inspected this vehicle on the inspection date in accordance with the inspection procedures established by directive under s. 100.7 of the Highway Traffic Act and that the vehicle meets the required equipment and performance standards as detailed in the Vehicle Inspection Report with the above referenced Vehicle Inspection Certificate Number.

This Certificate is not a warranty on the condition of the vehicle.

Vehicle Inspection Questions?

Call the Public Contact Centre 1-833-420-2103 or go to

<https://www.ontario.ca/page/driveon-emissions-and-safety-inspection-program>.

MTO Office use only: 902857386XF67741V7S2

Vehicle Inspection Certificate Number: LS20AC85

Start Date / Time: Sep 30, 2025, 11:53 AM

End Date / Time: Sep 30, 2025, 1:14 PM

VEHICLE/ENGINE INFORMATION	CHASSIS
Plate#: S6018H	Year: 2012
VIN: 2M5941612C1129964	Make: MANAC
GVWR(kg): 55799	Model: MANAC TRAILER
Odometer:	Fleet ID: QD4001

SAFETY INSPECTION RESULT	PASS
--------------------------	-------------

SAFETY SYSTEM INSPECTION RESULTS

All Safety System Components Passed Inspection
--

MANDATORY ITEMS

Inspection Item	Result
Axle 1, Driver Side, Inner Tire	
Tire Tread Depth (mm)	6
Initial Tire Pressure (kPa)	720
Axle 1, Driver Side, Outer Tire	
Tire Tread Depth (mm)	6
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Inspection Item	Result
Axle 1, Passenger Side, Inner Tire	
Tire Tread Depth (mm)	10
Initial Tire Pressure (kPa)	720
Axle 1, Passenger Side, Outer Tire	
Tire Tread Depth (mm)	9
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Inspection Item	Result
Axle 2, Driver Side, Inner Tire	
Tire Tread Depth (mm)	5
Initial Tire Pressure (kPa)	720
Axle 2, Driver Side, Outer Tire	
Tire Tread Depth (mm)	6
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Inspection Item	Result
Axle 2, Passenger Side, Inner Tire	
Tire Tread Depth (mm)	11
Initial Tire Pressure (kPa)	720
Axle 2, Passenger Side, Outer Tire	
Tire Tread Depth (mm)	10
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Inspection Item	Result
-----------------	--------

Inspection Item	Result
-----------------	--------

Axle 3, Driver Side, Inner Tire	
Tire Tread Depth (mm)	12
Initial Tire Pressure (kPa)	720
Axle 3, Driver Side, Outer Tire	
Tire Tread Depth (mm)	12
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Axle 3, Passenger Side, Inner Tire	
Tire Tread Depth (mm)	9
Initial Tire Pressure (kPa)	720
Axle 3, Passenger Side, Outer Tire	
Tire Tread Depth (mm)	10
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Inspection Item	Result
Axle 4, Driver Side, Inner Tire	
Tire Tread Depth (mm)	7
Initial Tire Pressure (kPa)	720
Axle 4, Driver Side, Outer Tire	
Tire Tread Depth (mm)	6
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Inspection Item	Result
Axle 4, Passenger Side, Inner Tire	
Tire Tread Depth (mm)	5
Initial Tire Pressure (kPa)	720
Axle 4, Passenger Side, Outer Tire	
Tire Tread Depth (mm)	5
Initial Tire Pressure (kPa)	720
Drum Brakes (Limited Inspection) Bonded/riveted continuous strip	
S-Cam Drum Brakes (Limited Inspection)	

Vehicle Inspection Centre #: 13563	Technician #: 191215
LMB TRANSPORT INC.	Name: RICHARD THOMPSON
209 PUTMAN INDUSTRIAL RD	Report Number: 168
BELLEVILLE, ON K8N4Z6	Tablet ID: 2923
613-968-7541	STO ID/Account: 13171305
Software Version: 2025.06.18.1	Trade Code: 310T, 310S

Vehicle Inspection Questions? Call the Public Contact Centre 1-833-420-2103 or go to <https://www.ontario.ca/page/driveon-emissions-and-safety-inspection-program>

L.M.B. TRANSPORT INC

TRAILER SERVICE SHEET
STAPLE TO WORK ORDER

DATE SEP 25

UNIT # QD 4001

NAME OF MECHANIC Rice / Abu

SIGNATURE [Signature]

- 1) Check all lights and reflectors and/or reflective tape including rear bumper
- 2) Check for major body damage
- 3) DOCUMENT HOLDER- properly secure with proper cover, registration and annual safety up to date and signed.
- 4) Tire wear and pressure (100-105 PSI)
- 5) BOGIE – Complete Grease and inspection of bogie. Ensure all Grease fittings take grease.
- 6) LANDING GEAR – Grease and inspect landing gear including cross bar ~~on all QD and TR series~~
~~M~~
- 7) WHEEL HUBS – Remove plug for physical inspection (oil levels – adjust if needed; clean and free of contamination)
- 8) WHEELS – Clean away and rust/ ensure no cracks or breaks (including inner wheels). Ensure wheels are tight. Check re-torque board to ensure it doesn't need to be re-torqued.
- 9) Check and adjust brakes if necessary
- 10) Inspect jam nuts at brake clevis to ensure proper location
- 11) Check U-bolts
- 12) Check that all hoses are secured and no audible air leaks, check service side of brake system.
- ~~13) Pry torque arms with bar to ensure they are secure~~
- 14) DOORS- Check rear doors and door hold backs (in place and operational)
- 15) AIR BOX DOORS- Operational. Rubber bung to hold the door shut.
- 16) Aluminum Corners installed on quads and TR Series tridems.
- 17) Rubber Dock Bumpers replace if needed
- 18) Change Service date on front of trailer