K544

| THE BRAKE MOUP OF C | OMPANE | 2 x 8 Dolly SE | RVICING | SHEET | | | |
|---|--|----------------|---------------------|-------|------------------|---|--|
| OWNER: | KEE | CONTACT NAME: | CONTACT NAME: RIC | | | | |
| REG #: | 1TOT315 | SERIAL #: | 28- | 419D | JOB #: 25R00021 | | |
| KLMS: | 12088 | DOLLY VIN: | DOLLY VIN: 6V9T23AL | | DATE: 15/01/2025 | | |
| | | | | Α | В | С | |
| | SUSPENSION | | | | | | |
| | NUT TORQUE SETTINGS | | | | Х | | |
| | TRUNNION NUT AND PIN | CH BOLT | | | Х | | |
| HYDRAULIC S | | | | | 71 | | |
| 1 CHECK FOR | | | | | Х | | |
| 2 CHECK ALL D | | | | | Х | | |
| 3 GOOD OPERA | TOTAL OF LIGHT OF THE PROPERTY | | | | Х | | |
| | AULIC HOSES FOR WEAF | RV ABRASIONS | | | Х | | |
| | HYDRAULIC RESERVOIR BREATHER GENERAL RUNNING GEAR | | | | Х | | |
| | | | | | | , | |
| | STEER STORY AND ELEVATOR | | | | Х | | |
| 2 LUBRICATE SUSPENSION AND AXLES | | | | Х | | | |
| 3 CHECK/ADJUST HUB BEARING PLAY (ADVISE LOOSE BEARINGS) | | | | X | | | |
| 4 ADJUST BRAKES (ADVISE CONDITION BELOW) | | | | X | | | |
| MANUALLY CHECK/OPERATE AUTO SLACK ADJUSTERS | | | | X | | | |
| BRAKE BOOSTERS, SLACK ADJUSTERS, S CAMS AND BUSHES. | | | | X | | | |
| | STEEL | | | | X | | |
| OPERATES CO | CHECK KING PIN FOR SIZE, EASY REMOVAL AND THAT THE RETAINER OPERATES CORRECTLY | | | | v | | |
| 9 CHECK KING F | | | | | X | | |
| 10 CHECK SKID F | 0 CHECK SKID PLATE FOR WEAR & STRAIGHTNESS | | | | X | | |
| 11 CHECK TURN | 1 CHECK TURNTABLE MOUNTING BUSHES AND GREASE JAWS. | | | 44.55 | Х | | |
| | 2 VISUALLY CHECK TURNTABLE JAWS FOR WEAR. | | | | X | | |
| | FIT SERVICE STICKER | | | | X | | |
| GREASE SYST | EM (AUTO AND MANUA | AL) | | | | | |
| 1 ENSURE ALL F | OINTS GREASING | | | | Х | | |
| 2 VISUALLY CHE | VISUALLY CHECK FOR LEAKS | | | | X | | |
| 3 TOP UP GREA | SE RESERVOIR | | | | N/A | | |
| | ST GREASE CIRCUIT. | | | | | | |
| PNEUMATIC SY | | | | | | | |
| 1 DRAIN AIR TAN | | | | | Х | | |
| | CHECK FOR ANY KINKED OR BROKEN LINES | | | | Х | | |
| SUSPENSION & AXLES | | | | Х | | | |
| | | | | | | | |
| | S AND DRUMS, CLEAN AN | | | | | | |
| | CHECK WEAR ON BRAKE DRUMS AND BRAKE SHOES. | | | | Х | | |
| CHECK TRUNNION AXLE BUSHES FOR WEAR CHECK THRUST WASHERS FOR WEAR | | | | Х | | | |
| | | | | | Х | | |
| CHECK WALKING BEAM PIVOT BUSHES FOR WEAR | | | | х | | | |



| OWNER: | | KEE | CONTACT NAME: | RICHARD | | | |
|-----------------|--|--------------------------|---------------------|--|-----------------|-----------|--|
| REG #: KLMS: | | 1TOT315 12088 | SERIAL #: | 28419D | JOB #: 25R00021 | | |
| | | | | 6V9T23ABKCC074094 | | | |
| Т | RAILER | | | *************************************** | DATE. I | 0/01/2023 | |
| 1 | CHECK LIGH | HTS - OPERATION / CONDIT | ION | | Х | 1 | |
| | 2 CHECK REFLECTORS REPLACE ANY MISSING OR DAMAGED | | | | x | 1 | |
| | 3 INSPECT DOORS & DOOR HARDWARE | | | | N/A | _ | |
| | | LOOSE FASTENERS | | | X | | |
| | | JLL LENGTH OF CHASSIS F | OR CRACKS/DAMAGE | | X | | |
| | | JNTING BOLTS ON TYRE CA | | TANK THE RESERVE TO SERVE THE RESERVE THE RESERV | X | | |
| | | IDITION OF MARKER PLATE | | V | X | | |
| | | JDGUARDS, FASTENERS | S SITTINT GIGHAGE | | N/A | | |
| | | | TCHES - TIGHTEN LOC | K NI IT | N/A | 1 | |
| | CHECK & ADJUST TOOL BOX DOOR LATCHES - TIGHTEN LOCK NUT CHECK & TIGHTEN TOOL BOX & WATER TANK MOUNTING BOLTS | | | | | - | |
| | JUNCTION BOXES FOR FOR ONGOING SERVICEABILITY | | | | X | - | |
| | CHECK WHEEL STUDS AND NUTS - TORQUE SETTINGS | | | | X | - | |
| | INSPECT TYRES AND TREAD PATTERN WEAR | | | | X | - | |
| | INSPECT PAINTWORK OF DOLLY | | | | | - | |
| | 5 CHECK DROP DOWN LANDING LEGS FOR WEAR | | | | X | - | |
| | | DITION: 8-12MM | O11 17 E 111 | | | | |
| RI | EPAIRS RE | QUIRED. | | | | | |
| | nt left booste | | | | | | |
| Pin i | hole for leg v | worn on both sides | | | | | |
| | | oort corroded | | | | | |
| | | ce weld corroded | | | | | |
| | | elds corroded | | | | | |
| | k lock switch | Is starting to corrode | | | | | |
| | | en from block | | | | | |
| | | ped from scam tube | | | | | |
| | pin seized i | | | | | | |
| can | n tube greas | e line pinched | | | | | |
| plit | grease line | | | | | | |
| lay | in trunnion l | bushing | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | RVICE BY: | Jacob Bird | | | | | |
| | ATTOL DI. | Jacon Bild | | | | | |



To:

Kee Transport Pty Ltd ABN: 57142686824 36 Murray Rd North WELSHPOOL WA 6106

W44.

Drake Trailers Pty Ltd

19 Formation Street WACOL QLD 4076 Phone: 07 3271 5888

Email: admin@thedrakegroup.com.au

ABN: 91 009 761 031

No: 758733 Date: 16-JAN-25

Account KEETRA1
Warehouse 12M1
Our Order No 758733

Customer Ref.

1TOT315

| 038722 | COMPONENTS ONLY - UTILISED ON REPAIR JOB #25R00021 GROENEVELD OLIVE 3/16 TUBE F000585 | | | (Ex GST) | (Ex GST) | Amount | |
|----------|--|------|----|----------|----------|--------|--------|
| | | | | | | | |
| **** | 1 000303 | 1.00 | EA | 0.66 | 0.66 | 0.07 | 0.73 |
| AY7719 | YK HUB CAP GASKET 6 HOLE. | 8.00 | EA | 4.57 | 36.53 | 3.65 | 40.18 |
| DF0425 | HOSE CLAMP 16-24 S/STL TRIDON - STD HEAD | 2.00 | EA | 2.00 | 3.99 | 0.40 | 4.39 |
| DF3118 | HOSESTEM 1/2H-3/8BSP T365 | 2.00 | EA | 3.13 | 6.25 | 0.62 | 6.87 |
| DF7202 | BRASS ELBOW 3/16T-1/8BSP #5 50 2 | 1.00 | EA | 10.65 | 10.65 | 1.06 | 11.71 |
| DV0012 | SPRING BRAKE BOOSTER 36-36 BEN DIX | 1.00 | EA | 318.50 | 318.50 | 31.85 | 350.35 |
| HF9260 | ELBOW 45 MF BSPT CB37/0606 | 2.00 | EA | 19.67 | 39.33 | 3.93 | 43.26 |
| L00012 | NUT NYLOC 3/4 ZPUNF GR5 | 1.00 | EA | 3.81 | 3.81 | 0.38 | 43.26 |
| NS104-03 | NUT 3/16 | 1.00 | EA | 1.82 | 1.82 | 0.38 | 2.00 |
| P0CF10 | NUT CONELOCK 5/8 UNFZP | 2.00 | EA | 0.56 | 1.12 | 0.10 | 1.23 |
| U10020 | WASHER FLAT METRIC 20MM HARDEN ED | 3.00 | EA | 0.21 | 0.63 | 0.06 | 0.69 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Total Ex

423.29