

DIAMOND QUAD FRAMING TABLE



G02-1

TIME TESTED... PROVEN RELIABILITY

BUILD SQUARE AND ACCURATE WALLS

CUT YOUR BUILDING COSTS WHILE IMPROVING YOUR QUALITY

COMES FULLY ASSEMBLED

ANOTHER RELIABLE, EFFICIENT FRAMER FROM THE WORLD'S LARGEST
MANUFACTURER OF FRAMING EQUIPMENT



For More Information Call or Write:
Merrick Machine Co.
P.O. Box 130 Alda, NE 68810
Phone: 800-568-7423 ext. 133
308-384-1780 ext. 133
Fax: 308-384-8326

**EXPERIENCE
YOU CAN
TRUST**

DIAMOND QUAD FRAMING TABLE

G102-1

Triad's Diamond Quad Framer is just one in multiple generations of constantly updated new framers built by Merrick Machine Company over the past 40 years. There are 11 separate types of framers available from Triad to supply your framing needs.

Triad's tables are custom built to fit our customer's framing needs. Triad's tables are designed for workability, quality and longevity. Vital machine parts are carefully designed and built from cast iron for strength and quality. Triad machinery is engineered and built by Merrick Machine Company's fully equipped production shop in Alda, Nebraska.

Table lengths start at 16' and increase by 4' increments to the desired length. Widths adjust from 6'9" to 12'3" by telescope design. Electrical power is used for width adjusting and power clamping walls prior to nailing. Triad's exclusive "Flipper" stud locators are available in 12", 16" and 24" on-center and color-coded.

There are adjustment and air switch for the pop up roller system. These switches are located in the center of the table or on the end by customer order. A plywood top is also available for component placement and fire block where applicable. Manually or automatically operated nailing dollies are standard with a single trigger activating two tools at a time. A down clamp system squares off the plates and studs on both the manual and auto dollies. Only one air hook-up is required, regulator and in-line oiler are included

SPECIFICATIONS

Height:	28" from floor	Air Required :	1/2" NPT 10CFM @ 90PSI
Color:	Triad Tan	Elec. Power:	110 V Single Phase
Working Length:	16'-80'	Width:	6'9" to 12'3"
		Shipping Weights:	2000 lbs for 20' Table

For More Information Call or Write:
Merrick Machine Co.
P.O. Box 130 Alda, NE 68810
Phone: 308-384-1780 ext. 133
800-568-7423 ext. 133
Fax: 308-384-8326



**EXPERIENCE
YOU CAN
TRUST**

1 Lot

8 tires 395 / 85 R20

1 Lot

Framing table Triad diamond Quad.

16' long upto 12' 3" wide