

300

S11-1
BLUE - MAR

Stahl Peterbilt E015

Brent Lee

18020 118th Ave

Rob Cranston

Cell - 780-297-1112

Edmonton, Alberta Canada T5S 1C1

Phone: (780) 483-6666

Phone: (780) 789-0125

Fax: (780) 484-2173

Fax:

Email: rcranston@stahlpeterbilt.com

Contact Email:

Prepared for:

Vehicle Summary

Unit		Chassis	
Model:	Model 367	Fr Axle Load (lbs):	20000
Type:	Full Truck	Rr Axle Load (lbs)	46000
Description:	New Pres 140311	G.C.W. (lbs):	80000
Application		Road Conditions:	
		Class A (Highway)	100
		Class B (Hwy/Mtn)	00
		Class C (Off-Hwy)	00
		Class D (Off-Road)	00
Intended Serv.:	Tanker, Liquid Bulk	Maximum Grade:	6
Commodity:	Petroleum Products	Wheelbase (in):	280
Body		Fr Axle to BOC (in):	76.8
		Cab to Axle (in):	203.2
		Cab to EOF (in):	323.2
Type:	Tank		
Length (ft):	20		
Height (ft):	13.5		
Max Laden Weight (lbs):	1000		
Trailer			
No. of Trailer Axles:	0		
Type:	Tank		
Length (ft):	0		
Height (ft):	0.0		
Kingpin Inset (in):	0		
Corner Radius (in):	0		
Restrictions			
Length (ft):	40		
Width (in):	102		
Height (ft):	13.5		

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.

	Ask your dealer for a quote today, or visit our website @ www.paccarfinancial.com .
	PACCAR Financial offers innovative finance and lease programs customized to meet your needs.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:

6/9/2008 1:15:11 PM

Complete

Model Number:

Model 367

Effective Date:

Jan 1, 2008

Quote/DTPO/CO:

Q01401520

Prepared by:

Rob Cranston

Version Number:

17.12



Brent Lee

Stahl Peterbilt E015

18020 118th Ave

Rob Cranston

Cell - 780-297-1112

Edmonton, Alberta Canada T5S 1C1

Phone: (780) 483-6666

Fax: (780) 484-2173

Email: rcranston@stahlpeterbilt.com

Contact Email:

Prepared for:

Data	Code	Description	\$ List	Weight
------	------	-------------	---------	--------

Base Model	0003671	Model 367	129,344	13,900
------------	---------	-----------	---------	--------

Frame & Equipment

0514340	○	10-3/4in Steel Rails, Steel Xmbars, 403-44in	933	751
---------	---	--	-----	-----

0601500	○	Full Steel Inner Liner	1,511	907
---------	---	------------------------	-------	-----

0611250	○	Heavy-Duty Iron Front Spring Brackets Fwd & Rear	323	35
---------	---	--	-----	----

0633210	○	Huck Bolt All Accessible Frame Components	249	0
---------	---	---	-----	---

0644020	○	EOF Square with Steel Xmb	-47	0
---------	---	---------------------------	-----	---

0651010	S	PBILT Rear Mudflaps, PBILT Straight Hangers	0	0
---------	---	---	---	---

0890370	○	Sliding Fifth Wheel Valve & Plumbing To EOF	123	4
---------	---	---	-----	---

10111790	○	Dana Spicer D2000F 20,000 lb, 3.5in Drop	3,627	503
----------	---	--	-------	-----

1124020	○	Taper Leaf Springs with Shocks 20,000 lbs	0	0
---------	---	---	---	---

1242240	○	Power Steering Sheppard M100 Dual	-219	26
---------	---	-----------------------------------	------	----

1250610	○	Power Steering Reservoir Frame Mounted w/Cooler	0	0
---------	---	---	---	---

1353460	○	PHP10 Alum LMS Hubs, Cast Drums, 16.5x6 Brakes	320	-11
---------	---	--	-----	-----

1390540	○	Brake Dust Shields	36	4
---------	---	--------------------	----	---

Rear Axle & Equipment

1521470	○	Meritor RT46-160P 46,000 lb	5,423	470
---------	---	-----------------------------	-------	-----

1612830	○	PHP10 Alum LMS Hubs, Cast Drums, 16.5x7 Brakes	0	0
---------	---	--	---	---

1632640	○	HalDEX Lifesal Parking Brakes, Drive Axle(s)	34	2
---------	---	--	----	---

1662010	○	Brake Dust Shields, Tandem Axles	72	15
---------	---	----------------------------------	----	----

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:

Effective Date:

Prepared by:

6/9/2008 1:15:11 PM

Jan 1, 2008

Rob Cranston

Complete

Model Number:

Quote/DTP/CO:

Version Number:

Model 367

Q01401520

17.12



Data	Code	Description	\$ List	Weight
1672610	O	Meritor Main Diff Lock, Both Tandem Axles (Air Rocker Switch occupies the space of one gauge)	1,816	60
1673090	O	Separate Dash Cntrl-Full Lock/Main Diff/Cont Trac Dana Spicer or Meritor - Tandem or TriDrive Axles (Air Rocker Switch occupies the space of two gauges for tandem axle and three gauges for tri-drive axle)	211	2
1682260	O	Gusseted Cam Brackets, Tandem Axles 46,000 lb maximum GAWR, welded gusset cam bracket.	55	2
1682450	O	Bendix 4S4M ABS, SBM Valve ABS-6	111	4
1684200	S	Synthetic Axle Lubricant, All Axles	0	0
1704300	O	Ratio 4.30 Rear Axle	0	0
1821910	O	Peterbilt Air Trac 46,000 lb, 60in Axle Spacing	2,767	496
1921500	O	HD Tracking & Radius Rods - 46,000 lb Air Trac	28	0
1922260	O	Dash Mounted Dump Valve with Indicator Light For use with air suspension (occupies the space of one gauge)	45	2

Engine & Engine Equipment

2059852	O	ISX 485/2000 500@1800 1850@1200 (2007) Includes alum flywheel housing. N20300 P029 No....Idle Shutdown Enable N20320 P015 Yes....Engine Protection Shutdown N20380 P001 82....Max Speed in Top Gear N20400 P059 65....Maximum Cruise Speed N20440 P030 5....Idle Shutdown Timer	8,539	840
2140150	O	Cummins Remote PTO and Throttle Provision	40	0
2141000	O	Steel Front Engine Support ipo Standard Aluminum	419	20
2511430	O	160 Amp Alternator - Long Brush with 2 year warranty	119	20
2521090	O	Immersion Type Pre-heater 110-120V Phillips	96	2
2521110	O	Oil Pan Heater 120V/300W	119	2
2522050	O	PACCAR 12V Starter Includes 3 year/350,000 mile extended warranty for On-Highway applications or 1 year/50,000 mile warranty for Off-Highway applications.	0	0
2535040	O	3 Optima DT31T Batteries 2700 CCA Threaded Stud Type Terminal. AGM (Absorbent Glass Material)	321	7
2723210	O	18.7 CFM Air Compressor (Furnished on Engine)	0	0
2812170	O	Intebrake (Furnished on Engine)	0	0
2925870	O	High Efficiency Fuel/Water Separator-Unheated	311	11
3010170	O	Ignition Idle Timer	91	0

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 6/9/2008 1:15:11 PM
Effective Date: Jan 1, 2008
Prepared by: Rob Cranston

Complete

Model Number: Model 367
Quote/DTPO/CO: Q01401520
Version Number: 17.12



Data	Code	Description	\$ List	Weight
3010400	O	Engine Protection Shutdown Includes oil pressure, oil temperature, coolant temperature, and intake manifold temperature.	15	0
3114270	S	High Efficiency Cooling System Includes silicone radiator hoses and extended life coolant.	0	0
3212520	O	2 Dnldsn 13in Stainless Steel Cowl Mtd w/SSTL Cap	1,314	55
3366380	O	Exhaust - Dual Side of Cab (DPF RH under cab). Includes DPF Tool Box RH under cab.	1,411	150
3381770	O	Curved Tip Standpipe(s)	71	0
3382110	O	Dual Stainless Steel Muffler Guard/Fairing	132	11
3387840	O	54in Ht, 7in Dia Chrome Plate Stl Standpipe(s)	134	11
Transmission & Clutch				
4022200	O	Fuller RTLO18918B 18 Speed Includes iron bell housing, water-to-oil cooler, rear transmission support, direct shift pattern, synthetic lubricant, and 15.5in Easy Pedal VCT Plus/Ceramic 4000# plate/1860 torque clutch.	5,307	201
4210280	O	1810 HD Driveline With Two Midship Bearings W/4.5in X .180 WALL TUBING	1,506	659
4233040	O	(2) Dash Mounted Single Acting Air PTO Control Standard with PTO engaged indicator light on Class 8 units. (occupies the space of two gauges)	256	2
4256250	O	Hd Input Bearing for Pto Operation For use with Fuller RTLO Transmission 1100 through 2250 Series. The roller style input shaft bearing has twice the dynamic radial load capability of the ball bearing style and is recommended for transmissions that will be equipped with a transmission mounted 6 or 8 bolt PTO.	24	0
4380270	O	Remote Lube Hoses for Clutch Linkage, Release Bearing and Cross Shafts - Mounted to LH Frame Rail	281	7
4380360	O	Upgrade Clutch Torque Capacity 1650 torque capacity to 1860 torque capacity when a 1650 torque capacity manual transmission is specified. 1860 torque capacity to 2050 torque capacity when a 1750 or 1850 torque capacity manual transmission is specified.	65	0
Air & Trailer Equipment				
4510790	O	Bendix AD-IP EP Air Dryer with Heater Extended Purge (for use with higher consumption applications). Includes Single-Bolt Dessicant Cartridge and wet Air Tank.	256	31
4520420	O	Berg Pull Cord Drain Valve(s) - All Air Tanks	8	0
4540220	O	Wire Braid Brake Hose - Rear	43	15
4540420	S	Nylon Chassis Hose	0	0
4541600	O	Wire Braid Brake Hose - Front	19	4

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	6/9/2008 1:15:11 PM	Complete	Model Number:	Model 367
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q01401520
Prepared by:	Rob Cranston		Version Number:	17.12



Date	Code	Description	\$ List	Weight
------	------	-------------	---------	--------

4543320	S	Steel Painted Air Tanks	0	0
Peterbilt will determine the optimal size and location of required air tanks.				
Narratives requesting a specific air tank size or location will not be				
accepted for factory installation. See ECAT to determine number or				
location of air tanks installed.				

4543430	O	Clear Outside Frame of All Air System Components	40	0
4543440	O	Clear Outside Frame of All Air System Components	40	0
4611930	O	Body Connections 5ft BOC	141	7

Junction Box contains light and power circuits for Body Connections				
4612800	S	Trailer Hand Valve	0	0
4612900	O	A&E Conn EOF w/7-way Socket (w/Conn EOF Strapped	-109	20
to the rail)				

5067740	O	FF: BR 20ply 425/65R22.5 M844F	1,138	161
5168520	O	RR: BR 16ply 11R24.5 M775	2,468	352
5190008	O	Code-rear Tire Qty 08	0	0
5222620	O	FF: Alcoa 823640 P12 22.5x12.25 Alm Whl	910	-13
5322450	O	RR: Alcoa 985600 P12 24.5x8.25 Alm Whl	2,424	-104
Pilot Mount, Severe Service				
5390008	O	Code-rear Rim Qty 08	0	0
5405040	O	FF: Polished Wheels w/o Chrome Wheel Nuts	64	0
5405090	O	RR: Polish Inside of Outer Wheels - Tandem	278	0
w/o Chrome Wheel Nuts (For use with up to and including 22.5x9.00				
wheels)				

5552130	O	26in Aluminum 80 Gallon Fuel Tank RH BOC	-16	-4
5554100	O	26in Aluminum 70 Gallon Fuel Tank LH U/C	445	9
5557070	U	26" 60G Fuel Tank LH BOC ADDI	1,289	95
5602070	O	Location LH U/C 70 Gallon	0	0
5603080	O	Location RH BOC 80 Gallon	0	0
5612230	O	(1) Non-Slip Fuel Tank Step LH U/C	0	0
5650140	O	Fuel Tank Fill Rear	0	0
Not available on under cab fuel tanks.				
5652570	O	(2) Shut-Off Valves On Fuel Supply Lines	16	0
Dual Draw/Return				

Fuel Tanks				
------------	--	--	--	--

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	6/9/2008 1:15:11 PM	Model Number:	Complete
Effective Date:	Jan 1, 2008	Quote/DP/CO:	
Prepared by:	Rob Cranston	Version Number:	



Data	Code	Description	\$ List	Weight
5652800	O	Additional Sending Unit in Secondary Fuel Tank with dash mounted gauge selector switch (will allow driver to read the fuel level of each of the fuel tanks independently using a single dash mounted fuel gauge).	48	0
5652830	O	Polish All Fuel/Hydraulic Tank Straps	140	0
Battery Box & Bumper				
6010390	O	Omit Std Battery Box (For use with passenger seat/in-cab battery box codes only)	0	0
6034700	O	Rubber Battery Pad In Bottom Of Battery Box For Canadian Vehicles Only (mat in box that holds batteries only)	0	4
6040520	S	DPF Tool Box w/Non-Slip Step RH Under Cab	0	0
6112490	O	Alum Bumper Bobbed Unpainted w/Tow Provisions Includes two tow pins	-125	-15
6132450	O	Heavy Duty External Tow Eye	259	44
Cab & Equipment				
6515570	O	Alum Cab 123in BBC Fiberglass Hood SBFA and Fenders with Polished Crown and Spring Tilt Assist	0	75
6540120	O	Severe Service Cab Package #1 Includes alum side skins, alum rear skin, alum windshield mask, steel firewall, steel front floor sheet, steel isolator insert.	71	49
6540160	O	Thermal Insulation Package in Cab Includes thick, closed-cell foam in floor, special mylar-faced foam in walls and roof structure.	49	2
6540600	O	Remote Keyless Entry System - Platinum Interior This system provides the convenience of a 2-button remote device (two key fobs are included) that will lock or unlock the driver and passenger doors. It has a range of up to 30 feet and uses random signal technology to safeguard the entry signal. Pressing the lock button will lock both the driver and passenger doors. Pressing the unlock button once will unlock the driver's door and pressing this button a second time will unlock the passenger door. The marker lights will illuminate to visually confirm the doors have been locked or unlocked. No alarm function is included.	266	0
6701730	O	36 inch Low Roof Sleeper w/Prestige Interior Includes single LH full-length door, storage tray, door actuated baggage compartment light, rubber floor mats in baggage compartment, sleeper curtain, rubber floor covering, bunk restraint, wide walk-through opening with upholstered cover, cab/sleeper air suspension, 31in x 78in coil spring mattress, single dome light, fluorescent light, 12V DC power outlet, (2) two-way vents, local reading/spot light LH above bunk, ConcertClass audio system with AM/FM/WB/CD, (2) cab speakers, (2) sleeper speakers, and antenna.	8,032	626
6800340	O	Rubber Fender Lips 4 inch Extra Wide	363	9
6810290	O	Sleeper Door Diaphragm	120	2
6810730	O	RH Sleeper Baggage Door Includes door-actuated baggage compartment light.	507	11

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 6/9/2008 1:15:11 PM
Effective Date: Jan 1, 2008
Prepared by: Rob Cranston

Complete

Model Number:
Quote/DTPO/CO:
Version Number:

Model 367
Q01401520
17.12



Data	Code	Description	\$ List	Weight
6812590	O	Stainless Steel Sleeper Vent Lids	45	2
6814140	O	Carpet Black ipo Standard - Sleeper For use with Prestige or Platinum Interior.	0	0
6814250	O	Thermal Insulation Pkg - 36in/48in Low Roof Slpr Includes thick closed-cell foam in the floor and special mylar-faced foam in the walls and roof structure.	135	4
6911250	O	UltraRide HighBack Air Driver Seat with Leather Seating Surface	226	2
6921320	O	UltraRide HighBack Vinyl Passenger Seat Non-Susp Mounted on In-Cab Battery Box. Seat Cushion bolted to Battery Box Cover. Includes shock absorbing rubber mat and battery quick connect mounted under the cab for improved system protection.	536	-49
6930210	O	Seat Shroud - Driver	69	2
6930650	S	3-Point Safety Belt-Driver & Pass	0	0
6930800	O	Black Seat Color ipo Standard Color	0	0
6939360	O	RH Fold-Away Arm Rest, LH Std Arm Rest-Driver Sea Requires Sleeper and High Back Seat.	127	4
7001450	S	18in (4) Spoke Foam Steering Wheel-Soft Touch	0	0
7039150	O	Platinum Interior - Arctic Gray Includes high-gloss burlwood instrument panel, two-toned color-coordinated dash w/soft touch upper, bright bezel on gauges, high-gloss burlwood insert on contoured doorpads w/vinyl inserts, LH/RH door mounted map pockets w/built-in courtesy lights, power windows & door locks on both doors, adjustable steering column w/18 inch soft-touch steering wheel, soft-touch steering column cover, floor carpet, padded premium vinyl headliner w/insert, (2) inside sunvisors (integral vanity mirrors), (2) coat hooks, (2) dome/reading lights, footwell lighting, integrated "dead pedal", (5) inside entry grab handles, cupholder & map bin in dash, 12V power outlet dash mounted, ConcertClass Satellite Audio w/CD, and Peterbilt Navigation System (occupies the space of six gauges).	3,677	33
7040140	O	Black Floor Carpet ipo Interior Color - Cab Only For use with all interiors (requires Code 7040110 with ProBilt or Prestige Interior).	0	0
7210180	O	Rear Window Back of Sleeper Standard Tint Fixed Includes curtains.	158	33
7230010	S	View Window in RH Door	0	0
7230110	O	Side Window RH-Standard Tint-36in Sleeper	292	9
7310090	O	Sleeper Recirc Heater w/Controls in Sleeper	614	31
7322010	S	Combo Fresh Air Heater/Air Conditioner with radiator mounted condenser, dedicated side window defrosters (not Models 210, 220, 320, 325, 330, 335, or 340), Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0	0
7322130	O	Cup Holder (Floor Mounted) Includes two standard-size drink holders and one extra-large jugholder, coin tray, and clipboard-size storage area.	58	4

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 6/9/2008 1:15:11 PM
Effective Date: Jan 1, 2008
Prepared by: Rob Cranston

Complete

Model Number:
Quote/DTPO/CO:
Version Number:

Model 367
Q01401520
17.12

Unpublished options may require review/approval. Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Data	Code	Description	\$ List	Weight
7330160	O	Arctic Wrap on Heater Water Supply Lines (Requires sleeper heater on conventionals)	13	0
7330770	O	Air Conditioning Excise Tax - Canada	117	0
7410040	O	Outside Sunvisor Stainless Steel	142	4
7511010	O	Stainless Steel Mirrors 7x16 with Heat Element	59	0
7560170	S	Convex Mirror Over RH Door	0	0
7565030	O	Brackets 109in Wide Rear View Mirror These mirrors to measure 114in center to center.	20	0
7565180	O	Polished Lower Mirror Bracket Covers	19	0
7620990	O	(2) Hadley Air Horns Rect 29 Inch Chromed Includes snow shields with Peterbilt logo.	152	4
7725260	O	ConcertClass Satellite Audio System with CD For use with 36in Sleeper. Includes AM/FM/WB/Satellite frequencies, (4) cab speakers, (2) sleeper speakers, woofer, and antenna.	470	2
7740100	O	Cobra 40 Channel CB Radio w/Integral Speaker Includes illuminated front panel.	319	11
7748680	O	CB Antenna Brackets and Wire RH/LH Mirror	85	0
7749500	O	Sirius Satellite Radio Service Provider Option designates Sirius Satellite Radio - subscription required (800-539-7474).	0	0
7850210	O	Plug-In Auto Reset Circuit Breaker in place of fuses in junction box.	65	0
7850910	O	Combo Bugscreen Winterront	147	7
7851230	O	Dual Door Stop - Driver Door	115	0
7851480	S	Peterbilt Electric Windshield Wipers with intermittent feature	0	0
7900070	O	5 Lb 3a:40bc Fire Extinguisher Mounted in baggage compartment.	69	9
7900090	O	Triangle Reflector Kit Shipped Loose	30	13
7901130	O	Backup Alarm (107dB)	105	7
8011100	O	Trans Temp Gauge Main	78	0
8011220	O	Axle Temp Gauges Tandem Drive	163	2
8011390	O	Oil Temperature Gauge - Engine	45	0
8012220	O	(2) Guards Rear Axle Heat Gauge-Tandem Axles	23	2
8021050	O	Air Restriction Gauge - Dial Type	126	0
8031450	O	Indicator Light PTO Engaged F/O PTO	23	0
8041170	O	Speedometer KPH lpo MPH	0	0
8071020	O	Manifold Pressure Gauge	92	2
8071190	O	Digital Alarm Clock Sleeper Mounted	114	2





Data	Code	Description	\$ List	Weight
8071870	S	Main Instrumentation Cluster w/Graphics Display Includes speedometer with trip odometer, tachometer with hourmeter and outside air temperature display, voltmeter, engine oil pressure, engine coolant temperature, fuel level, primary and secondary air pressure gauges. Includes standard warning light package: high water temperature, low oil pressure, and low air pressure warning lights w/audible alarms, high beam, turn signal, low fuel, parking brake, and ice warning indicators; seat belt reminder; rocker switches with long-life LED indicators; multi-function turn stalk with flash-to-pass feature (night mode flashes headlights and marker lights; day mode flashes headlights only), intermittent windshield wiper and headlamp beam control.	0	0
8072870	O	(6) Additional Electric Rocker Switches	114	0
8110950	O	Headlights Dual Rect Pod Mtd w/Halogen Beam with Integral Turn Signals and Polished Alum Shell	23	11
8120980	O	Marker Lights (5) Aero LED (Light Emitting Diodes)	66	0
8133120	O	Switch and Wiring F/O Aux Light on Air Cleaners Includes switch on the dash which will power metri-pack sealed connections at the RH/LH air cleaner outlets.	106	0
8133500	O	Switch on Dash for Light in Sleeper (In addition to the standard switch)	76	0
8133960	O	Daytime Running Lights (Required on Canadian units)	76	0
8140550	O	Tail and License Lights under RR crossmember with square EOF only. (Not available with optional lights)	19	0
8151520	O	Loadlights (2) Flush Mounted Outbd Loc B	97	4
8151540	O	Loadlights (2) Flush Mounted Loc C	97	4
8153100	O	(1) Switch & Wire F/O Loadlight with (1) 10 ft additional wire coiled undercab/sleeper	26	0
8154030	O	(2) Brkts, Switch/Wiring, Mtd Outboard Loc J F/O Loadlights. Loadlight Location "J" not avail w/DayCab, 2007 engine and SOC Exhaust combination.	69	2
Paint				
8500690	O	Paint Color Selection within Paint Deck	-200	0
8530780	O	(1) Color Dupont Two Stage - Cab/Hood/Slpr Base Coat/Clear Coat N85020 1 - L0759EB FLAME RED N85200 FRAME N0001EA BLACK N85300 WHEEL ALUM	600	0
Miscellaneous				
9409005	O	36in Sleeper / Platinum Interior (3P) Customer does not want the navigation system.	0	0
9499988	O	DO NOT DRIVE (Dealer/Customer Request)	250	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	6/9/2008 1:15:11 PM	Complete	Model Number:	Model 367
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q01401520
Prepared by:	Rob Cranston		Version Number:	17.12



Data	Code	Description	\$ List	Weight
9499990	U	*TRUCK TO BE INVOICED IN U.S. DOLLARS*	0	0

Total Adjusted Price (W/O Freight & Warranty)	\$196,464
Freight Charge	\$1,950
Options Not Subject to Discount	\$0
Total Weight	20711#

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	6/9/2008 1:15:11 PM	Complete	Model Number:	Model 367
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q01401520
Prepared by:	Rob Cranston		Version Number:	17.12