

KENWORTH
VMXXR036-1

CHASSIS FINAL BILL
FOR VIN 1XKWP4TX1SR997874

PAGE 001
AS OF 04/22/24

820-3
MAY

UNIT TYPE 1

DEALER CODE - I018
NAME AND ADDRESS
INLAND TRUCK & EQUIPMENT LTD

CUSTOMER NO - 7BOB
EDLUND TRANSPORT LTD

DATES
REQ DELV 03/04/24

26770 GLOUCESTER WAY

W900B SLEEPER

DELIVERY 04/22/24
PRIC EFF 04/22/24

LANGLEY BC V4W 3V6
PREVIOUS CHASSIS NO. 994885

THE FOLLOWING LIST DESCRIBES ALL COMPONENTS USED FOR THIS CHASSIS
DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY.

APPLICATION

COMMODITY HAULED 0091090 GENERAL FREIGHT

INTENDED SERVICE 0093007 REGIONAL HAUL

BODY LENGTH .00 IN BODY HEIGHT .00 IN
MAX LADEN WEIGHT .00 LBS

TRAILER

TRAILER TYPE 0096010 DOUBLES

TRAILER LENGTH 60.00 FT TRAILER HEIGHT 12.00 FT
KINGPIN 24.00 IN CTR LINE AXLE GRP .00 IN
CORNER RADIUS .00 IN NO TRAILER AXLES 05

OPERATING AREA RESTRICTIONS

LENGTH 75.00 FT WIDTH 102.00 IN HEIGHT 13.50 FT

**** DEALER ASSIGNED:

CHASSIS

FRONT AXLE LOAD 20000.00 LBS REAR AXLE LOAD 68000.00 LBS GCW 118370.00 LBS
WHEELBASE 264.00 IN FAX/BOC 90.00 IN CAB/AXLE 174.00 IN
CAB/EOF 262.00 IN MAXIMUM GRADE 10 PERCENT HIGHWAY 080 % CLASS B 015
% CLASS C 005
% CLASS D 000

UNIT TYPE 1

SPECIAL REQUIREMENTS

SPECIAL RESTRICTIONS 0098050 CANADIAN REGISTRY

ENGINEERING ASSIGNED RATINGS

GAWR FRONT: 20,000.00 LBS
 GAWR FIRST INTER 22,666.00 LBS SECOND INTER 22,667.00 LBS
 GAWR REAR: 22,667.00 LBS
 GVWR: 88,000.00 LBS

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
BASE MODEL				
0000900	W900 CONVENTIONAL	P	234,491	15,873
0070077	W900	P	0	0
0080310	EPA CLEAN IDLE LABEL - CUMMINS ENGINES	P	107	0
0090037	72IN AEROCAB TRIDEM REAR AXLE	P	0	0
0098470	STATE OF REGISTRY: CANADA	P	0	0
ENGINE AND ENGINE EQUIPMENT				
0130369	ENG: CUMMINS X15 605V, 2024	P	11,138	0
N0920	605@1950 2050@1150, PRODUCTIVITY SERIES			
N0922	C399 120...STANDARD MAXIMUM SPEED LIMIT			
N0924	C402 0....EXPIRATION DISTANCE (C402)			
N0926	C209 120...HARD MAXIMUM SPEED LIMIT (C2			
N0930	C121 65...MAXIMUM ACCELERATOR PEDAL VE			
N0936	C128 65...MAXIMUM CRUISE SPEED (C128)			
N0938	C400 474...RESERVE SPEED FUNCTION RESET			
N0940	C334 0....MAXIMUM CYCLE DISTANCE (C334			
N0942	C401 10...MAXIMUM ACTIVE DISTANCE (C40			
N0944	C333 0....RESERVE SPEED LIMIT OFFSET (
N0946	C234 NO...ENGINE PROTECTION SHUTDOWN (
N0948	C231 NO...GEAR DOWN PROTECTION (C231)			
N0950	C132 1400..MAX PTO SPEED (C132)			
N0952	C239 NO...CRUISE CONTROL AUTO RESUME (
N0954	C238 NO...AUTO ENGINE BRAKE IN CRUISE			
N0956	C395 1259..EXPIRATION DISTANCE (C395)			
N0958	C225 NO...ENABLE IDLE SHUTDOWN PARK BR			
N0960	C133 5....TIMER SETTING (C133)			
N0962	C396 YES...ENABLE IMPENDING SHUTDOWN WA			
N0964	C397 60...TIMER FOR IMPENDING SHUTDOWN			
N0968	C206 35...ENGINE LOAD THRESHOLD (C206)			
N0972	C233 NO...IDLE SHUTDOWN MANUAL OVERRUL			
N0974	C382 YES...ENABLE HOT AMBIENT AUTOMATIC			
N0976	C188 40...LOW AMBIENT TEMPERATURE THRE			
N0978	C189 60...INTERMEDIATE AMBIENT TEMPERA			
1000046	C190 80...HIGH AMBIENT TEMPERATURE THR			
1000122	EPA EMISSIONS WARRANTY ENGINE	P	0	0
1000151	2024 SERIES EMISSIONS ENGINE	U	0	0
1000180	PREMIERSPEC	P	0	0
1000233	KW SPLIT AXLE PROGRAM R-J	U	0	0
1000244	Engine parameter: Powertrain Protect SmartAccel X15 Torque Limiting	P	0	0
1000254	PT Optimization analysis: Balance power/economy blend results	P	0	0
1000524	Customer's Typical Operating Spd:65 MPH	P	0	0
1000744	Year of Registration: 2024	U	0	0
1000856	Effective VSL Setting 65.0 MPH (CAN)	P	0	0
1000857	Enable Most Fuel Efficient EIST	P	0	0
	Engine Idle Shutdown Timer Enabled	P	0	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
1000859	Enable EIST Ambient Temp Ovrerule	P	0	0
1000912	Eff EIST 1259000 Expiration Miles (CAN)	P	0	0
	Use only with MX and Cummins engines			
1002070	AIR COMP:CUMMINS 37.4 CFM	P	2,670	15
	*For C500 Twin Steer use 1002075			
1042260	Air Cleaner: Dual 15" SST POL Cowl MTD	P	1,714	44
	W/KW BUG W/Preferred Fit Element			
1098005	AIR RESTRICTION INDICATOR:FILTER MINDER	P	59	0
	ELECTRIC, MTD ON AIR CLEANER			
1099091	AIR CLEANER FAIRINGS: DUAL SS	P	227	2
1105220	FAN HUB: HORTON 2-SPEED FOR X15/X15N	P	0	0
1127950	COOLING MODULE: W9 1670 SQIN	P	0	0
1160105	RADIATOR WINTERFRONT	P	203	2
1160208	BUG SCREEN: BETWEEN HOOD AND GRILLE	P	122	2
	SEMI RIGID. NOT REMOVABLE			
1247253	EXH: SING CAN 2024 RH UND W/ DUAL SOAC	P	4,622	0
	MTD TP			
1290448	Tailpipe: 7" Dual 48" 45 Deg Curved	P	733	17
1292390	CUSTOM CUTOUT FOR DUAL EXH SHIELDS	P	777	0
	A-Z ONLY WITH SPACES, ALL CAPS			
N1290	1292390 EDLUND			
N1292	1292390 EDLUND			
1321109	Fuel Filter:PACCAR Std. Serv. Interval	P	0	0
	Fuel/Water Separator, 2017 and Later			
1321200	Run Aid:None	P	0	0
	*For Fuel Filter			
1321300	Start Aid:None	P	0	0
	*For Fuel Filter			
1504005	IMMERSION ENG BLOCK HTR:110-120V/1500W	P	151	2
	PLUG LOC UNDER DOOR C5, T6, T8 & W9			
1506055	ENGINE OIL PAN HEATER: 120V / 300W	P	189	2
	FOR USE WITH EPA 2007+ ENGINES			
1816200	ALTERNATOR: SEG 200 AMP, BRUSH TYPE	P	204	0
	FORMERLY BOSCH			
1821215	BATT: 4 PACCAR GP31 THR (700-730)	P	245	57
	2800-2920 CCA DUAL PURPOSE BATTERIES			
1836106	MITSUBISHI 105P55 12V STARTER W/CUMMINS	P	0	0
	AND PX ENGINES			
1840063	LOW VOLTAGE DISCONNECT W/72 OR 75 SLPR	P	0	0
1900082	MULTI FUNCTION ENG CONN FOR BODY BLDR	P	137	0
	FOR USE W/ CUMMINS ENGS			
1900996	JUMP START TERMINALS MTD UNDER HOOD	P	270	12
	MAIN TRANSMISSION AND CLUTCH			
2058771	TRANS: EATON RTLO20918B 18 SPD	P	3,006	16
	SUPER 18,GEN 3,W/PUMP, W/14" OIL COOLER			
2174716	AUX TRANS: TTC/SPICER APO1750-4C	P	25,616	720
	4-SPEED, AIR SHIFT, STL C/M & GUSSETS			
N2174	DEALER OK W/DESIGN LOC AUX TRANS			
2250498	CLUTCH: EATON 15.5" ADVANTAGE SELF ADJ	P	423	6
	CERAMIC, 6 PAD, PREDAMPER, TO 2050 LBFT			
2294035	GREASE BANK FOR CLUTCH AND CROSS SHAFT	P	435	11
	FRAME MTD			
2406314	D/L: 2 DANA SPL250SF W/ 0 CB	P	1,020	93
	FOR AUX TRANS OR JACKSHAFT			
2410052	INPUT TORQUE EXCEEDS RATED CAPACITY OF	U	0	0
	AUX TRANS: ITEM PURCHASED W/O WARRANTY			

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
2429100	CHASSIS WILL BE FITTED W/ LH TRANS PTO PREVENTS ECU INTERFERENCE W/ PTO ONLY	P	0	0
2444000	CHROME SHIFT LEVER	P	111	0
2460042	EATON 14" HI CAP OIL TO WATER COOLER STD FOR TRANS 1550-2250 LBFT	P	0	0
2461405	KW OIL TO AIR COOLER FOR AUX TRANS W/ EXTERNAL OIL PUMP, 17500 LBFT	P	1,527	26
FRONT AXLE AND EQUIPMENT				
2516006	FR MERITOR MFS20 20K 3.74" DROP WIDE TRACK	P	2,890	167
2601609	FR BRK:BENDIX RSD HP-ES 16.5X7S 22KCAP REDUCED STOPPING DISTANCE TRACTOR ONLY	P	502	24-
2659047	FR DUST SHIELDS:F/ALL DRUM BRKS	P	85	6
2690017	FR BRK DRUM:CAST 16.5X7" 22K	P	163-	94
2701319	FR AL HUB PIL MNT MAX CAP 20K 16.5X6" OR 7" OR AIR DISC BRKS 11.25" BC 10BLT	P	676	16
2741970	FR CONMET PRESET PLUS HUB PKG	P	0	0
2750001	FR HUBCAP VENTED	P	0	0
2765001	FR AUTO SLACK ADJ FOR DRUM BRKS	P	0	0
2866020	FR SPRG TAPERLEAF 20K W/SHOCKS	P	0	0
2893622	PWR STRG DUAL GEARS, TRW TAS65 20K *NOT FOR USE W/RH STR	P	1,620	60
2899336	PWR STRG COOLER RADIATOR MTD	P	396	11
2900020	FR FRAME RAISED 1/2"	P	23	0
REAR AXLE AND EQUIPMENT				
3151572	RR DANA SPCR T69-172HP WIDE TRK VARCAP TRIDEM	P	23,416	2,580
3200456	REAR AXLE RATIO-4.56	P	0	0
3304014	RR BRK:BENDIX RSD 16.5X7"TRIDEM 69K CAP REDUCED STOPPING DISTANCE TRACTOR ONLY	P	988	30
3393000	RR BRK DRUM:CAST TRIDEM FOR USE W/16.5X7" OR 16.5X8.625" BRK	P	0	0
3407090	RR HUB:AL HUB-PIL TRIDEM 11.25" BC 69K REQS "R" SERIES OUTER ENDS	P	0	0
3441973	RR CONMET PRESET PLUS HUB PKG:TRIDEM	P	0	0
3465003	RR AUTO SLACK ADJUST:TRIDEM FOR DRUM BRKS	P	0	0
3485301	RR SPRING BRK:3030 LONGSTROKE TRIDEM. FOR DRUM BRKS.	P	0	0
3490047	RR DUST SHIELDS:F/ DRUM BRK/ALL RR	P	135	11
3495225	FMVSS-136 STABILITY CNTRL SCHDL REVIEW	P	0	0
3495231	ABS:BENDIX 6S/6M W/ATC & ELECTRONIC STABILITY PROGRAM (ESP) F/TRACTORS	P	820	15
3500002	REAR AXLE APPROVAL RECEIVED*SEE N3840 FOR DATE OF RECEIPT*	U	0	0
3500063	I/A D/L: 2 DANA SPL170SF *TRIDEM ONLY*	P	1,139	94
3532196	WHEEL DIFF LOCK: T69-170/172HP ALL 3 AXLES	P	4,115	167
3573112	FLIP VLV/WRG/LT:SEP F/CTD/WDL/XLOCK FWD RR, CTR RR & RR RR*TRIDEM AXLES	P	225	0
3760030	NEWAY ADZ369 69K TRIDEM 54" AS 10" RIDE HT W/DUAL LEVELING VALVE	P	11,956	949
3839002	AIR SUSP OVERINFLATION VLV W/WARN LT TO RAISE FRAME	P	296	0

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
N3840	DA-24-18822-001			
	TIRES, WHEELS & RIMS			
4017183	FR MN XZY3 425/65R22.5 20PR AP	P	1,660	190
	PART: MN425/65R225LXZY3 FET: 74			
4210151	RR MN X WORKS D 11R24.5 16PR	P	4,506	480
	PART: MN62703 FET: 420			
4900012	REAR TIRE QUANTITY: 12		0	0
5045216	FR WHL ALCOA 82362 22.5X12.25 AL	P	989	10-
	HUB PIL, ADB COMPAT, LVL1 HIGH POLISH			
5245275	RR WHL ALCOA 98U63 24.5X8.25 AL	P	3,552	204-
	ULTRA ONE HIGH POLISH WHL			
5850040	WHL GUARDS ALL AXLES	P	120	2
5859007	TRIDEM RR AXLE DURA-BRIGHT MIRROR	P	1,224	0
	POLISH OUTBRD SURFACE OF WHLS(QTY6)-2DB			
5859010	SING FR AXLE DURA-BRIGHT MIRROR POLISH	P	310	0
	OUTBRD SURFACE OF WHEELS (QTY2) -1DB			
5900012	REAR WHEEL/RIM QUANTITY: 12		0	0
	FRAME AND EQUIPMENT			
6056600	FRAME RAILS: 10-3/4 X 3/8" STL 337-416"	P	1,006	0
	SECTION MOD:17.80, RBM:2,132,000 LBS			
6141600	FULL STL INSERT F/ 10-5/8" OR 10-3/4"	P	2,795	0
	STL 337-416" OR 2ND INSERT F/ 11-5/8"			
6303428	BUMPER: STRAIGHT STL BOX, CHROME	P	651	211
	REQS BUMPER SETTING CODE			
6319035	35 INCH BUMPER SETTING*REQS BUMPER CODE	P	429	6
6324025	FRONT TOW HOOK: CAST CENTER MTD	P	258	28
	C5 REQS STL,T8 REQS IRON FRT DRIVE BRKT			
6390001	STEEL SHACKLE LINKS	P	0	0
6390011	STL AUX TRANS C/M W/ HEAVY DUTY STL	P	0	52
	GUSSETS			
6390083	CUSTOM FRAME LAYOUT COMPLETE	U	0	0
6390086	VEHICLE LAYOUT SENT PENDING APPROVAL	U	0	0
6390110	FRT MUDFLAPS: EXTENDED WIDTH, F/ USE	P	121	6
	W/ DUPLEX TIRES			
6391201	Custom Frame Layout: one chassis	P	1,380	0
6405086	W9 BATT BOX MODULE:PAR POLISH ALUM UND	P	1,468	9
	EXTEND LENGTH, POL AL INTEGRAL STEP CVR			
6409901	BATTERY BOX LOCATION: LH SIDE	P	0	0
6451096	W9: POLISHED DPF/SCR OR CNG	P	666	0
	COVER W/STEP. CAB ACCESS RH UNDER			
6543968	FW: ILS AIR HL FW35M948XL00 48.0" 9.0"	P	1,217	146
	OUTBRD 55K			
6679824	Width across front tires exceeds 102".	P	0	0
	Dealer to review delivery constraints			
	with transporter.			
6679834	Width across rear tires exceeds 102"due	P	0	0
	to combination of wide track rax & dual			
	tires. Dealer to review delivery			
	constraints with transporter.			
6679911	COMPONENT RESTRICTION--DO NOT DRIVE--	P	0	0
	UNIT MAY BE DECKED			
6679954	DLR ACKNOWLEDGES TRUCK WIDTH IS >102"	U	0	0
6679975	***FRAME ACCESS PACKAGE RECOMMENDED.	P	0	0
	DEALER CONTACT DECLINES			
	OF NO FRAME ACCESS PACKAGE WITH CENTER			
	MOUNTED HOSETENNA.***			

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
----	-----	----	-----	-----
6690280	FW rear/fixed setting behind bogie 28 i indicates rearmost setting measured rea			
6721102	RR MUDFLAP ARMS:BETTS B25 STD DUTY STRAIGHT (KIT INCL B1732 MTG BRKTS)	P	0	0
6722000	RR MUDFLAP SHIELDS:WHITE PLASTIC KW LOGO, ANTISAIL	P	0	0
6744123	TRACTOR TAPER:SHORT BENT/WELD W/O C/M	P	0	0
FUEL TANKS AND EQUIPMENT				
7214135	FUEL TANK: 135 US GAL 24.5" AL BOC RPL	P	394	55
7216110	FUEL TANK: 110 US GAL 24.5" AL BOC ADD	P	2,421	116
7722155	DEF TANK: LARGE ROUND, 30 GAL 2021 OR LATER EMISSIONS	P	433	22
7821300	HVY DUTY 7" STL SUPTS/STRAPS F/(2) 24.5" TANKS - 2 SUPTS PER TANK	P	878	36
7840029	POLISH ONLY: 2 ALUMINUM TANKS	P	857	0
7840038	POLISHED COVER: 1 DEF TANK ANY SIZE	P	357	3
7889004	FUEL FILL: BEYOND RR OF SLEEPER	P	0	0
7889082	POL ONLY: HD 7"F/T STRAPS F/2 24.5"TANK 2 STRAPS/TANK*MUST CODE HVY DUTY SUPTS	P	316	0
7889206	MINIMUM REQUIRED DEF TO FUEL FILL RATIO 1:1	P	0	0
7889217	DEF CAPACITY RATIO: TRUCK TO BE CENTRALLY FUELED	P	0	0
7889245	ANTI-SIPHON DEVICE F/TANK FILLER NECK ANY NUMBER OF TANKS	P	0	0
7889604	DEF TANK LOC: LH	P	0	0
7930135	Location: 135 gal fuel tank RH behind c			
7940110	Location: 110 gal fuel tank LH behind c			
CAB AND EQUIPMENT				
8025300	CAB: CONVENTIONAL*AEROCAB*CURVED GLASS B3*AVAILABLE ONLY W/AEROCAB SLEEPER*	P	0	0
8057572	SLEEPER: 72" AEROCAB FLATTOP	P	18,651	906
8080137	CAB DOOR BEARING BLOCKS: TOP & BOTTOM	P	33	0
8080942	SLPR DOORS W/SLIDING WINDOW: LH/RH *RPL UPPER SLPR EMERG EXIT DOORS*	P	1,038	19
8090105	HOOD:UNITGLAS STRAIGHT 1-PIECE W/GRILLE & SHELL	P	0	0
8098206	HOOD HINGE REINFORCEMENT	P	252	5
8098220	HEAVY DUTY AIR CLEANER MOUNTING PANELS LH & RH	P	620	4
8098404	ADD 4 RIBS ON RADIATOR GRILLE	P	146	2
8158011	ESPAR SLPR OR BUNK HEATER*AIRTRONIC D2*	P	1,427	14
8158012	INSULATED FUEL LINES FOR ESPAR HEATER	P	81	0
8178210	HEATER/AIR COND:SEP UNITS CAB & SLPR INCL 5 MODE ROTARY CTRL*N/A W/ 38" SLPR	P	0	0
8190564	AIR CONDITIONING EXCISE TAX: CANADIAN REGISTRY ONLY	P	175	0
8201041	STRG WHL: 18" 4-SPK LEATHER*SMARTWHEEL MULTIPLEX	P	797	2
8201200	STRG COLUMN:ADJ TELESCOPNG TILT *CODE F/18" OR F/20" STRG WHEEL*	P	0	0
8203060	5 SETS OF KEYS. REPLACES STANDARD (2 SETS OF KEYS).	P	31	0
8203189	SW/WIRING FOR C/I AIR CLEANER LIGHTS	P	149	0
8205012	DASH SW/LT: OFF-HIGHWAY SW FOR ABS SYS	P	56	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8205045	FLIP VLV(SMALL)/PPG/LT:C/I SING SPD PTO	P	452	2
	DASH MTD*W/ C/I PTO MUST INCL CODE FOR			
8205103	INFO FOR C/I PTO: CHELSEA 8-BOLT	P	66	0
8208494	SW: 1 SPARE WIRED TO POWER	P	61	0
8220106	GAU: AIR FILTER RESTRICTION DASH-MT	P	154	0
8221136	GAU: TRLR RESERVOIR AIR PRESSURE	P	75	0
8221138	GAU:1 AIR SUSP PRESS (NOT DUAL READ)	P	280	0
	FOR DUAL LEVELING VALVES*			
8221160	GAU: OIL TEMP ENG W/INTEGRAL WARN LT	P	35	0
8222115	GAUGE: ALL METRIC GAUGES EXCEPT DIGITAL	P	0	0
	DISPLAY PRESSURE GAUGES IN PSI			
8222722	GAU: MANIFOLD PRESS	P	33	0
8225656	GAU: AXLE OIL TEMP F/TRI DRIVE AXLE	P	368	0
8226617	GAU: OIL TEMP AUX TRANSMISSION	P	101	0
8226667	GAU: OIL TEMP MAIN TRANSMISSION	P	41	0
8240620	KPH SPEEDO REPLACES MPH	P	0	0
8282004	Kenworth Driver Information Center	P	0	0
	(Highline display)			
8282009	INSTRUMENT PACKAGE	P	0	0
8330572	INTERIOR: CAB/72" SLEEPER DIAMOND VIT	P	6,620	172
	INCLUDES KW NAVPLUS HD W/ 2010+ ENGINES			
8343305	INTERIOR COLOR: JET BLACK W/TRIM COLOR	P	0	0
	DARK SLATE GRAY			
8390648	BLACK CARPET REPL FLOORMAT: CAB	P	207	0
8390748	BLACK CARPET REPL FLOORMAT: SLEEPER	P	86	0
8410893	DR: KW AIR-CUSHION PREMIUM PLUS HB HTD	P	973	0
	LEATHER*INCL DUAL ARMRESTS & SUSP COVER			
8480893	RD: KW AIR-CUSHION PREMIUM PLUS HB HTD	P	1,698	19
	LEATHER*INCL DUAL ARMRESTS & SUSP COVER			
8490170	SEAT COLOR:ALL JET BLACK*NOT 2-TONE*	P	0	0
	USE ONLY W/KENWORTH SEATS*OTHER SEATS			
8497005	AIR LINE FITTING @ DR SEAT FOR C/I AIR	P	47	4
	CHUCK*N/A W/8700042*			
8505072	REFRIG/FREEZER: FRONT LOADING*AVAIL 72"	P	971	42
	VIT & 75" SLPR*STD 86" VIT, NO CODE REQ			
8505110	TV INSTL PKG: LO MT*AEROCABS ONLY*NA	P	335	6
	W/38"/86" SLPR*NA W/62" W/LIFTABLE LWR			
8520012	LIFTABLE LOWER BUNK: W/39" INNERSPRNG*	P	1,252	39
	CODE FOR MATTRESS*REPL STD FIXED BUNK			
8520141	MATTRESS:PREMIUM POCKET INNERSPRING	P	0	0
	ON LOWER BUNK ONLY			
8521000	EVA FOAM PAD OVER MATTRESS TRAY FOR	P	132	2
	INSULATION:9/16" THICK*N/A W/AEROCAB			
8530237	FLOORMAT: TOOL COMPARTMENT	P	0	0
8570000	LH LOWER CABINET W/2 DRAWERS: 72" VIT	P	620	11
	AEROCAB SLPRS*STD 86" VIT			
8601429	KENWORTH RADIO DEA730 AM/FM/WB/USB,	P	847	0
	BLUETOOTH & SIRIUS-XM SATELLITE			
8699514	SPKRS: 4 4"X6" HIGH PERFORMANCE*W/	P	133	0
	KENWORTH*2 IN CAB HEADER/2 RR CAB CRNR			
8699926	CB installation kit center mounted of	P	298	0
	header w/quick mt release dual antenna			
8700023	1 ADD 12V ACCESSORY PLUG IN SLPR	P	76	0
	LOC ON ACC PANEL N/A 38"AEROCAB*			
8700049	LOGBOOK HOLDER UNDER DASH	P	45	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8700101	BLACK DASH REPLACING TRIM COLOR DASH	P	41	0
8700168	TURN SIGNAL SWITCH: COLUMN-MTD DIMMER INCL INTERMITTENT WIPER CONTROL	P	0	0
8700186	ELECTRIC DOOR LOCKS*LH/RH*	P	0	0
8700188	REMOTE KEYLESS ENTRY*REQ ELEC DOOR LOCK*REQ DAYLITE DOOR	P	421	0
8700663	Kenworth TruckTech+ Formerly Remote Diagnostics	P	0	0
8700964	Delete KW NAVPLUS System On VIT/Diamond Interior	P	300-	0
8800271	GRABHANDLE: 1 LONG RH	P	0	0
8800373	GRABHANDLE: 1 LONG LH	P	0	0
8800400	GRABHANDLE:1 LH INSD DOOR FRAME ABOVE DASH	P	0	0
8800401	GRABHANDLE:1 RH INSD DOOR FRAME ABOVE DASH	P	0	0
8832115	DAYLITE DOOR: LH/RH INCLDS RH PEEPER WINDOW	P	0	0
8841411	AIR HORN: SINGLE UNDER CAB	P	0	0
8850300	Look-down, pass. Door,Stainless 8.5x4.4	P	0	0
8863570	CX MIRR: DUAL SS HTD 8.5" OFFSET STUD MOUNTING*	P	94	11
8867202	MIRROR: DUAL MOTO HTD*SW ON DOOR PAD* *LH/RH MOTORIZED*AERODYNAMIC	P	541	2
8869005	MIRROR BRKT: DUAL 8-1/2'	P	0	0
8873750	RR SLPR WINDOW: FIXED 17X28 DARK TINT (6% LT TRANSMIT) W/CURTAINS*NA 86" SLPR	P	429	19
8879213	WINDOW LIFT: ELEC POWERED LH/RH SIDE SW LOCATED ON DOOR PAD	P	292	0
8879440	CAB DOOR/WINDSHIELD COVER IN ADDITION CAB/SLPR CURTAIN*AVAIL F/ T6/T8/W9 ONLY	P	354	4
8890105	WINDSHIELD: 2-PC W/ CURVED GLASS*ROPED IN*	P	151	2
8890135	SUNVISOR:EXTERIOR STAINLESS STEEL	P	393	11
8890290	CHROME BEADING AROUND WINDOWS*INCL PEEPER WINDOW, IF CODED*	P	86	0
8890353	RUBBER WHEELWELL FNDR EXTEN: 4-1/2" *C500/T800 8X4 FWD MOST AXLE*CONV REQ	P	301	11
8890872	CAB/SLPR AIR SUSP: 38"/62"/72"/86" AEROCAB ONLY*	P	0	0
LIGHTS AND SIGNALS				
9010802	HEADLAMPS: DUAL REC HAL EXT LIFE DUAL BEAM *N/A T800/C500 WIDE HOOD*	P	0	0
9022137	MARKER LIGHTS: 5 RECTANGULAR LED	P	212	0
9030014	TURN SIGNAL LIGHTS: LED, FENDER MTD	P	85	0
9030052	LED STOP/TURN/TAIL: WITH 2 LED B/U LIGHTS AND W/ LED LICENSE PLATE	P	0	0
9049825	SW/WRG: C/I FOG LTS *CODE F/CUTOUTS SEPARATELY, IF REQUIRED	P	40	0
9056140	FLOODLIGHTS: DUAL PEDESTAL 1ST SET	P	290	2
9058052	SW/WIRE/IND LT:C/I FLOODS 2ND SW W/O ELEC PASS-THRU: WIRED COILED BOC/BOS*	P	110	0
9059907	1ST SET LOC: HIGH SIDE OF SLEEPER DUAL PEDESTAL LAMP ONLY	P	0	0
9080205	SW & WRG & S/S BRKT FOR C/I DUAL BEACON MTD over door of cab with insulators.	P	350	4

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
9090000	DAYTIME RUNNING LAMPS	P	180	0
9090027	HEADLAMPS TO TURN ON WHEN WIPERS ARE ACTIVE	P	0	0
9090049	Omit Brake Light W/ Engine Brake	P	0	0
9090065	COURTESY LAMPS: UPPER SKIRT LH & RH TO ILLUMINATE STEPS	P	160	0
9090117	MARKER REFLECTOR LTS: MIDFRME-MTD N/A WITH FULL LENGTH CHASSIS FAIRINGS	P	225	22
9090845	CIRCUIT BREAKERS: TO REPLACE FUSES *DOES NOT APPLY TO ANY 5-AMP FUSE*	P	44	0
AIR EQUIPMENT				
9101219	AIR DRYER: BENDIX AD-HF HTD PURAGUARD & EXTENDED PURGE	P	149	0
9108001	MOISTURE EJT VLV: PULL CABLE DRAIN	P	0	0
9110071	TRAC KIT: CTR FRM-MTD W/HOSETENNA -INCL COMPOSITE GLDHD/LT PLG HLDR	P	70-	12
9120012	Air & light line length: 12 feet Straight lines			
9140020	NYLON AIR TUBING: FRAME/CAB	P	0	0
9140328	TRAILER ABS ELECT SUPPLY THRU SAE J560 7 PIN CONNECTOR (PER TMC RP137)	P	0	0
9140702	HOSETENNA BRACKET 2' BOC/S Plus or minus 6"	P	15	0
N9100	9999995 994885			
N9120	CFL A/D:INSIDE RH FRAME RAIL			
N9150	CFL A/T:INSIDE FRAME RAIL FOR GROUND			
N9151	CFL A/T:CLEARANCE			
ORDER REVIEWED BY APPLICATIONS TECH:				
9290231	RANDALL.HIENEMAN@PACCAR.COM	U	0	0
SPECIAL EQUIPMENT				
9409852	GHG Secondary Manufacturer: Does Not Apply	P	0	0
9490003	OFF HIGHWAY/SPECIALTY COMPONENT TRUCK ADDITIONAL LEADTIME REQUIRED	P	0	0
9490206	WARNING TRIANGLE REFLECTOR KIT: 3 TRIANGLES IN PLASTIC CASE	P	57	4
9490413	FIRE EXT: ONE 5# DRY CHEMICAL TYPE MTD LH OF SLPR TOOLBOX. Class ABC.	P	151	11
PROMOTIONS				
PAINT COLOR NUMBER				
9700000	PAINT COLOR NUMBER(S)	P	0	0
N9702	A - 902381EY LEGENDARY BLUE EF			
N9720	FRAME N0001EA BLACK			
NOTES				
9800001	***NOTE:REQUESTS PRECEDED BY N98XX ARE DISAPPROVED-OAR GRP #469-946-5351	U	0	0
N9801	APP ENGRG REVIEW: ENG/POWERTRAIN			
PAINT				
9943004	BUMPER UNPAINTED	P	0	0
9943055	Sleeper Pearl/Metallic Paint	P	1,150	0
9944821	1 Color Paint Sleeper White If No Color Specified	P	0	0
9960003	NON-STANDARD PAINT COLOR	P	295	0
9960006	***PAINT SKETCH VERIFIED***	U	0	0
9965510	PAINT:BASE COAT/CLEAR COAT*REQS PAINT EXTERIOR & PAINT COLOR L SERIES CODES*	P	0	0