

S20-4

KENWORTH
VMXXR036-1

CHASSIS FINAL BILL
FOR VIN 1NKWX4EX1RR981675

PAGE 002
AS OF 05/31/23

UNIT TYPE 2 OF FLEET 981674 THRU 981675

SPECIAL REQUIREMENTS

SPECIAL RESTRICTIONS 0098050 CANADIAN REGISTRY

ENGINEERING ASSIGNED RATINGS

GAWR FRONT: 16,000.00 LBS
GAWR FIRST INTER 20,334.00 LBS SECOND INTER 20,333.00 LBS
GAWR REAR: 20,333.00 LBS
GVWR: 77,000.00 LBS

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
0000900	W900 CONVENTIONAL	P	228,941	15,873
0070077	W900	P	0	0
0080055	CARB CLEAN IDLE LABEL - CUMMINS ENGINES	P	106	0
0090037	72IN AEROCAB TRIDEM REAR AXLE	P	0	0
0098470	STATE OF REGISTRY: CANADA	P	0	0
ENGINE AND ENGINE EQUIPMENT				
0130337	X15 605V 605@2000 2050@1000	P	10,916	0
N0920	2021 W/INTEBRAKE, PRODUCTIVITY SERIES			
N0922	C399 120...STANDARD MAXIMUM SPEED LIMIT			
N0924	C402 0....EXPIRATION DISTANCE (C402)			
N0926	C209 120...HARD MAXIMUM SPEED LIMIT (C2			
N0930	C121 64...MAXIMUM ACCELERATOR PEDAL VE			
N0936	C128 64...MAXIMUM CRUISE SPEED (C128)			
N0938	C400 474...RESERVE SPEED FUNCTION RESET			
N0940	C334 0....MAXIMUM CYCLE DISTANCE (C334			
N0942	C401 10...MAXIMUM ACTIVE DISTANCE (C40			
N0944	C333 0....RESERVE SPEED LIMIT OFFSET (
N0946	C234 NO...ENGINE PROTECTION SHUTDOWN (
N0948	C231 NO...GEAR DOWN PROTECTION (C231)			
N0950	C132 1400..MAX PTO SPEED (C132)			
N0952	C239 NO...CRUISE CONTROL AUTO RESUME (
N0954	C238 YES...AUTO ENGINE BRAKE IN CRUISE			
N0956	C395 1259..EXPIRATION DISTANCE (C395)			
N0958	C225 NO...ENABLE IDLE SHUTDOWN PARK BR			
N0960	C133 5....TIMER SETTING (C133)			
N0962	C396 YES...ENABLE IMPENDING SHUTDOWN WA			
N0964	C397 60...TIMER FOR IMPENDING SHUTDOWN			
N0968	C206 35...ENGINE LOAD THRESHOLD (C206)			
N0972	C233 NO...IDLE SHUTDOWN MANUAL OVERRUL			
N0974	C382 YES...ENABLE HOT AMBIENT AUTOMATIC			
N0976	C188 40...LOW AMBIENT TEMPERATURE THRE			
N0978	C189 60...INTERMEDIATE AMBIENT TEMPERA			
1000046	C190 80...HIGH AMBIENT TEMPERATURE THR			
1000151	EPA EMISSIONS WARRANTY ENGINE	P	0	0
1000170	PREMIERSPEC	P	0	0
1000180	Enable engine regen in PTO mode Cummins	P	0	0
1000233	KW SPLIT AXLE PROGRAM R-J	U	0	0
1000244	Engine parameter: Powertrain Protect	P	0	0
1000256	SmartAccel X15 Torque Limiting			
1000744	PT Optimization analysis: Balance	P	0	0
1000856	power/economy blend results			
1000857	Customer's Typical Operating Spd:64 MPH	P	0	0
1000859	Effective VSL Setting 65.0 MPH (CAN)	P	0	0
	Enable Most Fuel Efficient EIST	P	0	0
	Engine Idle Shutdown Timer Enabled	P	0	0
	Enable EIST Ambient Temp Ovrerrule	P	0	0

UNIT TYPE 2 OF FLEET 981674 THRU 981675

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
1000912	Eff EIST 1259000 Expiration Miles (CAN) Use only with MX and Cummins engines	P	0	0
1002070	AIR COMP:CUMMINS 37.4 CFM *For C500 Twin Steer use 1002075	P	2,691	15
1042260	Air Cleaner: Dual 15" SST POL Cowl MTD W/KW BUG W/Preferred Fit Element	P	1,709	44
1099091	AIR CLEANER FAIRINGS: DUAL SS	P	227	2
1105220	Fan Hub: Horton 2-Speed for X15	P	0	0
1127950	COOLING MODULE: W9 1670 SQIN	P	0	0
1160105	RADIATOR WINTERFRONT	P	203	2
1160208	BUG SCREEN: BETWEEN HOOD AND GRILLE SEMI RIGID. NOT REMOVABLE	P	122	2
1247232	EXH: 2021 RH UND DPF/SCR W/ DUAL SOAC MTD TP, AEROCAB SLEEPER ONLY	P	4,825	132
1290448	Tailpipe: 7" Dual 48" 45 Deg Curved	P	740	17
1292329	EXHAUST SHIELD:FULL PERF DUAL SS W/KW NAME F/SIDE MOUNTED EXH, AEROCAB ONLY	P	374	0
1321109	Fuel Filter:PACCAR Std. Serv. Interval Fuel/Water Separator, 2017 and Later	P	0	0
1321200	Run Aid:None *For Fuel Filter	P	0	0
1321300	Start Aid:None *For Fuel Filter	P	0	0
1504005	IMMERSION ENG BLOCK HTR:110-120V/1500W PLUG LOC UNDER DOOR C5, T6, T8 & W9	P	151	2
1506055	ENGINE OIL PAN HEATER: 120V / 300W FOR USE WITH EPA 2007+ ENGINES	P	189	2
1507008	BLK HTR & OIL PAN HTR WIRED TO SEPARATE PLUGS. MUST CODE FOR BOTH HEATERS.	P	0	0
1600116	Cummins air intake throttle overspeed shutdown for Cummins X15 engines	P	5,646	0
1816260	Alternator: PACCAR 160 amp, brush type	P	0	0
1821215	BATT: 4 PACCAR GP31 THR (700-730) 2800-2920 CCA DUAL PURPOSE BATTERIES	P	224	57
1836103	PACCAR PREMIUM 12V STARTER W/ X15 ENGS	P	124	0
1840006	BATT DISCONNECT SW: 2 CAB FLOOR	P	392	2
1840063	LOW VOLTAGE DISCONNECT W/72 OR 75 SLPR	P	0	0
1900082	MULTI FUNCTION ENG CONN FOR BODY BLDR FOR USE W/ CUMMINS ENGS	P	134	0
1900996	JUMP START TERMINALS MTD UNDER HOOD	P	254	12
MAIN TRANSMISSION AND CLUTCH				
2058771	TRANS: EATON RTLO20918B 18 SPD SUPER 18,GEN 3,W/PUMP, W/14" OIL COOLER	P	2,110	16
2250494	CLUTCH: EATON 15.5" ADVANTAGE SELF ADJ CERAMIC, 6 PAD, TO 2050 LBFT	U	407	6
2294004	KENWORTH AIR-ASSIST CLUTCH BOOSTER	P	704	2
2294035	GREASE BANK FOR CLUTCH AND CROSS SHAFT FRAME MTD	P	430	11
2406465	D/L: 2 DANA SPL250SF W/ 1 CB	P	1,184	83
2410005	SWITCH - OPTIONAL NEUTRAL START	P	63	0
2429100	CHASSIS WILL BE FITTED W/ LH TRANS PTO PREVENTS ECU INTERFERENCE W/ PTO ONLY	P	0	0
2444000	CHROME SHIFT LEVER	P	111	0
2460042	EATON 14" HI CAP OIL TO WATER COOLER STD FOR TRANS 1550-2250 LBFT	P	0	0

UNIT TYPE 2 OF FLEET 981674 THRU 981675

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
2493004	AL CLUTCH HSG REPL CAST IRON F/ FULLER TRANS RATED 1450 THRU 2050 LBFT	P	83	52-
FRONT AXLE AND EQUIPMENT				
2536002	FR PACCAR FX-20 ST AXLE RATED @ 20K 4" DROP STD TRACK	P	2,574	156
2607015	FR AIR DISC BRK:BENDIX RSD 14,601-22K ADB22X REDUCED STOP DIST TRACTOR ONLY	P	535	10
2690024	SPLINED ROTOR F/FR AIR DISC BRK F/USE W/AL HUBS	P	0	0
2690039	FR INTEGRAL KNUCKLE F/AIR DISC BRK F/USE ON FX STEER AXLE	P	0	33-
2701319	FR AL HUB PIL MNT MAX CAP 20K 16.5X6" OR 7" OR AIR DISC BRKS 11.25" BC 10BLT	P	679	16
2741970	FR CONMET PRESET PLUS HUB PKG	P	0	0
2750001	FR HUBCAP VENTED	P	0	0
2769000	INCLUDED W/FR AXLE OR BRK: SLACK ADJST ALSO USE W/DISC BRKS	P	0	0
2864116	FR SPRG TAPERLEAF 16K W/SHOCKS TWO LEAF	P	732	39
2893622	PWR STRG DUAL GEARS, TRW TAS65 20K *NOT FOR USE W/RH STR	P	1,536	60
2899336	PWR STRG COOLER RADIATOR MTD	P	390	11
2900616	THREADED BUSHINGS F/TAPERLEAF SPRG 16K, 18/20K, 22K, 40K RPL RUBBER	P	100	0
REAR AXLE AND EQUIPMENT				
3156906	RR MERITOR RZ-XX-166WT TRIDEM SING RED RATING DEPENDS ON RATIO	P	24,309	3,181
3200410	REAR AXLE RATIO-4.10	P	0	0
3306016	RR AIR DISC BRK:BENDIX RSD TRIDEM 69K REDUCED STOPPING DISTANCE TRACTOR ONLY	P	0	60
3392704	SPLINED ROTOR F/TRIDEM RR AIR DISC BRKS FOR USE WITH ALUMINUM HUBS	P	6,325	312-
3407090	RR HUB:AL HUB-PIL TRIDEM 11.25" BC 69K REQS "R" SERIES OUTER ENDS	P	0	0
3441973	RR CONMET PRESET PLUS HUB PKG:TRIDEM	P	0	0
3465900	RR SLACK ADJUST:INCL W/AXLE OR BRAKES ALSO USE W/ DISC BRAKES	P	0	0
3485003	RR SPRING BRK:INCL W/AIR DISC BRAKES TRIDEM	P	0	0
3490901	RR DISC BRK DUST SHIELDS:F/SINGLE AXLE INCLDS PADS & ROTOR SHIELDS	P	400	6
3495225	FMVSS-136 STABILITY CNTRL SCHDL REVIEW	P	0	0
3495231	ABS:BENDIX 6S/6M W/ATC & ELECTRONIC STABILITY PROGRAM (ESP) F/TRACTORS	P	820	15
3500063	I/A D/L: 2 DANA SPL.170SF *TRIDEM ONLY*	P	1,168	94
3511425	CROSSLOCK: MERITOR TRIDEM ALL AXLES MUST CODE 3573112 SEPSW*N/A 186/188 SER	P	3,804	52
3573112	FLIP VLV/WRG/LT:SEP F/CTD/WDL/XLOCK FWD RR, CTR RR & RR RR*TRIDEM AXLES	P	225	0
3762020	HEND PRIMAAX EX 692 69K TRIDEM 54" AS STL C/M & G 10" RIDE HT	P	11,045	910
3832002	TORQUE RODS FOR 69K PRIMAAX EX TRIDEM USING DISC BRKS. REPLACING STD	P	795	33
3832099	TRACK RODS: HEAVY DUTY FOR HENDRICKSON PRIMAAX EX TRIDEM. RPL STD DUTY	P	121	36

UNIT TYPE 2 OF FLEET 981674 THRU 981675

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
3839002	AIR SUSP OVERINFLATION VLV W/WARN LT TO RAISE FRAME	P	296	0
4010093	TIRES, WHEELS & RIMS FR MN XZY3 425/65R22.5 20PR AP	P	1,660	0
	PART: MN17813 FET: 74			
4280049	RR CN HDC3 11R24.5 16PR W/ PRESSURE SENSOR INCL	U	5,064	234
	PART: CN05652430000 FET: 420			
N4280	NEED TIRE 4280049 ADDED TO THE ORDER			
4900012	REAR TIRE QUANTITY: 12		0	0
5045216	FR WHL ALCOA 82362 22.5X12.25 AL HUB PIL, ADB COMPAT, LVL1 HIGH POLISH	P	927	10-
5245275	RR WHL ALCOA 98U63 24.5X8.25 AL ULTRA ONE HIGH POLISH WHL	P	2,940	204-
5850040	WHL GUARDS ALL AXLES	P	107	2
5859007	TRIDEM RR AXLE DURA-BRIGHT MIRROR POLISH OUTBRD SURFACE OF WHLS(QTY6) -2DB	P	1,224	0
5859010	SING FR AXLE DURA-BRIGHT MIRROR POLISH OUTBRD SURFACE OF WHEELS (QTY2) -1DB	P	310	0
5900012	REAR WHEEL/RIM QUANTITY: 12		0	0
	FRAME AND EQUIPMENT			
6056600	FRAME RAILS: 10-3/4 X 3/8" STL 337-416" SECTION MOD:17.80, RBM:2,132,000 LBS	P	957	0
6141600	FULL STL INSERT F/ 10-5/8" OR 10-3/4" STL 337-416" OR 2ND INSERT F/ 11-5/8"	P	2,693	0
6303428	BUMPER: STRAIGHT STL BOX, CHROME REQS BUMPER SETTING CODE	P	645	211
6319035	35 INCH BUMPER SETTING*REQS BUMPER CODE	P	454	6
6324025	FRONT TOW HOOK: CAST CENTER MTD C5 REQS STL,T8 REQS IRON FRT DRIVE BRKT	P	233	28
6390001	STEEL SHACKLE LINKS	P	0	0
6390083	CUSTOM FRAME LAYOUT COMPLETE	U	0	0
6390086	VEHICLE LAYOUT SENT PENDING APPROVAL	U	0	0
6390110	FRT MUDFLAPS: EXTENDED WIDTH, F/ USE W/ DUPLEX TIRES	P	119	6
6391202	Custom Frame Layout: two chassis	P	690	0
6397001	HUCK BOLTS THROUGHOUT FRAME WHERE POSSIBLE, MAY NOT INCL SUSP C/M	P	308	0
6405086	W9 BATT BOX MODULE:PAR POLISH ALUM UND EXTEND LENGTH, POL AL INTEGRAL STEP CVR	P	1,405	9
6409901	BATTERY BOX LOCATION: LH SIDE	P	0	0
6451096	W9: POLISHED DPF/SCR OR CNG COVER W/STEP. CAB ACCESS RH UNDER	P	662	0
6600205	DEALER/CUSTOMER INSTALLED SLIDE 5TH WHL OVER 36"	P	1,976-	0
6679821	2021 SERIES EMISSIONS ENGINE	U	0	0
6679824	Width across front tires exceeds 102". Dealer to review delivery constraints with transporter.	P	0	0
6679834	Width across rear tires exceeds 102"due to combination of wide track rax & dual tires. Dealer to review delivery constraints with transporter.	P	0	0
6679915	CUSTOMER INSTALL BULKHEAD/HEADACHE RACK	P	0	0
6679954	DLR ACKNOWLEDGES TRUCK WIDTH IS >102"	U	0	0

UNIT TYPE 2 OF FLEET 981674 THRU 981675

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
6690090	FW rear/fixed setting behind bogie 9 in indicates rearmost setting measured rea			
6721102	RR MUDFLAP ARMS:BETTS B25 STD DUTY STRAIGHT (KIT INCL B1732 MTG BRKTS)	P	0	0
6722000	RR MUDFLAP SHIELDS:WHITE PLASTIC KW LOGO, ANTISAIL	P	0	0
6743116	TRACTOR TAPER BENT/WELD W/HD C/M	P	304	68
6747000	SHORTEST END OF FRAME CUTOFF W/SPECIFIED EOF CONFIGURATION Selecting code will override the "overhang" dimension found in Voca Analysis of Prospector.	P	0	0
FUEL TANKS AND EQUIPMENT				
7214135	FUEL TANK: 135 US GAL 24.5" AL BOC RPL	P	354	55
7216110	FUEL TANK: 110 US GAL 24.5" AL BOC ADD	P	2,175	116
7722155	DEF TANK: LARGE ROUND, 30 GAL 2021 OR LATER EMISSIONS	P	422	22
7821300	HVY DUTY 7" STL SUPTS/STRAPS F/(2) 24.5" TANKS - 2 SUPTS PER TANK	P	864	36
7840029	POLISH ONLY: 2 ALUMINUM TANKS	P	857	0
7840038	POLISHED COVER: 1 DEF TANK ANY SIZE	P	356	3
7850051	#10(5/8") FUEL CROSSOVER/EQUALIZER LINE W/2 BREAKAWAY VALVES W/O SHUTOFF VLV	P	235	6
7889004	FUEL FILL: BEYOND RR OF SLEEPER	P	0	0
7889082	POL ONLY: HD 7"F/T STRAPS F/2 24.5"TANK 2 STRAPS/TANK*MUST CODE HVY DUTY SUPTS	P	316	0
7889203	DEF TO FUEL FILL RATIO 2:1 OR GREATER	P	0	0
7889245	ANTI-SIPHON DEVICE F/TANK FILLER NECK ANY NUMBER OF TANKS	P	0	0
7889604	DEF TANK LOC: LH	P	0	0
7930135	Location: 135 gal fuel tank RH behind c			
7940110	Location: 110 gal fuel tank LH behind c			
CAB AND EQUIPMENT				
8025300	CAB: CONVENTIONAL*AEROCAB*CURVED GLASS B3*AVAILABLE ONLY W/AEROCAB SLEEPER*	P	0	0
8057572	SLEEPER: 72" AEROCAB FLATTOP	P	18,569	906
8080137	CAB DOOR BEARING BLOCKS: TOP & BOTTOM	P	33	0
8080942	SLPR DOORS W/SLIDING WINDOW: LH/RH *RPL UPPER SLPR EMERG EXIT DOORS*	P	829	19
8090105	HOOD:UNITGLAS STRAIGHT 1-PIECE W/GRILLE & SHELL	P	0	0
8098206	HOOD HINGE REINFORCEMENT	P	234	5
8098404	ADD 4 RIBS ON RADIATOR GRILLE	P	141	2
8158011	ESPAR SLPR OR BUNK HEATER*AIRTRONIC D2*	P	1,427	14
8178210	HEATER/AIR COND:SEP UNITS CAB & SLPR INCL 5 MODE ROTARY CTRL*N/A W/ 38" SLPR	P	0	0
8190564	AIR CONDITIONING EXCISE TAX: CANADIAN REGISTRY ONLY	P	175	0
8201041	STRG WHL: 18" 4-SPK LEATHER*SMARTWHEEL MULTIPLEX	P	796	2
8201200	STRG COLUMN:ADJ TELESOPNG TILT*CODE F/18" STRG WHEEL*	P	0	0
8203060	5 SETS OF KEYS. REPLACES STANDARD (2 SETS OF KEYS).	P	31	0
8203070	FLIP VALVE/PPG: FOR C/I AIR SLIDE FW	P	84	8

UNIT TYPE 2 OF FLEET 981674 THRU 981675

CODE DESCRIPTION PUB CD PRICE WEIGHT

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8203189	SM/WIRING FOR C/I AIR CLEANER LIGHTS	P	144	0
8205103	INFO FOR C/I PTO: CHELSEA 8-BOLT	P	60	0
8221136	GAV: TRLR RESERVOIR AIR PRESSURE	P	75	0
8221137	GAV: TRLR AIR APPLICATION	P	57	0
8221138	GAV: 1 AIR SUSP PRESS (NOT DUAL READ)	P	279	0
8221160	GAV: OIL TEMP ENG W/INTEGRAL WARN LT FOR DUAL LEVELING VALVES*	P	35	0
8222722	GAV: MANIFOLD PRESS	P	33	0
8225656	GAV: AXLE OIL TEMP F/TRI DRIVE AXLE	P	368	0
8226667	GAV: OIL TEMP MAIN TRANSMISSION	P	41	0
8240620	KPH SPEEDO REPLACES MPH	P	0	0
8282004	Kenworth Driver Information Center (Highline display)	P	0	0
8282009	INSTRUMENT PACKAGE	P	0	0
8330572	INTERIOR: CAB/72" SLEEPER DIAMOND VIT INCLUDES KW NAVPLUS HD W/ 2010+ ENGINES	P	6,721	172
8343305	INTERIOR COLOR: JET BLACK W/TRIM COLOR	P	0	0
8396048	BLACK CARPET REPL FLOORMAT: CAB	P	207	0
8390748	BLACK CARPET REPL FLOORMAT: SLEEPER	P	86	0
8410893	DR: KW AIR-CUSHION PREMIUM PLUS HB HTD LEATHER*INCL DUAL ARMRESTS & SUSP COVER	P	1,009	0
8480893	RD: KW AIR-CUSHION PREMIUM PLUS HB HTD LEATHER*INCL DUAL ARMRESTS & SUSP COVER	P	1,564	19
8490150	SEAT COLOR: JET BLACK (PREVIOUSLY LICORICE)	P	0	0
8497005	AIR LINE FITTING @ DR SEAT FOR C/I AIR CHUCK*N/A W/8700042*	P	47	4
8498453	ARMREST: DUAL DR KW STOWABLE INBOARD & FOLDING OUTBOARD	P	142	2
8498553	ARMREST: DUAL RD KW STOWABLE INBOARD & FOLDING OUTBOARD	P	157	2
8505072	REFRIG/FREEZER: FRONT LOADING*AVAIL 72" VIT & 75" SLPR*STD 86" VIT, NO CODE REQ	P	971	42
8505110	TV INSTL PKG: LO MT+AEROCABS ONLY*NA W/38"/86" SLPR*NA W/62" W/LIFTABLE LMR	P	335	6
8520012	LIFTABLE LOWER BUNK: W/39" INNERSPRNG* CODE FOR MATTRESS*REPL STD FIXED BUNK	P	1,253	39
8520141	MATTRESS: PREMIUM POCKET INNERSPRING ON LOWER BUNK ONLY	P	0	0
8530237	FLOORMAT: TOOL COMPARTMENT	P	0	0
8570000	LH LOWER CABINET W/2 DRAWERS: 72" VIT AEROCAB SLPRS*STD 86" VIT	P	617	11
8601429	KENWORTH RADIO DE4730 AM/FM/WB/USB, BLUETOOTH & SIRIUS-XM SATELLITE	P	845	0
8601880	CB RADIO: COBRA 29 *INCL WEATHERBAND* W/HDR MTD QUICK RELEASE	P	583	11
8698998	2-WAY COAX SPKRS: 2 SLEEPER*WITH OR W/O RADIO*	P	57	2
8699147	ANT: SOLID POST *LH COMPL* DUMP TRK OR LOG SVC*REPL ANT STD LOC*N/A KW AERO	P	28	0
8699514	SPKRS: 4 4"X6" HIGH PERFORMANCE*W/ KENWORTH*2 IN CAB HEADER/2 RR CAB CRNR	P	133	0
8700049	LOGBOOK HOLDER UNDER DASH	P	45	0
8700101	BLACK DASH REPLACING TRIM COLOR DASH	P	41	0

KENWORTH
VMXXR036-1

CHASSIS FINAL BILL
FOR VIN 1NKWX4EX1RR981675

PAGE 008
AS OF 05/31/23

UNIT TYPE 2 OF FLEET 981674 THRU 981675

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8700168	TURN SIGNAL SWITCH: COLUMN-MTD DIMMER INCL INTERMITTENT WIPER CONTROL	P	0	0
8700186	ELECTRIC DOOR LOCKS*LH/RH*	P	0	0
8700188	REMOTE KEYLESS ENTRY*REQ ELEC DOOR LOCK*REQ DAYLITE DOOR	P	421	0
8700405	STAINLESS STEEL PERMIT PANELS ON CAB *N/A W/LIFT CTRLS OR GAUGES MTD UNDER	P	128	13
8700663	Kenworth TruckTech+ Formerly Remote Diagnostics	P	0	0
8700964	Delete KW NAVPLUS System On VIT/Diamond Interior	P	300-	0
8720100	DELETE KW NAMEPLATES FROM HOOD*DO NOT DRILL HOOD*	U	0	0
8800400	GRABHANDLE:1 LH INSD DOOR FRAME ABOVE DASH	P	0	0
8800401	GRABHANDLE:1 RH INSD DOOR FRAME ABOVE DASH	P	0	0
8800733	GRABHANDLE:1 LH W/SHORT EXT OVER DOOR RPL STD (OPTION 21)	P	62	4
8800734	GRABHANDLE:1 RH W/SHORT EXT OVER DOOR RPL STD	P	62	2
8832115	DAYLITE DOOR: LH/RH INCLDS RH PEEPER WINDOW	P	0	0
8841411	AIR HORN: SINGLE UNDER CAB	P	0	0
8850300	Look-down, pass. Door, Stainless 8.5x4.4	P	0	0
8863570	CX MIRR: DUAL SS HTD 8.5"	P	94	11
8867202	OFFSET STUD MOUNTING* MIRROR: DUAL MOTO HTD*SW ON DOOR PAD* *LH/RH MOTORIZED*AERODYNAMIC	P	541	2
8869010	MIRROR BRKT: DUAL 10'	P	307	24
8879213	WINDOW LIFT: ELEC POWERED LH/RH SIDE SW LOCATED ON DOOR PAD	P	292	0
8879440	CAB DOOR/WINDSHIELD COVER IN ADDITION CAB/SLPR CURTAIN*AVAIL F/ T6/T8/W9 ONLY	P	354	4
8879590	FRESNEL LENS FOR PEEPER WINDOW:RH DOOR 10-1/8"x11-1/8"*AVAIL ONLY W/DAYLITE	P	69	0
8890100	WINDSHIELD: 1-PC W/CURVED GLASS	P	0	0
8890135	SUNVISOR:EXTERIOR STAINLESS STEEL	P	392	11
8890290	CHROME BEADING AROUND WINDOWS*INCL PEEPER WINDOW, IF CODED*	P	83	0
8890353	RUBBER WHEELWELL FNDR EXTEN: 4-1/2" *C500/T800 8X4 FWD MOST AXLE*CONV REQ	P	301	11
8890872	CAB/SLPR AIR SUSP: 38"/62"/72"/86" AEROCAB ONLY*	P	0	0
LIGHTS AND SIGNALS				
9010802	HEADLAMPS: DUAL REC HAL EXT LIFE DUAL BEAM *N/A T800/C500 WIDE HOOD*	P	0	0
9022137	MARKER LIGHTS: 5 RECTANGULAR LED	P	210	0
9030014	TURN SIGNAL LIGHTS: LED, FENDER MTD	P	85	0
9030052	LED STOP/TURN/TAIL: WITH 2 LED B/U LIGHTS AND W/ LED LICENSE PLATE	P	0	0
9034107	TURN SIGNAL:MIRROR BTM-MTD ADD STD RECT	P	243	2
9049825	SW/WRG: C/I FOG LTS *CODE F/CUTOUTS SEPARATELY, IF REQUIRED	P	39	0
9058020	1ST SET ADD 30' OF WIRE C/I FLOODLAMPS	P	28	0

UNIT TYPE 2 OF FLEET 981674 THRU 981675

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
9058037	SW/WIRE/IND LT:C/I FLOODS 1ST SW W/O ELEC PASS-THRU: WIRED COILED BOC/BOS	P	92	0
9058052	SW/WIRE/IND LT:C/I FLOODS 2ND SW W/O ELEC PASS-THRU: WIRED COILED BOC/BOS*	P	110	0
9080205	SW & WRG & S/S BRKT FOR C/I DUAL BEACON MTD over door of cab with insulators.	P	351	4
9090000	DAYTIME RUNNING LAMPS	P	180	0
9090027	HEADLAMPS TO TURN ON WHEN WIPERS ARE ACTIVE	P	0	0
9090049	Omit Brake Light W/ Engine Brake	P	0	0
9090060	COURTESY LAMP: CAB SKIRT (LH) TO LIGHT STEP	P	105	0
9090117	MARKER REFLECTOR LTS: MIDFRME-MTD N/A WITH FULL LENGTH CHASSIS FAIRINGS	P	209	22
9090126	BACKUP ALARM: ELECTRIC	P	162	4
9090302	JUNCTION BOX-FRAME MTD BEHIND CAB/SLPR *TO BE MTD BOC/BOS - NOT AT EOF*	P	155	1
9090845	CIRCUIT BREAKERS: TO REPLACE FUSES *DOES NOT APPLY TO ANY 5-AMP FUSE*	P	44	0
AIR EQUIPMENT				
9101245	Air Dryer: Bendix Dual AD-IS Everflow HTD Puraguard	P	1,409	46
9108001	MOISTURE EJT VLV: PULL CABLE DRAIN	P	0	0
9110068	TRAC KIT:LH FRAME-MTD W/HOSETENNA -INCL COMPOSITE GLDHD/LT PLG HLDR	P	0	0
9120014	Air & light line length: 14 feet. Straight lines			
9140020	NYLON AIR TUBING: FRAME/CAB	P	0	0
9140238	Locate air dryer outside RH rail BOC (Req custom frame L/O code)	P	0	0
9140288	AIR TANKS CLEAR OF TRANS AREA (Req custom frame L/O code)	P	0	0
9140328	TRAILER ABS ELECT SUPPLY THRU SAE J560 7 PIN CONNECTOR (PER TMC RP137)	P	0	0
9140700	HOSETENNA BRACKET STD LOCATION 0-6" from STD location	P	0	0
N9100	C/R 275424 AND 965259			
N9120	CFL A/D:OUTSIDE RH RAIL BOC			
N9150	CFL A/T:AIR TANKS CLEAR OF			
N9151	CFL A/T:TRANSMISSION AREA			
ORDER REVIEWED BY APPLICATIONS TECH:				
9290182	Larry.Blaum@PACCAR.COM 740-774-5382	U	0	0
SPECIAL EQUIPMENT				
9409852	GHG Secondary Manufacturer: Does Not Apply	P	0	0
9490003	OFF HIGHWAY/SPECIALTY COMPONENT TRUCK ADDITIONAL LEADTIME REQUIRED	P	0	0
9490206	WARNING TRIANGLE REFLECTOR KIT: 3 TRIANGLES IN PLASTIC CASE	P	57	4
9490413	FIRE EXT: ONE 5# DRY CHEMICAL TYPE MTD LH OF SLPR TOOLBOX. Class ABC.	P	141	11
PROMOTIONS				
PAINT COLOR NUMBER				
9700000	PAINT COLOR NUMBER(S)	P	0	0

520-4

Service Invoice

Date	Invoice #
07/21/2023	114513

K-Line Trailers Ltd.
 27360 - 58th Crescent
 Langley, BC V4W 3W7
 Phone # (604) 856-7899 Fax # (604) 856-8399
 www.klinetrailers.com

In Special Order Heavy Duty Ltd. 251 Abi

Terms	Rep	PST #	Unit #	Make/Year	VIN / LIC
Net 30	Chris	BC02976-001	N/A	Kenworth	1NKWX1EX1RR981675

Qty	Item	Description	U/M	Price	Amount	Tax
		install artic 5th wheel slide install fenders with removable brackets over tridems Install headache rack and wire in all lights - customer supplied Move D/S fuel tank ahead to make room for step box installed step box C/W custom mount installed chain hanger installed custom frame cover C/W custom frame locks installed customer supplied beacon lights on roof of cab installed and wire 50" curved B/U bar light relocate pogo stick into frame cover relocate air dryer to make room for chain hanger Move B/S fuel tank ahead to make room for headache rack install relocate and install cover over air dryer. relocate and wire midship lights to lower corners of cab paint				

Thank you for your business We look forward to your orders. To faxline: @klinetrailers.com- No Question/PW Needed	Subtotal CAD 15,961.13
	Sales Tax Summary GST@5.0% CAD 798.06 Total Tax CAD 798.06

Disputed items must be brought up within 15 days from date of invoice. Interest charges may apply to overdue payments at a rate of 2% per month. Stock items subject to 15% restocking fee. Custom fabricated parts are non-returnable. ORIGINAL RECEIPT REQUIRED FOR RETURNS.	Total CAD 16,759.19
--	-------------------------------