

S20-5
MAY

UNIT TYPE 1

SPECIAL REQUIREMENTS

SPECIAL RESTRICTIONS 0098050 CANADIAN REGISTRY

ENGINEERING ASSIGNED RATINGS

GAWR FRONT: 13,200.00 LBS
 GAWR FIRST INTER 23,000.00 LBS SECOND INTER 0.00 LBS
 GAWR REAR: 23,000.00 LBS
 GVWR: 59,200.00 LBS

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
0000900	W900 CONVENTIONAL	P	228,941	15,873
0070077	W900	P	0	0
0080055	CARB CLEAN IDLE LABEL - CUMMINS ENGINES	P	106	0
0090007	72 INCH AEROCAB SLEEPER	P	0	0
	With rear axle capacity less than 59K			
0098470	STATE OF REGISTRY: CANADA	P	0	0
	ENGINE AND ENGINE EQUIPMENT			
0130334	X15 565 565@1900 2050@1000	P	4,978	0
	2021 W/INTEBRAKE, PERFORMANCE SERIES			
N0920	C399 120...STANDARD MAXIMUM SPEED LIMIT			
N0922	C402 0....EXPIRATION DISTANCE (C402)			
N0924	C209 120...HARD MAXIMUM SPEED LIMIT (C2			
N0926	C121 64....MAXIMUM ACCELERATOR PEDAL VE			
N0930	C128 64....MAXIMUM CRUISE SPEED (C128)			
N0936	C400 474...RESERVE SPEED FUNCTION RESET			
N0938	C334 0....MAXIMUM CYCLE DISTANCE (C334			
N0940	C401 10....MAXIMUM ACTIVE DISTANCE (C40			
N0942	C333 0....RESERVE SPEED LIMIT OFFSET (
N0944	C234 NO....ENGINE PROTECTION SHUTDOWN (
N0946	C231 NO....GEAR DOWN PROTECTION (C231)			
N0948	C132 1400..MAX PTO SPEED (C132)			
N0950	C239 NO....CRUISE CONTROL AUTO RESUME (
N0952	C238 YES...AUTO ENGINE BRAKE IN CRUISE			
N0954	C395 1259..EXPIRATION DISTANCE (C395)			
N0956	C225 NO....ENABLE IDLE SHUTDOWN PARK BR			
N0958	C133 5....TIMER SETTING (C133)			
N0960	C396 YES...ENABLE IMPENDING SHUTDOWN WA			
N0962	C397 60....TIMER FOR IMPENDING SHUTDOWN			
N0964	C206 35....ENGINE LOAD THRESHOLD (C206)			
N0968	C233 NO....IDLE SHUTDOWN MANUAL OVERRUL			
N0972	C382 YES...ENABLE HOT AMBIENT AUTOMATIC			
N0974	C188 40....LOW AMBIENT TEMPERATURE THRE			
N0976	C189 60....INTERMEDIATE AMBIENT TEMPERA			
N0978	C190 80....HIGH AMBIENT TEMPERATURE THR			
1000046	EPA EMISSIONS WARRANTY ENGINE	P	0	0
1000151	PREMIERSPEC	P	0	0
1000170	Enable engine regen in PTO mode Cummins	P	0	0
1000180	KW SPLIT AXLE PROGRAM R-J	U	0	0
1000233	Engine parameter: Powertrain Protect SmartAccel X15 Torque Limiting	P	0	0
1000243	PT Optimization analysis: Performance power before economy results	P	0	0
1000256	Customer's Typical Operating Spd:64 MPH	P	0	0
1000744	Effective VSL Setting 65.0 MPH (CAN)	P	0	0
1000856	Enable Most Fuel Efficient EIST	P	0	0
1000857	Engine Idle Shutdown Timer Enabled	P	0	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
1000859	Enable EIST Ambient Temp Override	P	0	0
1000912	Eff EIST 1259000 Expiration Miles (CAN) Use only with MX and Cummins engines	P	0	0
1002070	AIR COMP:CUMMINS 37.4 CFM *For C500 Twin Steer use 1002075	P	2,691	15
1042260	Air Cleaner: Dual 15" SST POL Cowl MTD W/KW BUG W/Preferred Fit Element	P	1,709	44
1105220	Fan Hub: Horton 2-Speed for X15	P	0	0
1127950	COOLING MODULE: W9 1670 SQIN	P	0	0
1160105	RADIATOR WINTERFRONT	P	203	2
1160208	BUG SCREEN: BETWEEN HOOD AND GRILLE SEMI RIGID. NOT REMOVABLE	P	122	2
1247232	EXH: 2021 RH UND DPF/SCR W/ DUAL SOAC MTD TP, AEROCAB SLEEPER ONLY	P	4,825	132
1290448	Tailpipe: 7" Dual 48" 45 Deg Curved	P	740	17
1321125	Fuel Filter: Davco 382 Fuel/Water Separator	P	421	8
1321200	Run Aid:None *For Fuel Filter	P	0	0
1321300	Start Aid:None *For Fuel Filter	P	0	0
1504005	IMMERSION ENG BLOCK HTR:110-120V/1500W PLUG LOC UNDER DOOR C5, T6, T8 & W9	P	151	2
1506055	ENGINE OIL PAN HEATER: 120V / 300W FOR USE WITH EPA 2007+ ENGINES	P	189	2
1507008	BLK HTR & OIL PAN HTR WIRED TO SEPARATE PLUGS. MUST CODE FOR BOTH HEATERS.	P	0	0
1600116	Cummins air intake throttle overspeed shutdown for Cummins X15 engines	P	5,646	0
1816260	Alternator: PACCAR 160 amp, brush type	P	0	0
1821215	BATT: 4 PACCAR GP31 THR (700-730) 2800-2920 CCA DUAL PURPOSE BATTERIES	P	224	57
1836103	PACCAR PREMIUM 12V STARTER W/ X15 ENGS	P	124	0
1840006	BATT DISCONNECT SW: 2 CAB FLOOR	P	392	2
1840063	LOW VOLTAGE DISCONNECT W/72 OR 75 SLPR	P	0	0
1900082	MULTI FUNCTION ENG CONN FOR BODY BLDR FOR USE W/ CUMMINS ENGS	P	134	0
1900996	JUMP START TERMINALS MTD UNDER HOOD	P	254	12
MAIN TRANSMISSION AND CLUTCH				
2058771	TRANS: EATON RTLO20918B 18 SPD SUPER 18,GEN 3,W/PUMP, W/14" OIL COOLER	P	2,110	16
2250498	CLUTCH: EATON 15.5" ADVANTAGE SELF ADJ CERAMIC, 6 PAD, PREDAMPER, TO 2050 LBFT	P	535	6
2294004	KENWORTH AIR-ASSIST CLUTCH BOOSTER	P	704	2
2294035	GREASE BANK FOR CLUTCH AND CROSS SHAFT FRAME MTD	P	430	11
2406453	D/L: 2 DANA SPL250XL W/ 1 CB	P	1,184	83
2410005	SWITCH - OPTIONAL NEUTRAL START	P	63	0
2429100	CHASSIS WILL BE FITTED W/ LH TRANS PTO PREVENTS ECU INTERFERENCE W/ PTO ONLY	P	0	0
2444000	CHROME SHIFT LEVER	P	111	0
2460042	EATON 14" HI CAP OIL TO WATER COOLER STD FOR TRANS 1550-2250 LBFT	P	0	0
2493004	AL CLUTCH HSG REPL CAST IRON F/ FULLER TRANS RATED 1450 THRU 2050 LBFT	P	83	52-

FRONT AXLE AND EQUIPMENT

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
2513032	FR MERITOR MFS14 PLUS 14.6K RATED @ 14K 3.5" DROP, STD TRACK	P	756	79-
2607011	FR AIR DISC BRK:BENDIX RSD TO 14.6K ADB22X REDUCED STOP DIST TRACTOR ONLY	P	0	0
2690024	SPLINED ROTOR F/FR AIR DISC BRK F/USE W/AL HUBS	P	0	0
2690028	FR INTEGRAL KNUCKLE F/AIR DISC BRK F/USE ON MERITOR MFS+ STR AXLE	P	0	0
2707050	FR AL HUB:HUB PIL MNT MAX CAP 14.6K 11.25" BC 10BLT	P	68	0
2741970	FR CONMET PRESET PLUS HUB PKG	P	0	0
2750001	FR HUBCAP VENTED	P	0	0
2769000	FR SLACK ADJUST: INCL W/AXLE OR BRAKES ALSO USE W/DISC BRKS	P	0	0
2864019	FR SPRG TAPERLEAF 14.6K 2-LEAF W/SHOCKS	P	616	28
2893651	PWR STRG SING GEAR, TRW TAS65 13.2K 2010: NOT F/USE ON T4	P	134	1-
2899336	PWR STRG COOLER RADIATOR MTD	P	390	11
	REAR AXLE AND EQUIPMENT			
3142160	RR MERITOR RT46-160 46K DUAL SING RED	P	2,869	534
3200410	REAR AXLE RATIO-4.10	P	0	0
3306014	RR AIR DISC BRK:BENDIX RSD DUAL MAX 46K REDUCED STOPPING DISTANCE TRACTOR ONLY	P	35-	40
3392605	SPLINED ROTOR FOR DUAL RR AIR DISC BRKS FOR USE WITH IRON HUBS	P	3,840	208-
3403460	RR HUB:IRON HUB-PIL DUAL 11.25" BC 52K REQUIRES "R" SERIES OUTER ENDS	P	23	104
3441972	RR CONMET PRESET PLUS HUB PKG:DUAL	P	0	0
3465900	RR SLACK ADJUST:INCL W/AXLE OR BRAKES ALSO USE W/ DISC BRAKES	P	0	0
3485002	RR SPRING BRK:INCL W/AIR DISC BRAKES DUAL	P	0	0
3495225	FMVSS-136 STABILITY CNTRL SCHDL REVIEW	P	0	0
3495231	ABS:BENDIX 6S/6M W/ATC & ELECTRONIC STABILITY PROGRAM (ESP) F/TRACTORS	P	820	15
3500002	REAR AXLE APPROVAL RECEIVED*SEE N3840 FOR DATE OF RECEIPT*	U	0	0
3500057	I/A D/L: 1 DANA SPL170XL *TANDEM ONLY*	P	131-	2-
3511420	CROSSLOCK: MERITOR 40-52K FWD RR/RR RR* W/CAB CNTRL*N/A W/-185, 380 OR RT52-160	P	2,684	39
3573110	FLIP VLV/WRG/LT: SEP F/CTD/XLOCK FWD & RR*TANDEM AXLES OR ANY 2 AXLES W/TRIDEM	P	64	0
3742020	HEND PRIMAAX EX 462 46K DUAL 54" AS 10" RIDE HT, STL C/M & G	P	3,020	338
3832001	TORQUE RODS FOR 46K PRIMAAX EX TANDEM USING DISC BRKS. REPLACING STD	P	555	23
3832098	TRACK RODS: HEAVY DUTY FOR HENDRICKSON PRIMAAX EX TANDEM. RPL STD DUTY	P	82	37
3839002	AIR SUSP OVERINFLATION VLV W/WARN LT TO RAISE FRAME	P	296	0
N3840	130004			
	TIRES, WHEELS & RIMS			
4010006	FR MN X WORKS Z 315/80R22.5 20PR PART: MN64204	P	960	96
	FET: 106			

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
4277530	RR BR M863 11R24.5 16PR AP PART: BR003132 FET: 280	U	1,860	232
4900008	REAR TIRE QUANTITY: 8		0	0
5045280	FR WHL ALCOA 89U64 22.5X9 AL ULTRA ONE HIGH POLISH WHL	P	630	24-
5245275	RR WHL ALCOA 98U63 24.5X8.25 AL ULTRA ONE HIGH POLISH WHL	P	1,960	136-
5850040	WHL GUARDS ALL AXLES	P	107	2
5859010	SING FR AXLE DURA-BRIGHT MIRROR POLISH OUTBRD SURFACE OF WHEELS (QTY2) -1DB	P	310	0
5859012	DUAL RR AXLE DURA-BRIGHT MIRROR POLISH OUTBRD SURFACE OF OUTER WHLS(QTY 4) -2DB	P	823	0
5900008	REAR WHEEL/RIM QUANTITY: 8		0	0
FRAME AND EQUIPMENT				
6056400	FRAME RAILS: 10-3/4 X 3/8" STL 285-336" SECTION MOD:17.80, RBM:2,132,000 LBS	P	377	0
6309720	BUMPER: TEXAS SQUARE, CHROME REQS BUMPER SETTING CODE	P	508	66
6319315	31.5 INCH BUMPER SETTING *REQS BUMPER CODE	P	0	0
6321005	REMOVABLE FRONT TOW HOOKS: 2	P	272	15
6390001	STEEL SHACKLE LINKS	P	0	0
6390083	CUSTOM FRAME LAYOUT COMPLETE	U	0	0
6390086	VEHICLE LAYOUT SENT PENDING APPROVAL	U	0	0
6390103	FRT MUDFLAPS	P	0	0
6391201	Custom Frame Layout: one chassis	P	1,380	0
6397001	HUCK BOLTS THROUGHOUT FRAME WHERE POSSIBLE, MAY NOT INCL SUSP C/M	P	308	0
6405184	W9 BATT BOX MODULE:PAR STL UND EXTENDED LENGTH, ALUM DP INTEGRAL STEP COVER	P	498	63
6409901	BATTERY BOX LOCATION: LH SIDE	P	0	0
6451092	W9: NON-POLISH DPF/SCR OR CNG DP COVER W/STEP. CAB ACCESS RH UNDER	P	0	0
6543977	FW: ILS AIR HL FW35M036XL00 36.0" 10.0" OUTBRD 55K	P	667	119
6679821	2021 SERIES EMISSIONS ENGINE	U	0	0
6679915	CUSTOMER INSTALL BULKHEAD/HEADACHE RACK	P	0	0
6679976	***DLR ELECTS TO NOT USE WHEELWELL FENDER SIZE REQUIRED BY SOME STATES	U	0	0
6679990	***THIS VEHICLE DOES NOT HAVE ADEQUATE SWING/DIP CLEARANCE WHEN COUPLED TO THE	P	0	0
6690090	FW rear/fixed setting behind bogie 9 in indicates rearmost setting measured rea			
N6679	MAX FWD SETTING IS 24 INCHES_AHEAD_OF_B			
6721102	RR MUDFLAP ARMS:BETTS B25 STD DUTY STRAIGHT (KIT INCL B1732 MTG BRKTS)	P	0	0
6722000	RR MUDFLAP SHIELDS:WHITE PLASTIC KW LOGO, ANTISAIL	P	0	0
6743116	TRACTOR TAPER BENT/WELD W/HD C/M	P	304	68
6747000	SHORTEST END OF FRAME CUTOFF W/SPECIFIED EOF CONFIGURATION Selecting code will override the "overhang" dimension found in Voca Analysis of Prospector.	P	0	0

FUEL TANKS AND EQUIPMENT

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
7214150	FUEL TANK: 150 US GAL 24.5" AL BOC RPL	P	360	55
7216100	FUEL TANK: 100 US GAL 24.5" AL BOC ADD	P	2,175	114
7722155	DEF TANK: LARGE ROUND, 30 GAL 2021 OR LATER EMISSIONS	P	422	22
7821300	HVY DUTY 7" STL SUPTS/STRAPS F/(2) 24.5" TANKS - 2 SUPTS PER TANK	P	864	36
7840029	POLISH ONLY: 2 ALUMINUM TANKS	P	857	0
7840038	POLISHED COVER: 1 DEF TANK ANY SIZE	P	356	3
7850051	#10(5/8") FUEL CROSSOVER/EQUALIZER LINE W/2 BREAKAWAY VALVES W/O SHUTOFF VLV	P	235	6
7889004	FUEL FILL: BEYOND RR OF SLEEPER	P	0	0
7889082	POL ONLY: HD 7"F/T STRAPS F/2 24.5"TANK 2 STRAPS/TANK*MUST CODE HVY DUTY SUPTS	P	316	0
7889204	DEF TO FUEL FILL RATIO BETWEEN 1:1 AND 2:1	P	0	0
7889245	ANTI-SIPHON DEVICE F/TANK FILLER NECK ANY NUMBER OF TANKS	P	0	0
7889604	DEF TANK LOC: LH	P	0	0
7930150	Location: 150 gal fuel tank RH behind c			
7940100	Location: 100 gal fuel tank LH behind c			
CAB AND EQUIPMENT				
8025300	CAB: CONVENTIONAL*AEROCAB*CURVED GLASS B3*AVAILABLE ONLY W/AEROCAB SLEEPER*	P	0	0
8057572	SLEEPER: 72" AEROCAB FLATTOP	P	18,569	906
8080137	CAB DOOR BEARING BLOCKS: TOP & BOTTOM	P	33	0
8080942	SLPR DOORS W/SLIDING WINDOW: LH/RH *RPL UPPER SLPR EMERG EXIT DOORS*	P	829	19
8090105	HOOD:UNITGLAS STRAIGHT 1-PIECE W/GRILLE & SHELL	P	0	0
8098206	HOOD HINGE REINFORCEMENT	P	234	5
8098404	ADD 4 RIBS ON RADIATOR GRILLE	P	141	2
8158011	ESPAR SLPR OR BUNK HEATER*AIRTRONIC D2*	P	1,427	14
8158012	INSULATED FUEL LINES FOR ESPAR HEATER	P	81	0
8178210	HEATER/AIR COND:SEP UNITS CAB & SLPR INCL 5 MODE ROTARY CTRL*N/A W/ 38" SLPR	P	0	0
8190564	AIR CONDITIONING EXCISE TAX: CANADIAN REGISTRY ONLY	P	175	0
8201041	STRG WHL: 18" 4-SPK LEATHER*SMARTWHEEL MULTIPLY	P	796	2
8201200	STRG COLUMN:ADJ TELESCOPNG TILT *CODE F/18" OR F/20" STRG WHEEL*	P	0	0
8203189	SW/WIRING FOR C/I AIR CLEANER LIGHTS	P	144	0
8205012	DASH SW/LT: OFF-HIGHWAY SW FOR ABS SYS	P	55	0
8208494	SW: 1 SPARE WIRED TO POWER	P	61	0
8221136	GAU: TRLR RESERVOIR AIR PRESSURE	P	75	0
8221137	GAU: TRLR AIR APPLICATION	P	57	0
8225658	GAU:AXLE OIL TEMP DUAL DR AXLE(2 GAU) W/INTEGRAL WARN LT	P	244	0
8240620	KPH SPEEDO REPLACES MPH	P	0	0
8282004	Kenworth Driver Information Center (Highline display)	P	0	0
8282009	INSTRUMENT PACKAGE	P	0	0
8330572	INTERIOR: CAB/72" SLEEPER DIAMOND VIT INCLUDES KW NAVPLUS HD W/ 2010+ ENGINES	P	6,721	172
8343304	INTERIOR COLOR: SLATE GRAY W/TRIM COLOR DARK SLATE GRAY	P	0	0

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT	UNIT TYPE
8390648	BLACK CARPET REPL FLOORMAT: CAB	P	207	0	1
8390748	BLACK CARPET REPL FLOORMAT: SLEEPER	P	86	0	1
8410893	DR: KW AIR-CUSHION PREMIUM PLUS HB HTD	P	1,009	0	1
8480190	RD SEAT: KW STL TOOLBOX PLUS HB VINYL LEATHER*INCL DUAL ARMRESTS & SUSP COVER	P	113	0	1
8490150	SEAT COLOR: JET BLACK *INCL DUAL ARMRESTS+SUSP COVER NA	P	0	0	1
8497005	AIR LINE FITTING @ DR SEAT FOR C/I AIR (PREVIOUSLY LICORICE)	P	47	0	1
8498453	ARMREST: DUAL DR KW STOWABLE INBOARD & CHUCK*N/A W/8700042*	P	142	2	1
8498552	DELETE DUAL RD ARMRESTS FOLDING OUTBOARD	P	0	6-	1
8505072	REFRIG/FREEZER: FRONT LOADING*AVAIL 72" VIT & 75" SLPR*STD 86" VIT, NO CODE REQ	P	971	42	1
8505110	TV INSTL PKG: LO MT*AEROCABS ONLY*NA	P	335	6	1
8520012	LIFTABLE LOWER BUNK: W/39" INNERSPRNG* W/38"/86" SLPR*NA W/62" W/LIFTABLE LMR	P	1,253	39	1
8520141	MATTRESS:PREMIUM POCKET INNERSPRING CODE FOR MATTRESS*REPL STD FIXED BUNK	P	0	0	1
8530237	FLOORMAT: TOOL COMPARTMENT ON LOWER BUNK ONLY	P	0	0	1
8570000	LH LOWER CABINET W/2 DRAWERS: 72" VIT AEROCAB SLPRS*STD 86" VIT	P	617	11	1
8601880	CB RADIO: COBRA 29 *INCL WEATHERBAND* W/HDR MTD QUICK RELEASE	P	583	11	1
8698998	2-WAY COAX SPKRS: 2 SLEEPER*WITH OR W/O RADIO*	P	57	2	1
8699147	ANT: SOLID POST *LH COMWL* DUMP TRK OR LOG SVC*REPL ANT STD LOC*N/A KW AERO	P	28	0	1
8699514	SPKRS: 4 4"X6" HIGH PERFORMANCE*W/ KENWORTH*2 IN CAB HEADER/2 RR CAB CRNR	P	133	0	1
8700023	1 ADD 12V ACCESSORY PLUG IN SLPR LOC ON ACC PANEL N/A 38"AEROCAB*	P	76	0	1
8700049	LOGBOOK HOLDER UNDER DASH	P	45	0	1
8700101	BLACK DASH REPLACING TRIM COLOR DASH	P	41	0	1
8700168	TURN SIGNAL SWITCH: COLUMN-MTD DIMMER INCL INTERMITTENT WIPER CONTROL	P	0	0	1
8700186	ELECTRIC DOOR LOCKS*LH/RH* REMOTE KEYLESS ENTRY*REQ ELEC DOOR	P	421	0	1
8700188	LOCK*REQ DAYLITE DOOR STAINLESS STEEL PERMIT PANELS ON CAB	P	128	13	1
8700663	Kenworth TruckTech+ Formerly Remote Diagnostics	P	0	0	1
8716001	HOLDERS: 2 IN SLPR TOOL CMPT F/2 RMVBL FRONT TOM HOOKS	P	68	3	1
8720108	DELETE KW WORDMARK FROM HOOD	P	0	0	1
8800400	GRAHANDLE: 1 LH INSD DOOR FRAME ABOVE DASH	P	0	0	1
8800401	GRAHANDLE: 1 RH INSD DOOR FRAME ABOVE DASH	P	0	0	1
8800733	GRAHANDLE: 1 LH W/SHORT EXT OVER DOOR RPL STD (OPTION 21)	P	62	4	1
8800734	GRAHANDLE: 1 RH W/SHORT EXT OVER DOOR RPL STD	P	62	2	1

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8832115	DAYLITE DOOR: LH/RH INCLDS RH PEEPER WINDOW	P	0	0
8841411	AIR HORN: SINGLE UNDER CAB	P	0	0
8850300	Look-down, pass. Door,Stainless 8.5x4.4	P	0	0
8863570	CX MIRR: DUAL SS HTD 8.5" OFFSET STUD MOUNTING*	P	94	11
8867202	MIRROR: DUAL MOTO HTD*SW ON DOOR PAD* *LH/RH MOTORIZED*AERODYNAMIC	P	541	2
8869005	MIRROR BRKT: DUAL 8-1/2'	P	0	0
8879213	WINDOW LIFT: ELEC POWERED LH/RH SIDE SW LOCATED ON DOOR PAD	P	292	0
8879440	CAB DOOR/WINDSHIELD COVER IN ADDITION CAB/SLPR CURTAIN*AVAIL F/ T6/T8/W9 ONLY	P	354	4
8879590	FRESNEL LENS FOR PEEPER WINDOW:RH DOOR 10-1/8"X11-1/8"*AVAIL ONLY W/DAYLITE	P	69	0
8890017	REC HOLDER: ALUMINUM MTD ON TOOLBOX SEAT BASE*DIMENSION: 2" DEEP X 12.5"	P	35	0
8890100	WINDSHIELD: 1-PC W/CURVED GLASS	P	0	0
8890135	SUNVISOR:EXTERIOR STAINLESS STEEL	P	392	11
8890290	CHROME BEADING AROUND WINDOWS*INCL PEEPER WINDOW, IF CODED*	P	83	0
8890872	CAB/SLPR AIR SUSP: 38"/62"/72"/86" AEROCAB ONLY*	P	0	0
LIGHTS AND SIGNALS				
9010802	HEADLAMPS: DUAL REC HAL EXT LIFE DUAL BEAM *N/A T800/C500 WIDE HOOD*	P	0	0
9022137	MARKER LIGHTS: 5 RECTANGULAR LED	P	210	0
9030014	TURN SIGNAL LIGHTS: LED, FENDER MTD	P	85	0
9030052	LED STOP/TURN/TAIL: WITH 2 LED B/U LIGHTS AND W/ LED LICENSE PLATE	P	0	0
9034107	TURN SIGNAL:MIRROR BTM-MTD ADD STD RECT	P	243	2
9058020	1ST SET ADD 30' OF WIRE C/I FLOODLAMPS	P	28	0
9058037	SW/WIRE/IND LT:C/I FLOODS 1ST SW W/O ELEC PASS-THRU: WIRED COILED BOC/BOS	P	92	0
9058052	SW/WIRE/IND LT:C/I FLOODS 2ND SW W/O ELEC PASS-THRU: WIRED COILED BOC/BOS*	P	110	0
9080129	DUAL AMBER REVOLVING BEACON W/ S/S BRKT MOUNTED AT REAR CORNERS OF SLEEPER	P	895	15
9090000	DAYTIME RUNNING LAMPS	P	180	0
9090027	HEADLAMPS TO TURN ON WHEN WIPERS ARE ACTIVE	P	0	0
9090049	Omit Brake Light W/ Engine Brake	P	0	0
9090117	MARKER REFLECTOR LTS: MIDFRME-MTD N/A WITH FULL LENGTH CHASSIS FAIRINGS	P	209	22
9090126	BACKUP ALARM: ELECTRIC	P	162	4
9090302	JUNCTION BOX-FRAME MTD BEHIND CAB/SLPR *TO BE MTD BOC/BOS - NOT AT EOF*	P	155	1
9090845	CIRCUIT BREAKERS: TO REPLACE FUSES *DOES NOT APPLY TO ANY 5-AMP FUSE*	P	44	0
AIR EQUIPMENT				
9101219	AIR DRYER: BENDIX AD-HF HTD PURAGUARD & EXTENDED PURGE	P	148	0
9108001	MOISTURE EJT VLV: PULL CABLE DRAIN	P	0	0
9110068	TRAC KIT:LH FRAME-MTD W/HOSETENNA -INCL COMPOSITE GLDHD/LT PLG HLDR	P	0	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
9120014	Air & light line length: 14 feet. Straight lines			
9140020	NYLON AIR TUBING: FRAME/CAB	P	0	0
9140254	Locate air dryer inside RH rail BOC. (Req custom frame L/O code)	P	0	0
9140328	TRAILER ABS ELECT SUPPLY THRU SAE J560 7 PIN CONNECTOR (PER TMC RP137)	P	0	0
9140700	HOSATENNA BRACKET STD LOCATION 0-6" from STD location	P	0	0
9150210	STRAPS FOR MTG AIR TANK MOD UNDER BOX STEEL AIR TANKS ONLY, ON ALL TANKS	P	106	2
N9100	C/R 965325			
	ORDER REVIEWED BY APPLICATIONS TECH:			
9290231	RANDALL.HIENEMAN@PACCAR.COM	U	0	0
	SPECIAL EQUIPMENT			
9407015	2023 FREIGHT SURCHARGE	U	0	0
9409852	GHG Secondary Manufacturer: Does Not Apply	P	0	0
9490003	OFF HIGHWAY/SPECIALTY COMPONENT TRUCK ADDITIONAL LEADTIME REQUIRED	P	0	0
9490206	WARNING TRIANGLE REFLECTOR KIT: 3 TRIANGLES IN PLASTIC CASE	P	57	4
9490413	FIRE EXT: ONE 5# DRY CHEMICAL TYPE MTD LH OF SLPR TOOLBOX. Class ABC.	P	141	11
9490645	ZINC PHOSPHATE FRAME RAIL PAINT PROCESS REQS RAIL CODE. CODE IS F/1 PR OF RAILS	P	396	0
	PROMOTIONS			
	PAINT COLOR NUMBER			
9700000	PAINT COLOR NUMBER(S)	P	0	0
N9702	A - L0001EY BLACK			
N9720	FRAME N0001EA BLACK			
	NOTES			
9800001	***NOTE:REQUESTS PRECEDED BY N98XX ARE DISAPPROVED-OAR GRP #469-946-5351	U	0	0
N9801	9210367 HD TECHNOLOGY FEE HD TECHNOLOGY			
N9802	9210367 FEE HD TECHNOLOGY FEE			
N9803	9510900 TC565 Q3 2023 CLASS 8 SALES			
N9804	9510900 PROGRAM TC565 Q3 2023 CLASS 8			
N9805	9510900 SALES PROGRAM TC565 Q3 2023			
N9806	9510900 CLASS 8 SALES			
N9807	9510860 2023 SCHEDULING CODE - RENTON			
N9808	9510860 2023 SCHEDULING CODE - RENTON			
N9809	9510860 2023 SCHEDULING CODE - RENTON			
	PAINT			
9943004	BUMPER UNPAINTED	P	0	0
9943049	SLEEPER BULK PAINT	P	0	0
9943053	Sleeper Standard Paint	P	0	0
9944821	1 Color Paint Sleeper White If No Color Specified	P	0	0
9960006	***PAINT SKETCH VERIFIED***	U	0	0
9965510	PAINT:BASE COAT/CLEAR COAT*REQS PAINT EXTERIOR & PAINT COLOR L SERIES CODES*	P	0	0
	ORDER INFORMATION			
9999945	CHARGE CHASSIS IN UNITED STATES DOLLARS	P	0	0
9999995	CANCEL/REORDER CHASSIS	P	0	0