



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	FluidPro Oilfield Services Ltd.		
Address:	9701 99St		
City:	Clairmont	Province:	AB
Postal Code:	T8X5A8		
Telephone Number:	(780) 533-3338		
Vehicle Identification Number:	1T9BA9A2XKS588002		
Make:	Tremcar	Model:	SuperB
Year:	2019	Unit Number:	T-1066B
Odometer:	KM	Licence Plate Number:	6JS095
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Fluid Pro Oilfield Services Ltd.	20101
Inspection Technician Name:	Technician Number:
Steven Kulscar	B7936
Inspection Technician Signature:	
Inspection Date:	2025/07/28

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Trailer										kg									
Vehicle Information																			
VIN	1	T	9	B	A	9	A	2	X	K	S	5	8	8	0	0	2		
Unit Number				Year				Make				Model				Odometer			
T-1066B				2019				Tremcar				SuperB							
Registered Owner's Name																Plate Number			
FluidPro Oilfield Services Ltd.																6JS095			
Address												Postal Code				Phone Number			
9701 99St												T8X5A8				(780) 533-3338			

Drum Brakes: A-Full Inspection with Drum Removed										Disc Brakes:																																																																																																									
<table border="1"> <thead> <tr> <th colspan="2">LEFT</th> <th colspan="2">FRONT</th> <th colspan="2">RIGHT</th> </tr> </thead> <tbody> <tr> <td>100 psi</td><td>100 psi</td> <td>16.54 in</td><td>Drums/Rotors</td> <td>16.53 in</td><td></td> </tr> <tr> <td>.64 in</td><td>.59 in</td> <td>.71 in</td><td>Linings/Pads</td> <td>.75 in</td><td></td> </tr> <tr> <td></td><td></td> <td>1.5 in</td><td>Push Rod Travel</td> <td>1.5 in</td><td></td> </tr> <tr> <td>100 psi</td><td>100 psi</td> <td>16.52 in</td><td>Drums/Rotors</td> <td>16.54 in</td><td></td> </tr> <tr> <td>.51 in</td><td>.28 in</td> <td>.73 in</td><td>Linings/Pads</td> <td>.65 in</td><td></td> </tr> <tr> <td></td><td></td> <td>1.5 in</td><td>Push Rod Travel</td> <td>1.5 in</td><td></td> </tr> <tr> <td></td><td></td> <td></td><td>Drums/Rotors</td> <td></td><td></td> </tr> <tr> <td></td><td></td> <td></td><td>Linings/Pads</td> <td></td><td></td> </tr> <tr> <td></td><td></td> <td></td><td>Push Rod Travel</td> <td></td><td></td> </tr> <tr> <td></td><td></td> <td></td><td>Drums/Rotors</td> <td></td><td></td> </tr> <tr> <td></td><td></td> <td></td><td>Linings/Pads</td> <td></td><td></td> </tr> <tr> <td></td><td></td> <td></td><td>Push Rod Travel</td> <td></td><td></td> </tr> <tr> <td></td><td></td> <td></td><td>Drums/Rotors</td> <td></td><td></td> </tr> <tr> <td></td><td></td> <td></td><td>Linings/Pads</td> <td></td><td></td> </tr> <tr> <td></td><td></td> <td></td><td>Push Rod Travel</td> <td></td><td></td> </tr> </tbody> </table>																				LEFT		FRONT		RIGHT		100 psi	100 psi	16.54 in	Drums/Rotors	16.53 in		.64 in	.59 in	.71 in	Linings/Pads	.75 in				1.5 in	Push Rod Travel	1.5 in		100 psi	100 psi	16.52 in	Drums/Rotors	16.54 in		.51 in	.28 in	.73 in	Linings/Pads	.65 in				1.5 in	Push Rod Travel	1.5 in					Drums/Rotors						Linings/Pads						Push Rod Travel						Drums/Rotors						Linings/Pads						Push Rod Travel						Drums/Rotors						Linings/Pads						Push Rod Travel		
LEFT		FRONT		RIGHT																																																																																																															
100 psi	100 psi	16.54 in	Drums/Rotors	16.53 in																																																																																																															
.64 in	.59 in	.71 in	Linings/Pads	.75 in																																																																																																															
		1.5 in	Push Rod Travel	1.5 in																																																																																																															
100 psi	100 psi	16.52 in	Drums/Rotors	16.54 in																																																																																																															
.51 in	.28 in	.73 in	Linings/Pads	.65 in																																																																																																															
		1.5 in	Push Rod Travel	1.5 in																																																																																																															
			Drums/Rotors																																																																																																																
			Linings/Pads																																																																																																																
			Push Rod Travel																																																																																																																
			Drums/Rotors																																																																																																																
			Linings/Pads																																																																																																																
			Push Rod Travel																																																																																																																
			Drums/Rotors																																																																																																																
			Linings/Pads																																																																																																																
			Push Rod Travel																																																																																																																
Park Brake Lining Left na in Right na in Trans na in																																																																																																																			
Wheel Torque Checked ☒ Inner na ft lbs Outer 500 ft lbs																																																																																																																			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		✓

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle		✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓	
2.4. Spring & Spring Attachment	✓					

NOTES:

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components		✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components		✓
3H.8. Vacuum System			✓	3H.19. Brake Performance		✓
3H.9. Air-Boosted Trailer Brake System			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓	
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components		✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓	
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)		✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓	
3A.15. Drum Brake System Components	✓					

NOTES:

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle		✓
4.4. Kingpin			✓			

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Utilized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door	✓			8.23. Sliding Axle Assembly (Sliding Bogle)			✓
8.9. Cargo Tank or Vessel	✓			8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:

Certification			
The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8063140) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.			
Date of Inspection 2025/07/24	Technician Number B7936	Facility Number 20101	Signature 
Customer Acknowledgment			
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			Date (Year/Month/Day) 2025/07/28
			Customer Signature