



Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	FLUIDPRO OILFIELD SERVICES LTD		
Address:	9701 99 STREET		
City:	CLAIRMONT	Province:	AB
Postal Code:	T8X 5A8		
Telephone Number:	(780) 533-3338		
Vehicle Identification Number:	2AEAPSBM3ER000279		
Make:	Quad Wagon	Model:	Advance
Year:	2014	Unit Number:	T-320
Odometer:	KM	Licence Plate Number:	6RK750
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Fluidpro Oilfield Services Ltd.	Facility Number:	18788
Inspection Technician Name:	Terrance Hammerschmidt	Technician Number:	D2522
Inspection Technician Signature:			
Inspection Date:	2025/01/31		



COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle: Trailer										Gross Vehicle Weight registered: kg																																																																																																																											
Vehicle Information																																																																																																																																					
VIN 2 A E A P S B M 3 E R 0 0 0 2 7 9																																																																																																																																					
Unit Number T-320				Year 2014				Make Quad Wagon				Model Advance				Odometer																																																																																																																					
Registered Owner's Name FLUIDPRO OILFIELD SERVICES LTD														Plate Number 6RK750																																																																																																																							
Address 9701 99 STREET										Postal Code T8X 5A8				Phone Number (780) 533-3338																																																																																																																							
Drum Brakes: B-Wheel-on Full Inspection Disc Brakes:																																																																																																																																					
<table border="1"><thead><tr><th colspan="2">LEFT</th><th colspan="2">FRONT</th><th colspan="2">RIGHT</th></tr></thead><tbody><tr><td>100 psi</td><td>20 mm</td><td>NA mm</td><td>Drums/Rotors</td><td>NA mm</td><td>100 psi</td></tr><tr><td>100 psi</td><td>20 mm</td><td>12 mm</td><td>Linings/Pads</td><td>18 mm</td><td>100 psi</td></tr><tr><td></td><td></td><td>38.1 mm</td><td>Push Rod Travel</td><td>38.1 mm</td><td>13 mm</td></tr><tr><td>100 psi</td><td>14 mm</td><td>NA mm</td><td>Drums/Rotors</td><td>NA mm</td><td>100 psi</td></tr><tr><td>100 psi</td><td>13 mm</td><td>16 mm</td><td>Linings/Pads</td><td>18 mm</td><td>100 psi</td></tr><tr><td></td><td></td><td>38.1 mm</td><td>Push Rod Travel</td><td>38.1 mm</td><td>14 mm</td></tr><tr><td>100 psi</td><td>14 mm</td><td>NA mm</td><td>Drums/Rotors</td><td>NA mm</td><td>100 psi</td></tr><tr><td>100 psi</td><td>12 mm</td><td>18 mm</td><td>Linings/Pads</td><td>17 mm</td><td>100 psi</td></tr><tr><td></td><td></td><td>38.1 mm</td><td>Push Rod Travel</td><td>38.1 mm</td><td>10 mm</td></tr><tr><td>100 psi</td><td>16 mm</td><td>NA mm</td><td>Drums/Rotors</td><td>NA mm</td><td>100 psi</td></tr><tr><td>100 psi</td><td>16 mm</td><td>17 mm</td><td>Linings/Pads</td><td>18 mm</td><td>100 psi</td></tr><tr><td></td><td></td><td>38.1 mm</td><td>Push Rod Travel</td><td>38.1 mm</td><td>13 mm</td></tr><tr><td>psi</td><td>mm</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td></tr><tr><td>psi</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>psi</td></tr><tr><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td>mm</td></tr><tr><td>psi</td><td>mm</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td></tr><tr><td>psi</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>psi</td></tr><tr><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td>mm</td></tr></tbody></table>																				LEFT		FRONT		RIGHT		100 psi	20 mm	NA mm	Drums/Rotors	NA mm	100 psi	100 psi	20 mm	12 mm	Linings/Pads	18 mm	100 psi			38.1 mm	Push Rod Travel	38.1 mm	13 mm	100 psi	14 mm	NA mm	Drums/Rotors	NA mm	100 psi	100 psi	13 mm	16 mm	Linings/Pads	18 mm	100 psi			38.1 mm	Push Rod Travel	38.1 mm	14 mm	100 psi	14 mm	NA mm	Drums/Rotors	NA mm	100 psi	100 psi	12 mm	18 mm	Linings/Pads	17 mm	100 psi			38.1 mm	Push Rod Travel	38.1 mm	10 mm	100 psi	16 mm	NA mm	Drums/Rotors	NA mm	100 psi	100 psi	16 mm	17 mm	Linings/Pads	18 mm	100 psi			38.1 mm	Push Rod Travel	38.1 mm	13 mm	psi	mm	mm	Drums/Rotors	mm	psi	psi	mm	mm	Linings/Pads	mm	psi			mm	Push Rod Travel	mm	mm	psi	mm	mm	Drums/Rotors	mm	psi	psi	mm	mm	Linings/Pads	mm	psi			mm	Push Rod Travel	mm	mm
LEFT		FRONT		RIGHT																																																																																																																																	
100 psi	20 mm	NA mm	Drums/Rotors	NA mm	100 psi																																																																																																																																
100 psi	20 mm	12 mm	Linings/Pads	18 mm	100 psi																																																																																																																																
		38.1 mm	Push Rod Travel	38.1 mm	13 mm																																																																																																																																
100 psi	14 mm	NA mm	Drums/Rotors	NA mm	100 psi																																																																																																																																
100 psi	13 mm	16 mm	Linings/Pads	18 mm	100 psi																																																																																																																																
		38.1 mm	Push Rod Travel	38.1 mm	14 mm																																																																																																																																
100 psi	14 mm	NA mm	Drums/Rotors	NA mm	100 psi																																																																																																																																
100 psi	12 mm	18 mm	Linings/Pads	17 mm	100 psi																																																																																																																																
		38.1 mm	Push Rod Travel	38.1 mm	10 mm																																																																																																																																
100 psi	16 mm	NA mm	Drums/Rotors	NA mm	100 psi																																																																																																																																
100 psi	16 mm	17 mm	Linings/Pads	18 mm	100 psi																																																																																																																																
		38.1 mm	Push Rod Travel	38.1 mm	13 mm																																																																																																																																
psi	mm	mm	Drums/Rotors	mm	psi																																																																																																																																
psi	mm	mm	Linings/Pads	mm	psi																																																																																																																																
		mm	Push Rod Travel	mm	mm																																																																																																																																
psi	mm	mm	Drums/Rotors	mm	psi																																																																																																																																
psi	mm	mm	Linings/Pads	mm	psi																																																																																																																																
		mm	Push Rod Travel	mm	mm																																																																																																																																
Park Brake Lining Left NA mm Right NA mm Trans NA mm																																																																																																																																					
Wheel Torque Checked ☒ Inner NA ft lbs Outer 500 ft lbs																																																																																																																																					

COMMERCIAL VEHICLE RECORD OF INSPECTION **TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓
3H.9. Air-Boosted Trailer Brake System			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓		
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)	✓		
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components			✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓		
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)	✓		
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓		
3A.15. Drum Brake System Components	✓						

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓
4.4. Kingpin			✓				

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION **TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Utilized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogle)			✓
8.9. Cargo Tank or Vessel	✓			8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)	✓			10.7. Fifth Wheel Coupler			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer	✓		
10.5. Roll-Coupling Hitch			✓				

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8263268) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/01/31	D2522	18788	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/01/31

Customer Signature

