



80087800008063131

CV8063131

CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	Fluid Pro Oilfield Services Ltd.		
Address:	9701 99st		
City:	Clairmont	Province:	AB
		Postal Code:	T8X5A8
Telephone Number:	(780) 533-3338		
Vehicle Identification Number:	1XKWD40X7LJ962866		
Make:	Kenworth	Model:	Construct
Year:	2020	Unit Number:	389
Odometer:	677490 KM	Licence Plate Number:	U66187
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Fluid Pro Oilfield Services Ltd.	20101
Inspection Technician Name:	Technician Number:
Steven Kulscar	B7936
Inspection Technician Signature:	
Inspection Date:	2025/05/27



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 63500 kg									
Vehicle Information																			
VIN	1	X	K	W	D	4	0	X	7	L	J	9	6	2	8	6	6		
Unit Number 389				Year 2020				Make Kenworth				Model Construct				Odometer 677,490			
Registered Owner's Name Fluid Pro Oilfield Services Ltd.																Plate Number U66187			
Address 9701 99st										Postal Code T8X5A8				Phone Number (780) 533-3338					

Drum Brakes: A-Full Inspection with Drum Removed Disc Brakes:																																																																																																																																																																																					
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">LEFT</th> <th colspan="4">FRONT</th> <th colspan="4">RIGHT</th> </tr> </thead> <tbody> <tr> <td>100 psi</td><td>.45 in</td><td>16.535 in</td><td>.64 in</td> <td>Drums/Rotors</td><td>16.540 in</td><td>.72 in</td><td>1.5 in</td> <td>100 psi</td><td>.47 in</td><td>16.540 in</td><td>.72 in</td> <td>100 psi</td><td>.31 in</td><td>100 psi</td><td>.39 in</td> </tr> <tr> <td>100 psi</td><td>.23 in</td><td>100 psi</td><td>.24 in</td> <td>Linings/Pads</td><td>16.525 in</td><td>.68 in</td><td>1.5 in</td> <td>100 psi</td><td>.31 in</td><td>100 psi</td><td>.39 in</td><td>100 psi</td><td>.21 in</td><td>100 psi</td><td>.28 in</td> </tr> <tr> <td>100 psi</td><td>.38 in</td><td>100 psi</td><td>.34 in</td> <td>Push Rod Travel</td><td>16.545 in</td><td>.74 in</td><td>1.5 in</td> <td>100 psi</td><td>.21 in</td><td>100 psi</td><td>.28 in</td><td>100 psi</td><td>.21 in</td><td>100 psi</td><td>.28 in</td> </tr> <tr> <td>psi</td><td>in</td><td>psi</td><td>in</td> <td>Drums/Rotors</td><td>psi</td><td>in</td><td>psi</td><td>in</td> <td>psi</td><td>in</td><td>psi</td><td>in</td><td>psi</td><td>in</td><td>psi</td><td>in</td> </tr> <tr> <td>psi</td><td>in</td><td>psi</td><td>in</td> <td>Linings/Pads</td><td>psi</td><td>in</td><td>psi</td><td>in</td> <td>psi</td><td>in</td><td>psi</td><td>in</td><td>psi</td><td>in</td><td>psi</td><td>in</td> </tr> <tr> <td>psi</td><td>in</td><td>psi</td><td>in</td> <td>Push Rod Travel</td><td>psi</td><td>in</td><td>psi</td><td>in</td> <td>psi</td><td>in</td><td>psi</td><td>in</td><td>psi</td><td>in</td><td>psi</td><td>in</td> </tr> <tr> <td>psi</td><td>in</td><td>psi</td><td>in</td> <td>Drums/Rotors</td><td>psi</td><td>in</td><td>psi</td><td>in</td> <td>psi</td><td>in</td><td>psi</td><td>in</td><td>psi</td><td>in</td><td>psi</td><td>in</td> </tr> <tr> <td>psi</td><td>in</td><td>psi</td><td>in</td> <td>Linings/Pads</td><td>psi</td><td>in</td><td>psi</td><td>in</td> <td>psi</td><td>in</td><td>psi</td><td>in</td><td>psi</td><td>in</td><td>psi</td><td>in</td> </tr> <tr> <td>psi</td><td>in</td><td>psi</td><td>in</td> <td>Push Rod Travel</td><td>psi</td><td>in</td><td>psi</td><td>in</td> <td>psi</td><td>in</td><td>psi</td><td>in</td><td>psi</td><td>in</td><td>psi</td><td>in</td> </tr> </tbody> </table>																				LEFT				FRONT				RIGHT				100 psi	.45 in	16.535 in	.64 in	Drums/Rotors	16.540 in	.72 in	1.5 in	100 psi	.47 in	16.540 in	.72 in	100 psi	.31 in	100 psi	.39 in	100 psi	.23 in	100 psi	.24 in	Linings/Pads	16.525 in	.68 in	1.5 in	100 psi	.31 in	100 psi	.39 in	100 psi	.21 in	100 psi	.28 in	100 psi	.38 in	100 psi	.34 in	Push Rod Travel	16.545 in	.74 in	1.5 in	100 psi	.21 in	100 psi	.28 in	100 psi	.21 in	100 psi	.28 in	psi	in	psi	in	Drums/Rotors	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	Linings/Pads	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	Push Rod Travel	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	Drums/Rotors	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	Linings/Pads	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in	Push Rod Travel	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in
LEFT				FRONT				RIGHT																																																																																																																																																																													
100 psi	.45 in	16.535 in	.64 in	Drums/Rotors	16.540 in	.72 in	1.5 in	100 psi	.47 in	16.540 in	.72 in	100 psi	.31 in	100 psi	.39 in																																																																																																																																																																						
100 psi	.23 in	100 psi	.24 in	Linings/Pads	16.525 in	.68 in	1.5 in	100 psi	.31 in	100 psi	.39 in	100 psi	.21 in	100 psi	.28 in																																																																																																																																																																						
100 psi	.38 in	100 psi	.34 in	Push Rod Travel	16.545 in	.74 in	1.5 in	100 psi	.21 in	100 psi	.28 in	100 psi	.21 in	100 psi	.28 in																																																																																																																																																																						
psi	in	psi	in	Drums/Rotors	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in																																																																																																																																																																					
psi	in	psi	in	Linings/Pads	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in																																																																																																																																																																					
psi	in	psi	in	Push Rod Travel	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in																																																																																																																																																																					
psi	in	psi	in	Drums/Rotors	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in																																																																																																																																																																					
psi	in	psi	in	Linings/Pads	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in																																																																																																																																																																					
psi	in	psi	in	Push Rod Travel	psi	in	psi	in	psi	in	psi	in	psi	in	psi	in																																																																																																																																																																					
Park Brake Lining Left na in Right na in Trans na in Wheel Torque Checked ☒ Inner na ft lbs Outer 500 ft lbs																																																																																																																																																																																					

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature			✓	
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System				✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)				✓
1.7. Engine/Shut Down	✓			* SEE APPENDIX A*				

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System				✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓			
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components				✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake				✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake				✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake				✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)				✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System				✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance				✓
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System				✓
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)				✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components				✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓			
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓	


NOTES:

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification			
The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8063131) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.			
Date of Inspection	Technician Number	Facility Number	Signature
2025/05/27	B7936	20101	
Customer Acknowledgment			
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			Date (Year/Month/Day)
			2025/05/27
			Customer Signature