

707-1



CV8215934



80087200008215934

CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	Pisim Contracting Ltd		
Address:	PO Box 3527		
City:	Morinville	Province:	AB
		Postal Code:	T8R-1S3
Telephone Number:	(780) 660-7370		
Vehicle Identification Number:	1XKDP4EX5FR975578		
Make:	Kenworth	Model:	Construct
Year:	2015	Unit Number:	P-59
Odometer:	291483 KM	Licence Plate Number:	CWF5932
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Red Ram Sales Ltd.	11840
Inspection Technician Name:	Technician Number:
Joshua Leakvold	C3282
Inspection Technician Signature:	
Inspection Date:	2025/06/24

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
Vehicle								
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓	

NOTES:

Section 9 - Tires and Wheels								
Component	P	F	NA	Component	P	F	NA	
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓			
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓	
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓	
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓	
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓			
9.6. Wheel Bearing	✓							


NOTES:

Section 10 - Couplers and Hitches								
Component	P	F	NA	Component	P	F	NA	
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓	
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓	
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓			
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓	

NOTES:

Certification
The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8215934) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/06/24	Technician Number C3282	Facility Number 11840	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment	
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.	<div>Date (Year/Month/Day) 2025/06/24</div> <div>Customer Signature </div>

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered											
Truck										kg											
Vehicle Information																					
VIN	1	X	K	D	P	4	E	X	5	F	R	9	7	5	5	7	8				
Unit Number P-59				Year 2015				Make Kenworth				Model Construct				Odometer 291,483					
Registered Owner's Name Pisim Contracting Ltd														Plate Number CWF5932							
Address PO Box 3527										Postal Code T8R-1S3						Phone Number (780) 660-7370					

Drum Brakes:	A-Full Inspection with Drum Removed	Disc Brakes:
--------------	-------------------------------------	--------------

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">14 mm</div>	—	419.82	mm	Drums/Rotors	419.96	mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">14 mm</div>	—	
		20	mm	Linings/Pads	20	mm			
		26	mm	Push Rod Travel	25	mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">20 mm</div>	—	419.89	mm	Drums/Rotors	419.96	mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">20 mm</div>	—	
		20	mm	Linings/Pads	21	mm			
		39	mm	Push Rod Travel	42	mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">20 mm</div>	—	419.63	mm	Drums/Rotors	419.68	mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">20 mm</div>	—	
		21	mm	Linings/Pads	21	mm			
		42	mm	Push Rod Travel	40	mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">20 mm</div>	—	419.73	mm	Drums/Rotors	419.55	mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">20 mm</div>	—	
		21	mm	Linings/Pads	21	mm			
		45	mm	Push Rod Travel	45	mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">mm</div>	—	mm	mm	Drums/Rotors	mm	mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">mm</div>	—	
		mm	mm	Linings/Pads	mm	mm			
		mm	mm	Push Rod Travel	mm	mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">mm</div>	—	mm	mm	Drums/Rotors	mm	mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 50px; margin: 5px auto;">mm</div>	—	
		mm	mm	Linings/Pads	mm	mm			
		mm	mm	Push Rod Travel	mm	mm			

Park Brake Lining Left 20 mm Right 21 mm Trans NA mm
 Wheel Torque Checked ☒ Inner NA ft lbs Outer 50 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Utilized Body Elements			✓	8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓		